

ज्वालामूखी गाउँपालिकाको

आ.व. २०७८/०७९ को

दर रेट

CIVIL RATE

2078/079

ELECTRICAL RATE

2078/079

SANITARY RATE

2078/079

DEEP BORING RATE

2078/079

**LABOUR, EQUIPMENT
AND TRANSPORTATION
RATE**

2078/079

Table of Contents

S.No.	Description	Page no.	
		From	To
क	सीभील (CIVIL PART)		
1	विभिन्न किसिमको ईँटा	1	
2	क्ले टायलहरु	1	
3	ढुंगाको काम	1	2
4	विभिन्न प्रकारको बालुवा	2	
5	क्रसरबाट उत्पादित रोडा	2	
6	फुटालेको ढुङ्गाको गिट्टी	2	
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री	2	
8	विभिन्न साइजका खोलाको Screening गरेको Gravel	2	
9	फिल्टर सामग्री	2	
10	सडक कालो पत्रे गर्ने कामको लागी	3	
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु	3	
12	Ready made Premix Concrete	4	
13	फलामको डण्डीहरु :	4	
14	विभिन्न किसिमका काठहरु	4	5
15	Wooden Parquet Flooring	5	
16	विभिन्न मोटाईको प्लाइउडहरु	6	7
17	Prelaminated Particle Board	8	9
18	Other HardBoard/ Sunmica & Formaica)	9	
19	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate	9	
20	G.I. Wire	9	10
21	मेशिनबाट बुनिएका, mechanically selvedged double Twist wire mesh को गेवियन वाकस	10	12
22	Barbed Wire (काँढेतार)	12	
23	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)	12	15
24	Carbon Fibre UPVC Roofing Sheet	15	
25	एल्मुनियम प्लेन सिट	15	
26	विभिन्न प्रकारको जालीहरु (Netting)	15	
27	फलामबाट निर्मित सामानहरु	16	
28	Glass सीसा	16	
29	Corrugated/Plain Fiber Glass Sheet	17	

30	भ्याल ढोकामा लाग्ने Fixture हरु	17	20
31	विविध सामग्रीहरु	20	21
32	स्टेनलेस स्टील पाइप	21	
33	मार्बल चिप्स	21	22
34	मार्बल (Marble)	22	
35	Porcelain Glazed/Terrazo Mosaic Tiles	23	
36	Plaster of Parish (POP)	23	
37	रंगरोगनका सामानहरु	24	25
38	Wall Paper	25	
39	Eradication of peepal & other plants	25	
40	Gypsum board	25	26
41	Calcium Silicate Board supplying & fitting all complete work	25	26
42	Interlocking Cement Concrete Block	26	27
43	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य	27	
44	Heritage Wall Surface Texture (Interior and Exterior)	28	
45	UPVC Profile Door and Window/ Wall partition	28	29
46	Aerocon/Rapicon prefab Panel for Partition wall	29	
47	Aluminium & Steel Door & Windos	30	31
48	Aluminium Composite Panel Sheet supplying & and fitting all complete work	31	
49	Water proofing (chemicals & Tretment)works	32	52
50	Carbon/glass Fiber lamination, wrapping fo retrofitting and strengthening	52	53
51	परम्परागत निर्माण सामग्रीहरु :-	53	56
52	Security System	56	
53	Equipment Hired Rate Based on DoR	57	61
54	Road furniture/goods/other materials from DoR	61	
55	Bridge Materials	62	
56	भु संरक्षण सम्बन्धी कार्य	63	
57	वन कार्यालयबाट सम्पादन गरिने कार्यहरु(काठ लोड अनलोड तथा ढुवानीआदि)	63	64
58	जिल्ला कृषी कार्यालयबाट सम्पादन गरिने कार्यहरु	64	
59	डोजर बाट सवैप्रकारको माटो काट्ने कार्य	65	
60	Concrete Piller	65	
61	Sheet pilling work	65	

स्यानिटरी (SANITARY)		
1	Porcelain Clay Sanitaryware	1
2	PVC Cistern Set	4
3	Stainless Steel Sink/Pan/Basin etc.	4
4	Modern Sanitaryware	5
5	C.P. Accessories	6
6	Cistern Internal Part Fittings	12
7	Electric & Solar Geyser	12
8	C.I. Manhole Cover/Grating/grid cover	13
9	G.I. Water Tank	14
10	Roof Top PVC Water Tank	15
11	Water Pumps/Hand Pumps	16
12	Fire fighting equipment	17
13	Fire extinguisher ABC s	17
14	Insulation for hot water pipe 'Acroflex'	17
15	Acrylic glass self	17
16	Water Purification System	18
17	Bath Tub different sizes	18
18	Shower Tray 3'0"×3'0"	18
19	PPR Pipe Panchakanya or Eqv.	20
20	PPR Pipe Nepatop or Eqv.	32
21	CPVC Pipes	37
22	PVC Lead Free White Pipes SCHEDULE 40	41
23	Rainwater Collection System	44
23.1	UPVC Drain, Waste and Vent System	48
24	Multilayer Composite Pipe	52
25	Boring manually with slotted PVC Pipe (blue) Nepal Plastic	52
26	R.C.C. Hume Pipe & Collar	55
27	HDP Pipes NS-40	57
28	PVC Pipe NS 206	61
29	G.I Pipe	62
30	G.I. Pipe fittings	62
31	R.C.C. Ring	70
32	Dug Well with R.C.C. Ring (Complete work)	70
33	Accessories for deep boring works by machine .	70
34	2" Dia. Drill work.	71
35	Sanitary Tools	71

अनुसूचि - १

कार्यपालिकाको मिति २०७८/०३/३० गतेको बाईसौं बैठकको

निर्णय नं. १

यस ज्वालामूखी गाउँपालिकामा उपलब्ध हुने श्रम, सिपको स्तर, श्रमीकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानि गत आ.व. मा कायम गरिएको कामदारको ज्याला दर, दुवानी दर, मेसिन तथा उपकरणको भाडा दरलाई बजारमा उपलब्ध हुन सक्ने अवस्थाको अध्ययन र विश्लेषण गरी समय सापेक्ष संसोधन गर्नुपर्ने भएकोले स्थानीय सरकार संचालन ऐन २०७४ को दफा १३ बमोजिम चालु आ.व. २०७८/०७९ को लागि निम्न अनुसारको ज्याला दर, दुवानी र मेसिन उपकरणहरूको भाडा तथा निर्माण सामाग्रीहरूको दररेट निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई	मु.अ.क (VAT) बाहेक (रु.) आ.व			कैफियत
			०७६/०७७	०७७/०७८	०७८/०७९	
१.	दक्ष कामदार (Skilled Labour)					
क.	ब्ल्याष्टर	प्रति दिन प्रति व्यक्ति	1100	1100	1100	
ख.	रक डिलर/हेभी ड्रॉइभर /वेल्डर /प्लम्बर /विष्फोटक पदार्थ दुवानीगर्ने ज्यामी/डकर्मी/नकर्मी/सिकर्मी/वज्रकर्मी/चित्रकारी/हेभी सिनियर अपरेटर/कम्प्युटर अपरेटर/अटो मेकानिक्स	प्रति दिन प्रति व्यक्ति	990	990	990	
२	अर्द्धदक्ष कामदार (Semi Skilled Labour)					
क.	अर्द्धदक्ष कामदार (Semi Skilled Labour)	प्रति दिन प्रति व्यक्ति	770	770	770	
३	अदक्ष कामदार (Unskilled Labour)					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ हेभी हेलपर /सर्भे हेलपर/अवाले /ईट्टा वनाउने/क्याम्पर वर्कर/साधारण हेलपर/ल्याव व्याय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	750	750	750	
ख.	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	605	605	605	
ग.	लेन्थ वर्करहरु (सडकमा काम गर्ने)	प्रति दिन प्रति व्यक्ति	570	570	570	
घ.	निर्माण सुपरभाइजर/हेलपर (गाडिको)		550	550	550	
ड	लाईट ड्रॉइभर		600	660	660	
च.	प्याच वर्कर (Patch Worker)		660	660	660	
छ.	लेन्थ वर्कर सुपरभाइजर		605	625	625	
ज.	मेहत्तर / स्वीपर (भाडु लगाउने)		550	550	550	

नोट: बिद्युत कार्यको हकमा नेपाल बिद्युत प्राधिकरणको तहगत शुरु तलब स्केल अनुसार हुनेछ ।

ज्वालामूखी गाउँपालिकाको लागि आर्थिक वर्ष ०७८/०७९ मा लागु हुने गरी देहाय अनुसारको मेसिन उपकरण र ढुवानी दर कायम गर्ने निर्णय गरियो ।

ढुवानी ज्याला

सि.नं.	विवरण	ईकाई	मु.अ.क (VAT) बाहेक (रु.) आ.व			कैफियत
			०७६/०७७	०७७/०७८	०७८/०७९	
१.	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा आदी)	प्रति कि.मी. / क्वीन्टल	115	115	115	घोडा खच्छुवाट
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, ट्रेस, ऐना, बाथरूमका फुटने सामानहरू	प्रति कि.मी. / क्वीन्टल	150	150	150	घोडा खच्छुवाट
ग.	अति असजिलो सामानहरू जस्तै भो.पु. का लठ्ठाहरू, ट्रान्सफर्मर, विजुलिका पाईपहरू	प्रतिकि.मी. / क्वीन्टल	220	220	220	घोडा खच्छुवाट
			330	330	330	भरिया
२.	ट्रक वा ट्रयाक्टरवाट ढुवानी (लोड अनलोड बाहेक)	ईकाई	०७६/०७७	०७७/०७८	०७८/०७९	
क.	पक्की सडक सामान ढुवानी	प्रतिकि.मी. / क्वीन्टल	1.75	1.75	1.75	
ख.	कच्ची सडक सामान ढुवानी	प्रतिकि.मी. / क्वीन्टल	8.80	8.80	8.80	
ग.	ट्रयाक्टर मात्र चल्ने सडकमा ट्रयाक्टर वाट ढुवानी	प्रतिकि.मी. / क्वीन्टल	9.70	9.70	9.70	
३.	ट्रक वा ट्रयाक्टरवाट आयतन वाला सामानहरू जस्तै पोलिथिन टैंक, पाईप आदि हलुङ्गो सामान तथा अति असजिलो सामानहरू ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी. / ट्रक	100.00	100.00	100.00	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी. / ट्रक	210.00	210.00	210.00	
४.	लोड अनलोड					
क.	सजिलो सामानहरू (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा आदी)	प्रति केजी.	0.35	0.35	0.35	
ख.	असजिलो सामानहरू (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरू, आईरन एङ्गल, ग्लास, सटरहरू, ट्रेस, ऐना, बाथरूमका फुटने सामानहरू	प्रति केजी.	0.60	0.60	0.60	

५. गाडी / हेवी ईक्विपमेन्टको स्वीकृत भाडा दररेट (२०७८।७९)

क्र.सं.	साधन	ईकाई	०७६/०७७	०७७/०७८	०७८/०७९	कैफियत
१	ट्रक (३००घ.फि.)	प्रति घण्टा	४६०	४६०	४६०	ईन्धन बाहेक
२	टिपर(३२५ घ.फि.)	प्रति घण्टा	५७०	५७०	५७०	"
३	मिनी ट्रक	प्रति घण्टा	३१०	३१०	३१०	"
४	एक्स्काभेटर/JCB , PC140	प्रति घण्टा	१४००	१४००	१४००	"
५	एक्स्काभेटर P.C. 200	"	१९००	१९००	१९००	"
६	एक्स्काभेटर P.C. 220	"	२२००	२२००	२२००	"
७	एक्स्काभेटर . P.C. 200/220 मा फिट हुने ब्रेकर भाडा	"	१३००	१३००	१३००	"
८	८ टन रोलर (Seal Coat) को लागि	"	५५०	५५०	५५०	"
९	१०/१२ टन रोलर मेटालिक	"	५५०	५५०	५५०	"
१०	१८ टन सम्मको Vibrator RoIller सब बेस तथा बेस कोर्सको लागि	"	१२५०	१२५०	१२५०	"
११	Roller pneumatic GRW10	"	१२५०	१२५०	१२५०	"
१२	Grader Motor 135HP	"	१६००	१६००	१६००	"
१३	Loader Wheel 70Z	"	१५५०	१५५०	१५५०	"
१४	Bitumin Distributor	"	१३००	१३००	१३००	"
१५	Spreader chip s/p	"	२६०	२६०	२६०	"
१६	Chain Dozer D5	प्रति घण्टा	१९००	१९००	१९००	"
१७	वाटर ट्यांकर ६००० लिटर	प्रति घण्टा	५५०	५५०	५५०	"
१८	Mixture machine कंक्रीट मिक्सर मेशिन	प्रतिघण्टा	१०५०	१०५०	१०५०	"
१९	Concrete Vibator भाइब्रेटर	प्रतिघण्टा	१५०	१५०	१५०	"
२०	डिजेलवाट चल्ने वाटर पम्प(अपरेटर र ईंधन खर्च सहित)					"
	7.5 HP	प्रतिदिन	५५०	५५०	५५०	"
	2.0 HP	प्रतिदिन	२८०	२८०	२८०	"

नोट : उल्लेखित बाहेकका उपकरणहरूको भाडा आवश्यक परेमा सडक विभागको दरलाई आधार मान्ने निर्णय गरियो ।

मेसिन, उपकरणहरू (Heavy Equipment) प्रयोग गरी ढुङगा माटो काट्ने कार्यको लागि निम्न प्रकारका ढुङगा माटो हरुमा निम्न अनुसारको दररेट निर्धारण गर्ने निर्णय गरियो

सि. नं.	कामको विवरण	इकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
1	Heavy Equipment प्रयोग गरि विभिन्न प्रकारको माटो तथा चट्टान काट्ने कार्य ।					
1.1	सबै प्रकारको माटोमा (OS,HS, BMS, MS,SR) पहिरो हटाउने कार्य	घ.मि.	६०	६०	६०	
1.2	Sandy Soil काट्ने कार्य	घ.मि.	५५	५५	५५	
1.3	सबैप्रकारको माटो काट्ने कार्य । (OS,HS, BMS, MS,SR)	घ.मि.	८५	८५	८५	
1.4	मध्यम प्रकारको चट्टान (MR) काट्ने कार्य	घ.मि.	५३०	५३०	५३०	
1.5	कडा प्रकारको चट्टान (HR) काट्ने कार्य ब्रेकर प्रयोग गरि ।	घ.मि.	८००	८००	८००	
<p>नोट: माथि निर्णय नं. ३ मा उल्लेख भएको सबै प्रकारको माटो काट्ने कार्यको विवरणमा प्रयोग गरिएका Abbreviation तपसिलमा उल्लेख गरिएको छ :</p> <p>OS - Ordinary Soil, HS - Hard Soil, BMS - Boulder Mixed Soil, MS - Marshy Soil, SR - Soft Rock, MR- Medium Rock, HR - Hard Rock</p>						

सरकारी कार्यालयमा आवश्यक हुने बायो-इन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०७६/०७७	०७७/०७८	०७८/०७९	
१.	भु-संरक्षण सम्बन्धी कार्य					
क)	Grass Seeds					
i)	घाँसको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा	के.जी	०.५०	०.५०	०.५०	
ii)	घाँसको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा	,,	१.००	१.००	१.००	
iii)	२०० गेजको बिरुवा उमार्ने कालो चार प्वाल भएको विभिन्न साईज भएको पोलीथैला	"	३५०.००	३५०.००	३५०.००	
iv)	माटा भन्ने खाली बोरा	गोटा	१२.००	१२.००	१२.००	
v)	बास काटेको सिगो घना	घना	३५०.००	३५०.००	३५०.००	
vi)	बासको कटिंग स्टम्प बिरुवा (१५ महिने नर्सरी राखेको) १'६" देखि २' लामो	प्रति कटिंग	५५.००	५५.००	५५.००	
ख)	Vegetation/Shrubs Cuttings/Slip/Plants/etc.					
i)	अलैंची गानो	,,	११.००	११.००	११.००	
ii)	अलैंची बिरुवा	,,	८.००	८.००	८.००	
iii)	हार्डउड कटिङ्गस् (वैस) पेन्सिल साइज	,,	५.००	५.००	५.००	
iv)	नेपियर कटिङ्गस्	,,	२.००	२.००	२.००	
v)	NB ₂₁ घाँस	Slip	२.००	२.००	२.००	
vi)	निगालो राईजोम	set	५०.००	५०.००	५०.००	
vii)	बावियो ताइवानी दुबो	,,	३.००	३.००	३.००	
viii)	सिजनल फुल ढ इन्च पोली	गोटा	२५.००	२५.००	२५.००	
ix)	गुलाफ फुल ढ इन्च पोली	,,	१५०.००	१५०.००	१५०.००	
x)	हेज ढ इन्च पोली	,,	३०.००	३०.००	३०.००	
xi)	कार्पेट दुबो	व.फी.	३०.००	३०.००	३०.००	
xii)	कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला	,,	२०.००	२०.००	२०.००	
xiii)	निगालो (जरा सहीत)	गोटा	१२.००	१२.००	१२.००	
xiv)	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	,,	५.००	५.००	५.००	
xv)	गोठे मल तयारी	के.जी.	३.००	३.००	३.००	
xvi)	डाले घासको बिरुवा	गोटा	६.००	६.००	६.००	
xvii)	मोलाटो बिरुवा	,,	२.००	२.००	२.००	
xviii)	नरीवल डोरी	के.जी.	१२०.००	१२०.००	१२०.००	
xix)	नाइलन डोरी	,,	२५०.००	२५०.००	२५०.००	
ग)	बन कार्यालयबाट सम्पादन गरिने कार्यहरु(काठ लोड अनलोड तथा ढुवानीआदि)					
१	रुख/गोलिया काठ कटान मुख्यन					
१.१	रुख छपान	संख्या	३३.००	३३.००	३३.००	
१.२	गोलिया कटान मुख्यन	घनफिट	३६.००	३६.००	३६.००	
१.३	गोलियाको बोक्रा भिक्ने, रिङ्ग काट्ने	घनफिट	८.००	८.००	८.००	
१.४	गोलिया लोडिङ्ग	घनफिट	३६.००	३६.००	३६.००	
१.५	गोलिया अनलोडिङ्ग	घनफिट	१४.००	१४.००	१४.००	
१.६	गोलिया जंगल यार्डिङ्ग	घनफिट	३५.००	३५.००	३५.००	
१.७	गोलिया पाईलिङ्ग	घनफिट	११.००	११.००	११.००	
२	गोलिया काठ ढुवानी					
२.१	०-५ कि.मि.सम्मको ढुवानी	घनफिट	५०.००	५०.००	५०.००	
२.२	५-१० कि.मि.सम्मको ढुवानी	घनफिट	६६.००	६६.००	६६.००	
२.३	१०-१५ कि.मि.सम्मको ढुवानी	घनफिट	७०.००	७०.००	७०.००	

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०७६/०७७	०७७/०७८	०७८/०७९	
२.४	१५-२० कि.मि.सम्मको ढुवानी	घनफिट	७७.००	७७.००	७७.००	
२.५	२० कि.मि. देखि माथिको ढुवानी	घनफिट	८८.००	८८.००	८८.००	
२.६	बाहिरी जिल्ला वाट शाखा रोड तथा राजमार्ग हुदै जिल्ला भित्र ढुवानी गर्दा	प्रति घनफिट प्रति कि.मि	०.९०	०.९०	०.९०	
३	दाउरा कटान मूछान					
३.१	कटान मुछान	चट्टा	६०००.००	६०००.००	६०००.००	
३.२	लोडिङ्ग	चट्टा	३३००.००	३३००.००	३३००.००	
३.३	अनलोडिङ्ग	चट्टा	१३००.००	१३००.००	१३००.००	
३.४	चट्टा निर्माण	चट्टा	१६५०.००	१६५०.००	१६५०.००	
४	दाउरा ढुवानी					
४.१	०-५ कि.मि.सम्मको ढुवानी	चट्टा	३३००.००	३३००.००	३३००.००	
४.२	५-१० कि.मि.सम्मको ढुवानी	चट्टा	३८५०.००	३८५०.००	३८५०.००	
४.३	१०-१५ कि.मि.सम्मको ढुवानी	चट्टा	४४००.००	४४००.००	४४००.००	
४.४	१५ कि.मि. देखि माथिको ढुवानी	चट्टा	४८४०.००	४८४०.००	४८४०.००	
५	गोलिया काठ सभिलमा ल्याई चिरान गरिने कार्यको लागि					
५.१	चिरान, भुस समेतका उत्पादनलाई मिल हातामा व्यवस्थित गर्ने)	घनफिट	७७.००	७७.००	७७.००	
५.२	चिरान लोडिङ्ग	घनफिट	२२.००	२२.००	२२.००	
५.३	चिरान अनलोडिङ्ग	घनफिट	१०.००	१०.००	१०.००	
५.४	वाकल लोडिङ्ग	क्विण्टल	२७.००	२७.००	२७.००	
५.५	वाकल अनलोडिङ्ग	क्विण्टल	१०.००	१०.००	१०.००	
५.६	चिरान पाइलिङ्ग	घनफिट	७.००	७.००	७.००	
५.७	गोलिया मिल यार्ड- (१०० मि.सम्म)	घनफिट	१०.००	१०.००	१०.००	
५.८	घाटगद्दीवाट मिल सम्मको गोलिया सिपमेण्ट (जिल्लाभरवाट)	घनफिट	४४.००	४४.००	४४.००	
५.९	मिल सिपमेण्टको लागि गोलिया लोडिङ्ग	घनफिट	३६.००	३६.००	३६.००	
५.१०	मिल सिपमेण्टको लागि गोलिया अनलोडिङ्ग	घनफिट	१२.००	१२.००	१२.००	
६	चिरान ढुवानी					
६.१	०-५ कि.मि.सम्मको ढुवानी	घनफिट	२७.००	२७.००	२७.००	
६.२	५-१० कि.मि.सम्मको ढुवानी	घनफिट	३१.००	३१.००	३१.००	
६.३	१० कि.मि. भन्दा बढीको ढुवानी	घनफिट	३५.००	३५.००	३५.००	
७	बाकल/अनसाईज/कटपीस ढुवानी					
७.१	०-५ कि.मि.सम्मको ढुवानी	क्विण्टल	११०.००	११०.००	११०.००	
७.२	५-१० कि.मि.सम्मको ढुवानी	क्विण्टल	१२०.००	१२०.००	१२०.००	
७.३	१० कि.मि. भन्दा बढीको ढुवानी	क्विण्टल	१४०.००	१४०.००	१४०.००	
८	विरुवा खरिद (अर्नामेण्टल विरुवा)					
८.१	अशोक (ठूलो)	गोटा	५००.००	५००.००	५००.००	
८.२	अशोक (सानो)	गोटा	७७.००	७७.००	७७.००	
८.३	कल्कीफूल	गोटा	७२.००	७२.००	७२.००	
८.४	ज्याकारान्डा	गोटा	५५.००	५५.००	५५.००	
८.५	गोल्डमोहर	गोटा	४४.००	४४.००	४४.००	

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०७६/०७७	०७७/०७८	०७८/०७९	
८.६	काँगियो	गोटा	७२.००	७२.००	७२.००	
८.७	म्याङ्गोस्टक	गोटा	१८२.००	१८२.००	१८२.००	
८.८	बोटल पाम	गोटा	५५०.००	५५०.००	५५०.००	
८.९	फिसटेल पाम	गोटा	४४०.००	४४०.००	४४०.००	
८.१०	एरिका पाम	गोटा	४४०.००	४४०.००	४४०.००	
८.११	कपुर	गोटा	७२.००	७२.००	७२.००	
८.१२	धुपी	गोटा	७२.००	७२.००	७२.००	
८.१३	क्यासिया	गोटा	२७.००	२७.००	२७.००	
९	विरुवा खरिद (बहुउपयोगी वन विरुवा)					
९.१	बोधिचित्त	गोटा	६६०.००	६६०.००	६६०.००	
९.२	रुद्राक्ष	गोटा	३८५.००	३८५.००	३८५.००	
९.३	लप्सी (ग्राफिटड)	गोटा	६६.००	६६.००	६६.००	
९.४	चिराइतो	गोटा	९.००	९.००	९.००	
९.५	तेजपात, सुगन्धकोकिला, ठूलो अमला	गोटा	३३.००	३३.००	३३.००	
९.६	टिमु	गोटा	२२.००	२२.००	२२.००	
९.७	लौठ सल्ला (नेपाली)	गोटा	८५.००	८५.००	८५.००	
९.८	लौठ सल्ला (अमेरिकन)	गोटा	१४५.००	१४५.००	१४५.००	
९.९	टिक, सिसौ, वकाइनो, इपिल इपिल, जेट्रोफा, जामुन, चिउरी, हरो, बरो आदी	गोटा	१६.५०	१६.५०	१६.५०	स्टम्प कटिड, न्याकेट हट। प्रचलित बजारको दरमाउमा आधारित
९.१०	शिरिष, वकाइनो, कपोक, मसला, ववुल, इपिल इपिल, टाँकी, कोइरालो, निमारो, वडहर, राईखन्यु, काब्रो, कोइरालो, निम, कटमेरो, राजवृक्ष, कदम, खयर, अमला, टुनी, सल्लो, उत्तिस, सिसौ, टिक, बाँभी, बाँझ, जेट्रोफा, जामुन, चिउरी, हरो, बरो आदी	गोटा	२२.००	२२.००	२२.००	३"X७", ४"X७" साईजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको
९.११	अम्रिसो गानो	गोटा	७.००	७.००	७.००	
९.१२	नेपियर सेट्स	गोटा	३.००	३.००	३.००	
९.१३	नेपियर जरा सहितको	गोटा	४.००	४.००	४.००	
९.१४	बाँस कटिड/राईजोम (२ वर्षे)	गोटा	१६५.००	१६५.००	१६५.००	
९.१५	विरुवा (उचाई अनुसार)					
	४ फिट सम्मको	गोटा	८२५.००	८२५.००	८२५.००	
	४-५ फिट सम्मको	गोटा	१२१०.००	१२१०.००	१२१०.००	
	५-६ फिट सम्मको	गोटा	१४६०.००	१४६०.००	१४६०.००	

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०७६/०७७	०७७/०७८	०७८/०७९	
	६ फिट भन्दा अग्लो	गोटा	१८१५.००	१८१५.००	१८१५.००	
१०	विरुवा रोपण					
१०.१	ठूला विरुवा (५-१० फिट)	गोटा	१४५.००	१४५.००	१४५.००	
१०.२	अग्ला विरुवा (१०-१५ फिट)	गोटा	२१८.००	२१८.००	२१८.००	
११	सुराकी भत्ता	महिना	९०००.००	९०००.००	९०००.००	
१२	काठ विक्री डिपो चौकिदार	महिना	१६५००.००	१६५००.००	१६५००.००	
१३	वृक्षारोपण चौकिदार	महिना	११०००.००	११०००.००	११०००.००	
१४	नर्सरी नाईके (चौकिदार)	महिना	१६५००.००	१६५००.००	१६५००.००	
१५	खरघाँस खरिद (नर्सरी प्रयोजन)	मुठ्ठा	५५.००	५५.००	५५.००	
१६	३"X७", ४"X७" साईजको प्लाष्टिक थैला खरिद	कि.ग्रा.	४४०.००	४४०.००	४४०.००	
१७	३"X७", ४"X७" साईजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको विरुवा ढुवानी (०-१० कि.मी. सम्म)	गोटा	५.५०	५.५०	५.५०	
घ)	पशु सेवा कार्यालयबाट सम्पादन गरिने कार्यहरु					
i)	जई	के.जी.	७५.००	७५.००	७५.००	
ii)	वर्सिम	,,	१७५.००	१७५.००	१७५.००	
iii)	भेच	,,	१५०.००	१५०.००	१५०.००	
iv)	बोडी,केराउ र भटमास	,,	१५०.००	१५०.००	१५०.००	
v)	स्टाइलो कृक	,,	६५०.००	६५०.००	६५०.००	
vi)	स्टाइलो हमटा	,,	३००.००	३००.००	३००.००	
vii)	ज्वाइन्टभेच	,,	२००.००	२००.००	२००.००	
viii)	मोलासेस	,,	२५०.००	२५०.००	२५०.००	
ix)	ह्वाइटक्लोभर	,,	७५०.००	७५०.००	७५०.००	
x)	राइग्रास	,,	४००.००	४००.००	४००.००	
xi)	पास्पलनवीव	,,	३००.००	३००.००	३००.००	
xii)	कस्सफूट	,,	५५०.००	५५०.००	५५०.००	
xiii)	टियोसेन्टी	,,	१५०.००	१५०.००	१५०.००	
xiv)	सेटेरिया	,,	३५०.००	३५०.००	३५०.००	
xv)	कुइजु	,,	३००.००	३००.००	३००.००	
xvi)	ग्लाईसिन	,,	२००.००	२००.००	२००.००	
xvii)	डिस्मोडियम	,,	२७५.००	२७५.००	२७५.००	
xviii)	लुर्सन	,,	४५०.००	४५०.००	४५०.००	
xix)	डाले घासको विरुवा वडहर,राइखन्युनिमारो	गोटा	१५.००	१५.००	१५.००	
xx)	अन्य डाले घासको विरुवा	गोटा	१०.००	१०.००	१०.००	
xxi)	ग्वाटेमाला प्रति गानो प्रतिसेट	गानो	३.००	३.००	३.००	
xxii)	मेन्डुला/भटमासे	के.जी.	३००.००	३००.००	३००.००	
xxiii)	बोका	गोटा	१२०००.००	१२०००.००	१२०००.००	
xxiv)	याक/चौरी	गोटा	६००००.००	६००००.००	६००००.००	
xxv)	थुमा	गोटा	१२०००.००	१२०००.००	१२०००.००	
xxvi)	बीर	गोटा	५०००.००	५०००.००	५०००.००	

गाडी / हेवी ईक्विपमेन्टको स्वीकृत भाडा दररेट (०७७/०७८)

क्र.सं.	साधन	ईकाई	०७६/७७	०७७/७८	०७८/७९	कैफियत
१	ट्रक (३००घ.फि.)	प्रति घण्टा	४६०	४६०	४६०	ईन्धन बाहेक
२	टिपर(३२५ घ.फि.)	प्रति घण्टा	५७०	५७०	५७०	"
३	मिनी ट्रक	प्रति घण्टा	३१०	३१०	३१०	"
४	एक्स्काभेटर/JCB , PC140	प्रति घण्टा	१४००	१४००	१४००	"
५	एक्स्काभेटर P.C. 200	"	१९००	१९००	१९००	"
६	एक्स्काभेटर P.C. 220	"	२२००	२२००	२२००	"
७	एक्स्काभेटर . P.C. 200/220 मा फिट हुने ब्रेकर भाडा	"	१३००	१३००	१३००	"
८	८ टन रोलर (Seal Coat) को लागि	"	५५०	५५०	५५०	"
९	१०/१२ टन रोलर मेटालिक	"	५५०	५५०	५५०	"
१०	१८ टन सम्मको Vibrator RoIler सब बेस तथा बेस कोर्सको लागि	"	१२५०	१२५०	१२५०	"
११	Roller pneumatic GRW10	"	१२५०	१२५०	१२५०	"
१२	Grader Motor 135HP	"	१६००	१६००	१६००	"
१३	Loader Wheel 70Z	"	१५५०	१५५०	१५५०	"
१४	Bitumin Distributor	"	१३००	१३००	१३००	"
१५	Speader chip s/p	"	२६०	२६०	२६०	"
१६	Chain Dozer D5	प्रति घण्टा	१९००	१९००	१९००	"
१७	वाटर ट्यांकर ६००० लिटर	प्रति घण्टा	५५०	५५०	५५०	"
१८	Mixture machine कंक्रीट मिक्सर मेशिन	प्रतिघण्टा	१०५०	१०५०	१०५०	"
१९	Concrete Vibator भाइब्रेटर	प्रतिघण्टा	१५०	१५०	१५०	"
२०	डिजेलवाट चल्ने वाटर पम्प(अपरेटर र ईंधन खर्च सहित)					"
	7.5 HP	प्रतिदिन	५५०	५५०	५५०	"
	2.0 HP	प्रतिदिन	२८०	२८०	२८०	"

नोट : उल्लेखित बाहेकका उपकरणहरुको भाडा आवश्यक परेमा सडक विभागको दरलाई आधार मान्ने निर्णय गरियो ।

सडक, काठ र जस्ता सम्बन्धी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१.०	सडक कालो पत्रे गर्ने कामको सामग्रीहरू				
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	६८.०	७३.०	७३.०
	ii) CRMB-DIGO 55 Bitumen	"	७८.०	८२.०	८२.०
	iii) Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	६४.०	६८.०	६८.०
	छिटो जम्ने (RS 65%)	"	६८.०	७३.०	७३.०
	छिटो जम्ने (RS 70%)	"	७३.०	७७.०	७७.०
	मध्यम जम्ने (MS 60%)	"	६५.०	७०.०	७०.०
	मध्यम जम्ने (MS 65%)	"	७१.०	७५.०	७५.०
	ढीलो जम्ने (SS60%)	"	६७.०	७१.०	७१.०
	Slurry Seal with 60% bitumen	"	७३.०	७८.०	७८.०
	Hi - seal Redymix	"			
	Polymer Bitumen	"			
	iv) सडक कालोपत्रे गर्दा विटुमीन नउपकीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	३२४.०	३४६.०	३४६.०
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"			
	vi) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३१.०	३२.०	३२.०
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१७०.०	१८२.०	१८२.०
	b) Most Grade	"	१८८.०	२०१.०	२०१.०
	c) Glass beads	"	१५४.०	१६५.०	१६५.०
२.०	विभिन्न किसिमका काठहरू				
२.१	काठ				
	(क) विभिन्न साइजको स्थानीय सालकाठ	घ. फि	४,६००.०	४,६००.०	४,६००.०
	(ख) विभिन्न साइजको तराइको (अग्राख) सालकाठ	"	६,०००.०	६,०००.०	६,०००.०
	(ग) साज काठ	"	३,०००.०	३,०००.०	३,०००.०
	(घ) जामुन काठ	"	३,०००.०	३,०००.०	३,०००.०
	(ङ) सल्लाको काठ	"	१,०००.०	१,०००.०	१,०००.०
	(च) स्थानीय सिसौ काठ	"	२,०५०.०	२,०५०.०	२,०५०.०
	(छ) जंगली सिसौ काठ ,,	"	५,०००.०	५,०००.०	५,०००.०
	(ज) उतीस को काठ	"	-		
	झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	१,०२०.०	१,०२०.०	१,०२०.०
	(ञ) काठ दाउरा	के.जी	१५.०	१५.०	१५.०
२.२	कुँदिएको काठको काम तयारी				
	i) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	८५०.०	८५०.०	८५०.०
	ii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	९००.०	९००.०	९००.०
	iii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	७५५.०	७५५.०	७५५.०
	iv) भन्याङ्को रेलिङको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	३,३००.०	३,३००.०	३,३००.०
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३" X ८") साल काठमा टुँडाल बनाउने काम	"	१०,१३८.६	१०,१३९.०	१०,१३९.०
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३" X ८") साल काठमा टुँडाल बनाउने काम	"	११,५८७.०	११,५८७.०	११,५८७.०
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भुयाल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	ब.फि.	४,५००.०	४,५००.०	४,५००.०

सडक, काठ र जस्ता सम्बन्धी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	viii) घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुंडाल बनाउने काम ।	गोटा	५,०६९.३	५,०६०.०	५,०६०.०
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१,०००.०	१,०००.०	१,०००.०
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	"	१,२००.०	१,२००.०	१,२००.०
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	"	२,४००.०	२,४००.०	२,४००.०
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	१,५००.०	१,५००.०	१,५००.०
	xii) ३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	५५०.०	५५०.०	५५०.०
	xiii) कुँदिएको विभिन्न वुट्टा राखी बनाएको साल काठको ४" X ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	१,०००.०	१,०००.०	१,०००.०
	xiv) ४"X ५"को साल काठको नाग वुट्टा कुँद तयारी गरी जडान गर्ने कार्य	"	८००.०	८००.०	८००.०
३.०	Wooden Parquet Flooring				
	i)Shisam wood 150mm*30mm*8mm	व.फि.	१७५.०	१७५.०	१७५.०
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	५८०.०	५८०.०	५८०.०
४.०	विभिन्न मोटाईको प्लाइउडहरू				
५.०	Commercial				
	(क) ३ मी.मी	व.फि	१९.०	१९.०	१९.०
	३.५ मी.मी.	"	२२.२	२३.०	२३.०
	(ख) ४ मी.मी	"	२६.०	२६.०	२६.०
	(ग) ६ मी.मी	"	३८.०	३८.०	३८.०
	(घ) ८ मी.मी	"	४०.०	४०.०	४०.०
	(ङ) १२ मी.मी	"	६०.०	६०.०	६०.०
	(च) १९ मी.मी B/B	"	९०.०	९०.०	९०.०
	छ) १८ मी.मी PLY	"	९५.०	९५.०	९५.०
६.०	P/F. Water Proof				
	क) ४ मी.मी	व.फि	४०.०	४०.०	४०.०
	ख) ६ मी.मी	व.फि	५५.०	५५.०	५५.०
	ग) ८ मी.मी.	"	६५.०	६५.०	६५.०
	घ) ९ मी.मी.	"	६६.०	६६.०	६६.०
	(ङ)१२ मी.मी	"	७८.०	७८.०	७८.०
	च) १९ मी.मी PLY	"	१३०.०	१३०.०	१३०.०
	छ) १९ मी.मी B/B	"	१०५.०	१०५.०	१०५.०
७.०	Natural Teak Plywood				
	One side lamination				
	(क) ३ मी .मी	व.फि	५५.९	५६.०	५६.०
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	७४.०	७४.०	७४.०
	४ मी. मी (Regular)	"	६३.५	६४.०	६४.०
	४ मी. मी (Crown)	"	४२.६	४३.०	४३.०
	४ मी. मी (Beri)	"	४८.९	४९.०	४९.०
	४ मी. मी (Whitest line)	"	३८.८	३९.०	३९.०
	४ मी. मी (Beach)	"	४५.०	४५.०	४५.०
	४ मी. मी (Recon 18 No.)	"	३६.२	३७.०	३७.०
	(ग) ६ मी.मी	"			
८.०	Ready made Door				
८.१	38 mm th. Redimade solid core door shutter				
	Plain	व.फि	२९०.०	२९०.०	२९०.०
	One side teak	"	३२०.०	३२०.०	३२०.०
	Both side teak	"	३४२.०	३४२.०	३४२.०
	One side teak waterProof	"	२७५.०	२७५.०	२७५.०
	Both side teak waterProof	"	४४८.०	४४८.०	४४८.०

सडक, काठ र जस्ता सम्बन्धी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
द.२	30 to 32 mm th. Redimade solid core door shutter				
	Plain	व.फि	१९०.०	१९०.०	१९०.०
	One side teak	"	२२०.०	२२०.०	२२०.०
	Both side teak	"	२४०.०	२४०.०	२४०.०
	One side teak waterProof	"	२४०.०	२४०.०	२४०.०
	Both side teak waterProof	"	२६५.०	२६५.०	२६५.०
द.३	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१९०.०	१९०.०	१९०.०
	Readymade door shutter Recon, Special (1 side teak)	"	२५८.०	२५८.०	२५८.०
	If One side water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	"	२१०.०	२१०.०	२१०.०
	Readymade door shutter Recon, Special (1 side teak)	"	२८१.०	२८१.०	२८१.०
द.४	Wooden Listy				
	1/2" wide	र.फि.	१४.०	१४.०	१४.०
	3/4" wide	"	१८.०	१८.०	१८.०
	1.5" wide	"	३०.०	३०.०	३०.०
	Decorative	"	४०.०	४०.०	४०.०
द.५	equivalent				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४१८.०	४१८.०	४१८.०
	Frame U - Studs(0.55mm*0.75mm*3m)	"	४१८.०	४१८.०	४१८.०
	Board 9 mm	"	२,४४९.७	२,४५०.०	२,४५०.०
	Roofing Board 6mm (1.5mX.6m)	"	६७५.०	६७५.०	६७५.०
	Fiber mess tape (for 90mm/roll)	"	३३०.०	३३०.०	३३०.०
	PU sasauge rod	"	१,९८०.०	१,९८०.०	१,९८०.०
९	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	(क) सता सादा जस्तापाता (G.P Sheet)				
	0.2 mm (30 guage light)	बण्डल	३,८००.०	४,१८०.०	४,१८०.०
	0.22 mm (30 guage Medium)	"	४,१५०.०	४,५६५.०	४,५६५.०
	0.24 mm (30 guage Heavy)	"	४,४५०.०	४,८९५.०	४,८९५.०
	0.26 mm (28 guage light)	"	४,६५०.०	५,११५.०	५,११५.०
	0.28 mm (28 guage Medium)	"	५,१००.०	५,६१०.०	५,६१०.०
	0.31 mm (28 guage Heavy)	"	५,४५०.०	५,९९५.०	५,९९५.०
	0.35 mm (26 guage light)	"	६,१००.०	६,७१०.०	६,७१०.०
	0.38 mm (26 guage Medium)	"	६,३७२.०	७,००९.२	७,००९.२
	0.41 mm (26 guage Heavy)	"	६,९८२.०	७,६८०.२	७,६८०.२
	0.45 mm (24 guage light)	"	७,५७५.०	८,३३२.५	८,३३२.५
	0.50 mm (24 guage Medium)	"	८,३२०.०	९,१५२.०	९,१५२.०
	0.52 mm (24 guage Heavy)	"	८,६००.०	९,४६०.०	९,४६०.०
	0.75 mm	"	१२,३७९.०	१३,६१६.९	१३,६१६.९
	(ख) रंगिन जस्तापाता			-	-
	0.2 mm (30 guage light)	बण्डल	५,०१३.०	५,५१४.३	५,५१४.३
	0.22 mm (30 guage Medium)	"	५,३४१.०	५,८७५.१	५,८७५.१
	0.24 mm (30 guage Heavy)	"	५,६५१.०	६,२१६.१	६,२१६.१
	0.26 mm (28 guage light)	"	५,९५२.०	६,५४७.२	६,५४७.२
	0.28 mm (28 guage Medium)	"	६,२९८.०	६,९२७.८	६,९२७.८

सडक, काठ र जस्ता सम्बन्धी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	0.31 mm (28 guage Heavy)		६,९०२.०	७,५९२.२	७,५९२.२
	0.35 mm (26 guage light)	”	७,४००.०	८,१४०.०	८,१४०.०
	0.38 mm (26 guage Medium)	”	७,८५७.०	८,६४२.७	८,६४२.७
	0.41 mm (26 guage Heavy)	”	८,८५०.०	९,७३५.०	९,७३५.०
	0.45 mm (24 guage light)	”	९,९११.०	१०,९०२.१	१०,९०२.१
	0.50 mm (24 guage Medium)	”	९,९१७.०	१०,९०८.७	१०,९०८.७
	0.52 mm (24 guage Heavy)	”	१०,२५४.०	११,२७९.४	११,२७९.४
	0.75 mm	”	१४,३९३.०	१५,८३२.३	१५,८३२.३
	(ग) ग्याल्भानाइज्ड कारुगटेड जस्तापाता (CGI Sheet)				
	0.2 mm (30 guage light)	बण्डल	३,८१५.०	४,१९६.५	४,१९६.५
	0.22 mm (30 guage Medium)	”	४,१३०.०	४,५४३.०	४,५४३.०
	0.24 mm (30 guage Heavy)	”	४,४००.०	४,८४०.०	४,८४०.०
	0.26 mm (28 guage light)	”	४,६००.०	५,०६०.०	५,०६०.०
	0.28 mm (28 guage Medium)	”	४,९५६.०	५,४५१.६	५,४५१.६
	0.31 mm (28 guage Heavy)	”	५,५५५.०	६,१३२.५	६,१३२.५
	0.35 mm (26 guage light)	”	६,०१८.०	६,६१९.८	६,६१९.८
	0.38 mm (26 guage Medium)	”	६,४६०.०	७,१०६.०	७,१०६.०
	0.41 mm (26 guage Heavy)	”	६,९०२.०	७,५९२.२	७,५९२.२
	0.45 mm (24 guage light)	”	७,६००.०	८,३६०.०	८,३६०.०
	0.50 mm (24 guage Medium)	”	८,२५०.०	९,०७५.०	९,०७५.०
	0.52 mm (24 guage Heavy)	”	८,५६०.०	९,४१६.०	९,४१६.०
	0.75 mm	”	१२,३७८.०	१३,६१५.८	१३,६१५.८
	घ)जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.				
	0.20 mm	बण्डल	१,३०३.०	१,४३३.३	१,४३३.३
	0.22 mm	”	१,४२२.०	१,५६४.२	१,५६४.२
	0.24 mm	”	१,५१३.०	१,६६४.३	१,६६४.३
	0.26 mm	”	१,५८६.०	१,७४४.६	१,७४४.६
	0.28 mm	”	१,६९५.०	१,८६४.५	१,८६४.५
	0.31 mm	”	१,८४१.०	२,०२५.१	२,०२५.१
	0.35 mm	”	२,०४२.०	२,२४६.२	२,२४६.२
	0.38 mm	”	२,१४२.०	२,३५६.२	२,३५६.२
	0.41 mm	”	२,३४३.०	२,५७७.३	२,५७७.३
	ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm	पिस	२,६५५.०	२,९२०.५	२,९२०.५
	0.90 mm	”	२,१८९.०	२,४०७.९	२,४०७.९
	0.80 mm	”	१,९९२.०	२,१९१.२	२,१९१.२
	0.75 mm	”	१,८५९.०	२,०४४.९	२,०४४.९
	0.70 mm	”	१,७२५.०	१,८९७.५	१,८९७.५
	0.62 mm	”	१,५५०.०	१,७०५.०	१,७०५.०
	0.55 mm	”	१,३९०.०	१,५२९.०	१,५२९.०

सडक, काठ र जस्ता सम्बन्धी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	0.50 mm	”	१,७६०.०	१,९३६.०	१,९३६.०
	0.48 mm	”	१,२२१.०	१,३४३.१	१,३४३.१
	0.45 mm	”	१,१५०.०	१,२६५.०	१,२६५.०
	0.40 mm	”	१,०३०.०	१,१३३.०	१,१३३.०
	0.37 mm	”	९७०.०	१,०६७.०	१,०६७.०
	0.35 mm	”	९२०.०	१,०१२.०	१,०१२.०
	0.30 mm	”	८१५.०	८९६.५	८९६.५
	0.28 mm	”	७६७.०	८४३.७	८४३.७
	च)४ फिट * ८ फिट को रजिन प्लेन सिट				
	0.90 mm	पिस	२,४३४.०	२,६७७.४	२,६७७.४
	0.80 mm	”	२,१६९.०	२,३८५.९	२,३८५.९
	0.75 mm	”	२,०८०.०	२,२८८.०	२,२८८.०
	0.70 mm	”	१,९९१.०	२,१९०.१	२,१९०.१
	0.62 mm	”	१,७७०.०	१,९४७.०	१,९४७.०
	0.55 mm	”	१,६८२.०	१,८५०.२	१,८५०.२
	0.50 mm	”	१,४८०.०	१,६२८.०	१,६२८.०
	0.48 mm	”	१,४१६.०	१,५५७.६	१,५५७.६
	0.45 mm	”	१,३७२.०	१,५०९.२	१,५०९.२
	0.40 mm	”	१,२३९.०	१,३६२.९	१,३६२.९
	0.37 mm	”	१,२००.०	१,३२०.०	१,३२०.०
	0.35 mm	”	१,१०६.०	१,२१६.६	१,२१६.६
	0.30 mm	”	९७८.०	१,०७५.८	१,०७५.८
	0.28 mm	”	९३०.०	१,०२३.०	१,०२३.०
	GI EXPANDED METAL MESH				
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	११८.०	११८.०	११८.०
	1.20 mm मोटाई र 4' चौडाई भएको जाली	”	१६४.०	१६४.०	१६४.०
	1.00 mm मोटाई र 3' चौडाई भएको जाली	”	१०९.०	१०९.०	१०९.०
	1.00 mm मोटाई र 4' चौडाई भएको जाली	”	१३७.०	१३७.०	१३७.०
	0.90 mm मोटाई र 3' चौडाई भएको जाली	”	९१.०	९१.०	९१.०
	0.90 mm मोटाई र 4' चौडाई भएको जाली	”	४१०.०	४१०.०	४१०.०
१०	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)				
	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	१,४४०.०	१,४४०.०	१,४४०.०
	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	”	१,४९६.०	१,४९६.०	१,४९६.०
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१,२८८.०	१,२८८.०	१,२८८.०
	Ridge cover Tile Profile 0.78 R.m.	”	१,२९०.०	१,२९०.०	१,२९०.०
	UPVC Clip	गोटा	२६.०	२६.०	२६.०
	self tapping screw 3"	”	२६.०	२६.०	२६.०
	self tapping screw 2.5"	”	१०.०	१०.०	१०.०
	self tapping screw 2"	”	१०.०	१०.०	१०.०
	self tapping screw 1.5"	”	९.०	९.०	९.०
११	एल्युमिनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	३०.०	३०.०	३०.०
	(ख) ३० गेज	”	२७.०	२७.०	२७.०

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Interlocking Cement Concrete Block (Not less than M20 concrete				
	Curb stone-Not less than M20 concrete	र.मि.	१०२०.००	१०२०.००	१०२०.००
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker	व.फि	३९.००	३९.००	३९.००
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker	व.फि	४१.००	४१.००	४१.००
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४७.००	४७.००	४७.००
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४८.००	४८.००	४८.००
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	४९.००	४९.००	४९.००
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५०.००	५०.००	५०.००
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५७.००	५७.००	५७.००
२	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	गोटा	९.००	९.००	९.००
	Hexagon (22*22 cm) non colour	गोटा	२१.००	२१.००	२१.००
	Hexagon (22*22 cm) colour	गोटा	२३.००	२३.००	२३.००
	Squire paver (30*30*4.5cm)non colour	गोटा	२९.००	२९.००	२९.००
	Squire paver (30*30*4.5cm)colour	गोटा	३२.००	३२.००	३२.००
	inter block(24*13*6cm)	गोटा	१४.००	१४.००	१४.००
	Isave paver (20*16*6cm)	गोटा	१५.००	१५.००	१५.००
३	Concrete Block different items				
	Hollow Block (16**8**6")	गोटा	७३.००	७३.००	७३.००
	Hollow Block (16**8**4")	गोटा	६४.००	६४.००	६४.००
	Corner Hollow Block (16**8**6")	गोटा	८२.००	८२.००	८२.००
	Lintel Block (16**8**6")	गोटा	८२.००	८२.००	८२.००
	Pavers Block (fish or other shape) 60mm thick	गोटा	१८.००	१८.००	१८.००
	concrete Brick (9**4**2.5")	गोटा	१२.००	१२.००	१२.००
४	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting				
	Heritage granular	व.फि	८७.००	८७.००	८७.००
	Heritage flakes	व.फि	१०७.००	१०७.००	१०७.००
	Heritage granite finish	व.फि	८७.००	८७.००	८७.००
	Heritage Top coat (plastic lamination)	व.फि	२२.००	२२.००	२२.००
५	Concrete block				
	Concrete block size (40*15*20) cm	गोटा	३७.००	३७.००	३७.००
	Concrete block size (40*10*20) cm	गोटा	३२.००	३२.००	३२.००
	Concrete block size (39*14*19) cm	गोटा	५०.००	५०.००	५०.००
६	Cellular light weight concrete(CLC) block				
	Cellular light weight concrete(CLC) block -24**8**4"	गोटा	१६२.००	१६२.००	१६२.००
	Cellular light weight concrete(CLC) block-24**8**6"	गोटा	२९९.००	२९९.००	२९९.००
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११४.००	११४.००	११४.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७१.००	१७१.००	१७१.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२२८.००	२२८.००	२२८.००

फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	७७.००	७८.००	९२.००
	b) 10,12,16,20, mm dia	के.जी	७५.००	७६.००	९०.००
	c) 25 mm dia	के.जी	७७.००	७९.००	९०.००
	c) 28,32 mm dia	के.जी	७७.००	७९.००	९०.००
२	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	७९.००	८०.२५	८०.२५
	b) 10-25mm TOR steel	के.जी	७८.००	७९.८५	७९.८५
	c) 28-32mm TOR steel	के.जी	८१.००	८२.३५	८२.३५
३	TOR kari-4.75, 7 mm dia	के.जी	७९.००	७९.००	७९.००
४	डण्डी बाँध्नेतार	के.जी	८९.००	९८.००	९८.००
५	एम.एस.सोलिड स्वायर रड	के.जी	७१.००	७८.००	७८.००
६	विभिन्न साइजको एम.एस. एङ्गल	के.जी	७१.००	७८.००	७८.००
७	विभिन्न साइजको ब्याक पाईप	के.जी	७५.००	७८.००	७८.००
८	विभिन्न साइजको एम.एस. च्यानल	के.जी	७३.००	७८.००	७८.००
९	विभिन्न साइजको आइ.विम	के.जी	७२.००	७८.००	७८.००
१०	विभिन्न साइजको एम.एस. प्लेट	के.जी	१४०.००	१४५.००	१४५.००
११	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१४०.००	१४५.००	१४५.००
१२	G.I. Wire				
	i) 8 gauge				
	Medium zinc coated	के.जी	९४.००	९४.००	९४.००
	Heavy zinc coated	के.जी	९५.००	९७.००	९७.००
	Light zinc coated	के.जी	८७.००	९०.००	९०.००
	ii) 10 gauge				
	Medium zinc coated	के.जी	९०.००	१००.००	१००.००
	Heavy zinc coated	के.जी	९५.००	१०५.००	१०५.००
	Light zinc coated	के.जी	८७.००	९७.००	९७.००
	iii) 12 gauge				
	Medium zinc coated	के.जी	९१.००	१००.००	१००.००
	Heavy zinc coated	के.जी	९७.००	१०५.००	१०५.००
	Light zinc coated	के.जी	८८.००	९७.००	९७.००
१३	मेशिनबाट बुनिएका, Mechanically selvaged double Twist Wire mesh को गेबियन बाक्स तयारी BG/10x12/3.0/3.9/2.4/ZN (BG=Box	व.मि.	३२०.००	३२०.००	३२०.००
१४	Machine made Mechanically selvaged double Twist wire mesh gabion box fabrication BG/10x12/3.0/3.9/2.4/ZN (BG=Box Gabion)				
	१.५×१×०.५/०	गोटा	१६९२.००	१६९२.००	१६९२.००
	२×१×०.५/०	गोटा	२३०२.००	२३०२.००	२३०२.००
	३×१×०.५/०	गोटा	३२८६.००	३२८६.००	३२८६.००
	४×१×५/०	गोटा	४१४६.००	४१४६.००	४१४६.००
	१.५×१×१/०	गोटा	२४६०.००	२४६०.००	२४६०.००
	२×१×१/१	गोटा	३२६८.००	३२६८.००	३२६८.००
	३×१×१/२	गोटा	४६३९.००	४६३९.००	४६३९.००
	४×१×१/३	गोटा	४६३९.००	४६३९.००	४६३९.००
	ख) MBG/10x12/2.7/3.4/2.2/ZN	व.मि.	२८७.००	२८७.००	२८७.००

फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	१.५×१×०.५०	गोटा	१५७३.००	१५७३.००	१५७३.००
	२×१×०.५०	गोटा	२१५०.००	२१५०.००	२१५०.००
	३×१×०.५०	गोटा	३०४५.००	३०४५.००	३०४५.००
	४×१×०.५०	गोटा	३८४१.००	३८४१.००	३८४१.००
	१.५×१×१	गोटा	२२६९.००	२२६९.००	२२६९.००
	२×१×१	गोटा	३०४५.००	३०४५.००	३०४५.००
	३×१×१	गोटा	४२९९.००	४२९९.००	४२९९.००
	४×१×१	गोटा	५४१४.००	५४१४.००	५४१४.००
	ग) MJG/10x12/3.0/3.9/2.4/ZN				
	३×२×०.५०	गोटा	६८००.००	६८००.००	६८००.००
	४×२×०.५०	गोटा	८५९०.००	८५९०.००	८५९०.००
	५×२×०.५०	गोटा	१०६६२.००	१०६६२.००	१०६६२.००
	६×२×०.५०	गोटा	१२७३४.००	१२७३४.००	१२७३४.००
	३×२×१	गोटा	९३५४.००	९३५४.००	९३५४.००
	४×२×१	गोटा	११७६९.००	११७६९.००	११७६९.००
	५×२×१	गोटा	१४५४५.००	१४५४५.००	१४५४५.००
	६×२×१	गोटा	१७३००.००	१७३००.००	१७३००.००
	घ) MJG/10x12/2.7/3.4/2.2/ZN				
	३×२×०.५०	गोटा	५५६२.००	५५६२.००	५५६२.००
	४×२×०.५०	गोटा	७०३८.००	७०३८.००	७०३८.००
	५×२×०.५०	गोटा	८७१७.००	८७१७.००	८७१७.००
	६×२×०.५०	गोटा	११२६.००	११२६.००	११२६.००
	३×२×१	गोटा	७६४६.००	७६४६.००	७६४६.००
	४×२×१	गोटा	९६२७.००	९६२७.००	९६२७.००
	५×२×१	गोटा	११८९२.००	११८९२.००	११८९२.००
	६×२×१	गोटा	१४१५७.००	१४१५७.००	१४१५७.००
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	व.मि.	२३९.००	२३९.००	२३९.००
	३×२×०.१७	गोटा	३३३२.००	३३३२.००	३३३२.००
	४×२×०.१७	गोटा	४३१७.००	४३१७.००	४३१७.००
	५×२×०.१७	गोटा	५२८३.००	५२८३.००	५२८३.००
	६×२×०.१७	गोटा	६२८४.००	६२८४.००	६२८४.००
	३×२×०.२३	गोटा	३६२६.००	३६२६.००	३६२६.००
	४×२×०.२३	गोटा	४६९७.००	४६९७.००	४६९७.००
	५×२×०.२३	गोटा	५८०१.००	५८०१.००	५८०१.००
	६×२×०.२३	गोटा	६८२१.००	६८२१.००	६८२१.००
	३×२×०.३०	गोटा	३९३७.००	३९३७.००	३९३७.००
	४×२×०.३०	गोटा	५०७६.००	५०७६.००	५०७६.००
	५×२×०.३०	गोटा	६२६८.००	६२६८.००	६२६८.००
	६×२×०.३०	गोटा	७४२३.००	७४२३.००	७४२३.००
	च) WMN/ZN				
	६×८/२.२/२.७	व.मि.			
	१०×१२/२.७/३.४	व.मि.			
	१०×१२/३.०/३.९	व.मि.			
	छ) WMN/ZN/PVC				

फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	६x८/२.२/२.७	व.मि.			
	१०x१२/२.७/३.४	व.मि.			
	<u>Note:</u>				
	MBG = Maccaferi Box Gabion				
	MJG = Maccaferi Jumbo Gabion				
	MRM = Maccaferi Reno Mattress				
	WMN = Wire Mesh Netting				
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
१५	कुकुरे जाली (Chicken wire mesh)	व.मि.	७६.००	७६.००	७६.००
	ब्रास क्रसिङ्ग जाली	व.मि.	१९५.००	१९५.००	१९५.००
	स्टील जाली (crossing)	व.मि.	१५७.००	१५७.००	१५७.००
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२७०.००	२७०.००	२७०.००
	फलामबाट निर्मित सामानहरू				
१६	विभिन्न साइजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१३५.००	१३५.००	१३५.००
१७	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१२०.००	१२०.००	१२०.००
१८	कोल्याप्सीवल गेट बनाई जडान गर्ने	व.फि.	५००.००	५००.००	५००.००
१९	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३५०.००	३५०.००
२०	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	व.फि.	२८०.००	२८०.००	२८०.००
२१	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५००.००	५००.००	५००.००
२२	१६ गेज पातावाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (५० X ५०X ५ mm) को फ्रेम समेत	व.फि.	६५०.००	६५०.००	६५०.००
२३	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुर्डाकिला सहितको घुम्ने भन्ध्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ध्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३०६०.००	३०६०.००	३०६०.००
२४	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१२५.००	१२५.००	१२५.००
२५	विभिन्न साइजको किला काटी	के.जी.	११२.००	११२.००	११२.००
२६	विभिन्न साइजको नट बोल्ट	के.जी.	१६५.००	१६५.००	१६५.००
२७	फलाम सामग्रीको फेब्रिक्शन तथा जडान कार्य	के.जी.	४५.००	४५.००	४५.००
२८	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१४०.००	१४०.००
२९	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	१९४०.००	१९४०.००	१९४०.००
३०	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	१९५.००	१९५.००	१९५.००
	१" व्यास भएको १६ गेज मोटाई	मीटर	२४३.००	२४३.००	२४३.००
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३९६.००	३९६.००	३९६.००
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	३७६.००	३७६.००	३७६.००
	२" व्यास भएको १६ गेज मोटाई	मीटर	५०९.००	५०९.००	५०९.००

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
A	CONCRETE ADMIXTURES (Chemical)				
१	Form Oil	लिटर	१००.००	१००.००	१००.००
२	Polymer for M35, M 40 or higher concrete	लिटर	३५०.००	३५०.००	३५०.००
३	Epoxy Bonding agent for old and new construction	लिटर	२०००.००	२०००.००	२०००.००
४	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिटर	२३५.००	२३५.००	२३५.००
५	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	३५०.००	३५०.००	३५०.००
	Waterproof Coating with Polymer	के.जी.	४५०.००	४५०.००	४५०.००
६	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A,B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५०.००	१५०.००
७	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Naphthalene Formldehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	२५०.००	२५०.००	२५०.००
८	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F& G) IS 9103-1999 /1981	के.जी.	४५०.००	४५०.००	४५०.००
९	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३००.००	३००.००
१०	Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१०००.००	१०००.००	१०००.००
११	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 Part	के.जी.	१०००.००	१०००.००	१०००.००
१२	Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१२५०.००	१२५०.००	१२५०.००
१३	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part 5	के.जी.	१८०.००	१८०.००	१८०.००
१४	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	२५०.००	२५०.००	२५०.००
१५	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	३६०.००	३६०.००	३६०.००
१६	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३५०.००	३५०.००
१७	Retarding Superplasticizer for Concrete [Naphthalene Based] ASTM C 494-1981 (TYPE G/D), IS 9103-2007	के.जी.	२५०.००	२५०.००	२५०.००
१८	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	४६०.००	४६०.००	४६०.००
B	CONCRETE ADMIXTURES (Mineral)				
१	Silica Cement Admixture / Micro Silica for High Performance Concrete ASTM C 1240 -2005 , IS 15388-2003.	के.जी.	३१५.००	३१५.००	३१५.००
२	Processed FA Based Mineral Additives	के.जी.	८५.००	८५.००	८५.००
C	FOR JOINT SEALANTS & SYSTEMS				
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८००.००	१८००.००
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८२०.००	१८२०.००	१८२०.००
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३०००.००	३०००.००	३०००.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२०००.००	२०००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३०००.००	३०००.००
६	High Performance Hybrid Sily Sealant (290 ml per set)	सेट	१२००.००	१२००.००	१२००.००
७	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	के.जी.	३५०.००	३५०.००	३५०.००
८	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	४५०.००	४५०.००	४५०.००
९	Butyl Tape for various Applications	र. मि.	१२७.००	१२७.००	१२७.००

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१०	Waterproofing Joint Tape [120 mm]	र. मि.	५५२.००	५५२.००	५५२.००
११	Waterproofing Joint Tape [200 mm]	र. मि.	७५०.००	७५०.००	७५०.००
१२	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	४०१०.००	४०१०.००	४०१०.००
१३	Joint Tape Epoxy Adhesive	के. जी.	३०००.००	३०००.००	३०००.००
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२७५.००	२७५.००
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५००.००	१५००.००
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२७००.००	२७००.००
१७	Construction Joint Tape [100 mm]	र. मि.	८००.००	८००.००	८००.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	२४५०.००	२४५०.००	२४५०.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	४८५०.००	४८५०.००	४८५०.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	८२०.००	८२०.००	८२०.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	१५००.००	१५००.००	१५००.००
२२	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4"}]	ब. मि.	२५००.००	२५००.००	२५००.००
२३	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4"}]	ब. मि.	३५००.००	३५००.००	३५००.००
२४	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4"}]	ब. मि.	४५१०.००	४५१०.००	४५१०.००
D	INDUSTRIAL FLOORING SOLUTIONS				
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	के. जी.	१२०.००	१२०.००	१२०.००
२	Liquid Concrete Hardener & Dust Proofer	के. जी.	४५०.००	४५०.००	४५०.००
३	Anti Bacterial Floor & Wall Coating [Epoxy]	के. जी.	२५००.००	२५००.००	२५००.००
४	Anti Bacterial Floor & Wall Coating [Polyurethane]	के. जी.	३०००.००	३०००.००	३०००.००
५	Anti bacterial Floor & Wall Coating [Acrylic]	के. जी.	२०००.००	२०००.००	२०००.००
६	Self Levelling Flooring System [Epoxy]	के. जी.	२२००.००	२२००.००	२२००.००
७	Self Levelling Flooring System [Polyurethane]	के. जी.	३१००.००	३१००.००	३१००.००
८	Self Levelling Cementitious Flooring System	के. जी.	५००.००	५००.००	५००.००
E	ENGINEERING GROUTS				
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के. जी.	११२.००	११२.००	११२.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के. जी.	१२५.००	१२५.००	१२५.००
३	Hard wearing cementitious tile grout	के. जी.	१६२.००	१६२.००	१६२.००
४	Hard wearing epoxy based tile grout	के. जी.	१०००.००	१०००.००	१०००.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के. जी.	५००.००	५००.००	५००.००
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के. जी.	२५००.००	२५००.००	२५००.००
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 ml Cartridge]	मिलि लिटर	४५००.००	४५००.००	४५००.००
८	Low Viscosity Injection Epoxy Grout	के. जी.	७५८०.००	७५८०.००	७५८०.००
९	Low Viscosity Polyurethane Injection Grout	के. जी.	१२५००.००	१२५००.००	१२५००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के. जी.	८५०००.००	८५०००.००	८५०००.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के. जी.	१४०००.००	१४०००.००	१४०००.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के. जी.	९५००.००	९५००.००	९५००.००
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३०.००	१३०.००
१४	Cement Capsule(32*300mm)	पिस	६०.००	६०.००	६०.००
१५	Microfine Cement (MFC)	के. जी.	२६०.००	२६०.००	२६०.००

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
F	BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७५०.००	७५०.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	९५०.००	९५०.००
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	१२००.००	१२००.००	१२००.००
४	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	१८१०.००	१८१०.००	१८१०.००
G	FIBERS (Steel & Polypropylene)				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२००.००	१२००.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५००.००	१५००.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२०००.००	२०००.००
४	Loose steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००
५	Glued Steel Fibers	के.जी.	३६४.००	३६४.००	३६४.००
६	Crimped Steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००
H	SURFACE TREATMENT				
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२००.००	१२००.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१३५०.००	१३५०.००	१३५०.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४५००.००	४५००.००
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५००.००	१५००.००
५	Protective Polyurethane Sealer	के.जी.	१८९०.००	१८९०.००	१८९०.००
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५००.००	१५००.००
७	High Performance Water Repellent Paint	लिट्र	९००.००	९००.००	९००.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५००.००
९	Ready to use Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५००.००
१०	Concrete Curing Aid	के.जी.	४५०.००	४५०.००	४५०.००
I	CONCRETE REPAIRS				
१	Rust Remover & Passivator	लिट्र	१०००.००	१०००.००	१०००.००
२	Corrosion Inhibitor	के.जी.	१२००.००	१२००.००	१२००.००
३	Micro Concrete [M60] for Permanant Repairs	के.जी.	१४२.००	१४२.००	१४२.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१७५.००	१७५.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२५०.००	२५०.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२००.००	२००.००
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२००.००	१२००.००
J	PREPACKED MORTARS				
१	Tile, Mabrble, Granite etc. Adhesive	के.जी.	८५.००	८५.००	८५.००
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३५०.००	३५०.००
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	८६.००	८६.००	८६.००
४	High Performance Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	८५.००	८५.००
५	High Performance Polymer Based Insulting Wall Putty (Skim Coat)	के.जी.	९२.००	९२.००	९२.००
K	WATERPROOFING SYSTEMS				
	INTEGRAL				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२७५.००	२७५.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७५००.००	७५००.००
L	LIQUID APPLIED				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७००.००	७००.००

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५५०.००	५५०.००	५५०.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७५०.००	७५०.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	८५०.००	८५०.००
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७५०.००	७५०.००
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३५०.००	३५०.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४००.००	४००.००
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१६५०.००	१६५०.००
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१२५०.००	१२५०.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६२०.००	६२०.००	६२०.००
M	PREFORMED				
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	१८००.००	१८००.००	१८००.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	२०००.००	२०००.००	२०००.००
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	१०५०.००	१०५०.००	१०५०.००
४	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	ब. मि.	१५००.००	१५००.००	१५००.००
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	१५००.००	१५००.००	१५००.००
६	1.2 mm High Polymer PVC Membranes	ब. मि.	२०००.००	२०००.००	२०००.००
७	PVC Adhesive	के.जी.	२५००.००	२५००.००	२५००.००
८	1.2 mm EPDM Membranes	ब. मि.	२५००.००	२५००.००	२५००.००
९	EPDM Adhesive	के.जी.	२५००.००	२५००.००	२५००.००
१०	EPDM Primer	के.जी.	३०००.००	३०००.००	३०००.००
११	2mm TPO Membranes	ब. मि.	३५००.००	३५००.००	३५००.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	८१०.००	८१०.००	८१०.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४५००.००	४५००.००
N	SPECIALTY				
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५५०.००	५५०.००
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२२५.००	२२५.००
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५३०.००	५३०.००	५३०.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६५०.००	६५०.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१२५०.००	१२५०.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०००.००	१०००.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७५०.००	७५०.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०००.००	१०००.००
९	Anti Termite [Imidacloprid 30.5%]	के.जी.	१२०००.००	१२०००.००	१२०००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिटर	७५००.००	७५००.००	७५००.००
१२	Swellable WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२५००.००	२५००.००
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२५७०.००	२५७०.००	२५७०.००
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११४.००	११४.००	११४.००

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१६	XPS - Extruded Polystyrene Boards [25 mm]	व. मि.	२८५०.००	२८५०.००	२८५०.००
१७	XPS - Extruded Polystyrene Boards [50 mm]	व. मि.	३५५०.००	३५५०.००	३५५०.००

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
102 SERIES WINDOWS					
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	६६०.००	६६०.००	६६०.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	७२५.००	७२५.००	७२५.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३७.००	८३७.००	८३७.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९२०.००	९२०.००	९२०.००
90 SERIES WINDOWS					
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87×56×1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५३४.००	५३४.००	५३४.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६०४.००	६०४.००	६०४.००
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×65×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	५७३.००	५७३.००	५७३.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६८५.००	६८५.००	६८५.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४२८.००	४२८.००	४२८.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४९२.००	४९२.००	४९२.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८८.००	१८८.००	१८८.००
102 SERIES PARTITION					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	५१९.००	५१९.००	५१९.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५६३.००	५६३.००	५६३.००
64 SERIES PARTITION					

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	३९०.००	३९०.००	३९०.००
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	४७९.००	४७९.००	४७९.००
STRUCTURAL GLAZING					
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	५५०.००	५५०.००	५५०.००
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	६३६.००	६३६.००	६३६.००
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	७७३.००	७७३.००	७७३.००
GLASS DOOR & PARTITION					
१	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१२५९.००	१२५९.००	१२५९.००
२	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८२०.००	८२०.००	८२०.००
३	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३५४.००	१३५४.००	१३५४.००
Aluminium Composite Panel (ACP).					
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३५.००	३३५.००	३३५.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४४९.००	४४९.००	४४९.००

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
A	STRUCTURAL STRENGTHENING				
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५५०.००	८५५०.००	८५५०.००
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	व. मि.	८०५०.००	८०५०.००	८०५०.००
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	व. मि.	१२०००.००	१२०००.००	१२०००.००
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	व. मि.	१६०००.००	१६०००.००	१६०००.००
६	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	व. मि.	१२०००.००	१२०००.००	१२०००.००
७	EPOXY PRIMER	के.जी.	३५७०.००	३५७०.००	३५७०.००
८	SATURANT	के.जी.	३५००.००	३५००.००	३५००.००
९	LAMINATE ADHESIVE	के.जी.	२६००.००	२६००.००	२६००.००
१०	EPOXY TOPCOAT	के.जी.	३५००.००	३५००.००	३५००.००
११	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४५००.००	४५००.००
१२	TYFO Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२५००.००	२५००.००
१३	TYFO Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३५००.००	३५००.००
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२०००.००	१२०००.००
B	Horizontal Expansion Joint for Slab				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०४९०.००	१०४९०.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२४६०.००	१२४६०.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१४७६०.००	१४७६०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२००००.००	२००००.००	२००००.००
C	Expansion Joint for Basement				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८०४०.००	१८०४०.००
D	Expansion Joint for Roof				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१२५८०.००	१२५८०.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१४९५५.००	१४९५५.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७१०.००	१७७१०.००	१७७१०.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३८७०.००	२३८७०.००	२३८७०.००
E	Inside Vertical Expansion Joint				
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६५६०.००	६५६०.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८२००.००	८२००.००
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	९८४०.००	९८४०.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३१२०.००	१३१२०.००	१३१२०.००
F	Outside Vertical Expansion Joint				
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७५४०.००	७५४०.००

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९४३०.००	९४३०.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१२९७०.००	१२९७०.००	१२९७०.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५०८०.००	१५०८०.००

Security System

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Steel Security Gate				
	Metal detector (black Scorpien Company)	गोटा	१७०००.००	१७०००.००	१७०००.००
	Access Controller (Taiwanese)	गोटा	२८८६०.००	२८८६०.००	२८८६०.००
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१३९०५.००
२	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	व. मि.	८६८६.००	८६८६.००	८६८६.००
	Half leaf :- 50 mm, 70 mm, 100mm	व. मि.	९९३०.००	९९३०.००	९९३०.००
	Double leaf :- 50 mm, 70 mm, 100mm	व. मि.	१०५४८.००	१०५४८.००	१०५४८.००
३	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
४	CCTV System				
	Out door high speed Dome Integrated CAMERA Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.				
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९९६.००	५८९९६.००	५८९९६.००
५	Indoor high speed Dome Integrated CAMERA				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४.००	५४३८४.००	५४३८४.००
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००
	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५४५०.००	१५४५०.००	१५४५०.००
	7" Sphirical Shilded with bracket included chip excluded Camera		८३६४.००	८३६४.००	८३६४.००
	8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३३९९०.००	३३९९०.००	३३९९०.००
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५.००	५०९८५.००	५०९८५.००
	17" LCD Monitor	सेट	१०८९५.००	१०८९५.००	१०८९५.००

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Surface Hardness	Element	१०२०.००	१०२०.००	१०२०.००
२	Cover Survey/ Rebar Orientation	Element	४१००.००	४१००.००	४१००.००
३	Homogeneity	Element	५०००.००	५०००.००	५०००.००
४	Crack Depth Measurement	Element	५०००.००	५०००.००	५०००.००
५	E-Modulus Calculation Test	Element	५०००.००	५०००.००	५०००.००
६	Resistivity	Element	२५६०.००	२५६०.००	२५६०.००
७	Curing Efficiency Test	Element	२५००.००	२५००.००	२५००.००
८	Corrosion Mapping	Element	१५०००.००	१५०००.००	१५०००.००
९	Half Cell Potential	Element	७०००.००	७०००.००	७०००.००
१०	Sonic Echo/ Void Detection Test	Element	१००००.००	१००००.००	१००००.००
११	Pulloff Test/ Bond Test	Element	७०००.००	७०००.००	७०००.००
१२	Concrete Tensile Strength Test	Element	७१००.००	७१००.००	७१००.००
१३	Moisture Content	Element	४५००.००	४५००.००	४५००.००
१४	Core Extraction				
	32 mm Dia	Element	७५००.००	७५००.००	७५००.००
	52 mm Dia	Element	८०३०.००	८०३०.००	८०३०.००
	75 mm Dia	Element	८५००.००	८५००.००	८५००.००
	100 mm Dia	Element	१०२०.००	१०२०.००	१०२०.००
	150 mm Dia	Element	१२५००.००	१२५००.००	१२५००.००
	200 mm Dia	Element	१५०००.००	१५०००.००	१५०००.००
	250 mm Dia	Element	१७५००.००	१७५००.००	१७५००.००
	300 mm Dia	Element	२००००.००	२००००.००	२००००.००
	350 mm Dia	Element	२६००.००	२६००.००	२६००.००
१५	Rapid Chloride Penetration Test	Element	१५०००.००	१५०००.००	१५०००.००
१६	Anchor Pullout Test	Element	२००००.००	२००००.००	२००००.००
१७	Infrared Thermography	Element	३५४०.००	३५४०.००	३५४०.००
१८	Low Strain Pile Integrity Test	Element	११०००.००	११०००.००	११०००.००
१९	High Strain Dynamic Pile Load Test	Element	५००००.००	५००००.००	५००००.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००.००	४०००.००	४०००.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००.००	३५००.००	३५००.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००.००	३५००.००	३५००.००
२३	Cross Hole Sonic Logging	Element	१२५००.००	१२५००.००	१२५००.००
२४	Impulse Echo	Element	१००००.००	१००००.००	१००००.००
२५	Maturity Meter Test	Element	३५०००.००	३५०००.००	३५०००.००
२६	Chloride Profile	Element	१२५००.००	१२५००.००	१२५००.००
२७	Carbonation Depth Detection Test	Element	२५००.००	२५००.००	२५००.००
२८	Boroscope	Element	३५०००.००	३५०००.००	३५०००.००
२९	Videoscope	Element	८५०००.००	८५०००.००	८५०००.००
३०	Ground Penetrating Radar	Element	५००००.००	५००००.००	५००००.००
३१	CAPO Test	Element	१२५६०.००	१२५६०.००	१२५६०.००
३२	Permeability Test	Element			
	Air		३००००.००	३००००.००	३००००.००
	Water		४००००.००	४००००.००	४००००.००
३३	Concrete Cutting Services	R. M.	३००००.००	३००००.००	३००००.००
३४	Wall Cutting Services	R. M.	५००००.००	५००००.००	५००००.००
३५	Impact Echo	Element	१०३४०.००	१०३४०.००	१०३४०.००

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
३६	Mortar Strength Test (Penetrometer)	Element	५०००.००	५०००.००	५०००.००
३७	ASR Detection Test	Element	१००००.००	१००००.००	१००००.००
३८	Moisture Content Test				
	Concrete	Element	२०००.००	२०००.००	२०००.००
	Brick	Element	२०००.००	२०००.००	२०००.००
	Masonry	Element	२०००.००	२०००.००	२०००.००
	Wood	Element	२५८०.००	२५८०.००	२५८०.००

स्थानीय निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
१	ईटा					
१	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	१५८००.००	१५८००.००	१५८००.००	
२	चिमनी भट्टाको ईटा	प्रति हजार	१४५००.००	१४५००.००	१४५००.००	
३	स्थानिय चिमनी भट्टाको ईटा	प्रति हजार	१०६५०.००	१०६५०.००	१०६५०.००	
४	तराई को १ नं. ईटा	प्रति हजार	१५६००.००	१५६००.००	१५६००.००	
५	टुक्रा ईटा	घ.मि.	२५५०.००	२५५०.००	२५५०.००	
६	सिमेन्टको ईटा					
		BK108N प्रति हजार	१५४५०.००	१५४५०.००	१५४५०.००	
		BK118As प्रति हजार	१६२८०.००	१६२८०.००	१६२८०.००	
२	खानी तथा खोलाको ढुंगा	घ.फि.	४०.००	४०.००	४०.००	Ex-factory rate
३	विभिन्न प्रकारको खानी तथा खोलाको को बालुवा	घ.फि.	५०.००	५०.००	५०.००	
४	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि.	६०.००	६०.००	६०.००	
५	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	५०.००	५०.००	५०.००	
६	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	५०.००	५०.००	५०.००	
७	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	५०.००	५०.००	५०.००	
८	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री					
	(क) खोलाको स्क्रिन गरेका ग्राभेल	घ.फि.	43.0	43.0	43.0	
	(ख) खोलाको स्क्रिन नगरेका ग्राभेल	घ.फि.	40.0	40.0	40.0	
	ग) खानीको ग्राभेल	घ.फि.	26.0	26.0	26.0	
	(घ) Base-course को लागि मिक्स सोलिड (WBM)	घ.फि.	65.0	65.0	65.0	
	(ङ) ढुंगाको धूलो (Stone dust)	घ.फि.	30.0	30.0	30.0	
१०	छानामा छाउने क्ले टायलहरु					
	मेशिनबाट उत्पादित टायल	गोटा	१९.००	१९.००	१९.००	
	चिमनी भट्टाको टायल	गोटा	१६.००	१६.००	१६.००	
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३२.००	३२.००	
	चिमनी भट्टाको धुरी	गोटा	२६.००	२६.००	२६.००	
११	भुईँमा/ कौसीमा छाप्ने क्ले टायलहरु					
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१२.००	१२.००	१२.००	
	चिमनी भट्टाको क्ले टायल	गोटा	१०.००	१०.००	१०.००	
१२	छापने ढुङ्गा (Flag stone)					
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	७१.००	७१.००	७१.००	
	१ 1/२" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	८२.००	८२.००	८२.००	
	२ सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	१००.००	१००.००	१००.००	
	२.५ सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	११०.००	११०.००	११०.००	
	२.५" - ३" सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	१३७.००	१३७.००	१३७.००	
१६	भवनको भुईँ कोठामा पुर्न, सोलिडको गर्न प्रयोग गरिने बालुवा	घ.फि.	४०.००	४०.००	४०.००	
१८	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	२९५.००	२९५.००	२९५.००	
१९	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५२०.००	५२०.००	५२०.००	
२०	भुस	के.जि.	५.५०	५.५०	५.५०	
२१	गोबर	के.जि.	५.००	५.००	५.००	
२२	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३१.००	
२३	Plastic felt (२०मी. × १मी.)	रोल	२३५५.००	२३५५.००	२३५५.००	
२४	१८-२० फिट लामो बाँस	गोटा	२१०.००	२१०.००	२१०.००	

स्थानीय निर्माण सामाग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
अन्य						
१	सन माइका	व.फि	१७.००	१७.००	१७.००	
२	फोरमाइका	"	८१.००	८१.००	८१.००	
३	कोरोगेटेड फाइबर ग्लास १.२मि.मि. मोटाइको	"	१५३.००	१५३.००	१५३.००	
४	कोरोगेटेड फाइबर ग्लास घुरी छाउन	र.मी.	७४.००	७४.००	७४.००	
५	हुंगाको गिटी विभिन्न साइजको फुटालेको	घ.फि.	६७.००	६७.००	६७.००	
६	स्टोन चिप्स	"	६६.००	६६.००	६६.००	
७	मार्बल चिप्स(२५ के.जी. प्रति बोरा)बोरा वरावर १घ.फि.	बोरा	१८१.००	१८१.००	१८१.००	
८	२० मी.मी. टेराजो टाइल	व.फि.	१४०.००	१४०.००	१४०.००	
९	३ " को कब्जा	गोटा	९३.००	९३.००	९३.००	
१०	४ " को कब्जा	"	३०४.००	३०४.००	३०४.००	
११	४ " को छेस्कनी	"	४३.००	४३.००	४३.००	
१२	६ " को छेस्कनी	"	७२.००	७२.००	७२.००	
१३	१२ " को छेस्कनी	"	११४.००	११४.००	११४.००	
१४	विभिन्न साइजका नटबोल्ट	गोटा	८.००	८.००	८.००	
१५	मोर्टिस लक	गोटा	१२०७.००	१२०७.००	१२०७.००	
१६	साधारण हेण्डल	"	४८९.००	४८९.००	४८९.००	
१७	डोर स्पिड	"	१९१.००	१९१.००	१९१.००	
१८	लकड सेट २५० - ३०० मी.मी.(अन्तराप)	"	२७८.००	२७८.००	२७८.००	
१९	लकड स्टील २२५ मी.मी.(अन्तराप)	"	२४४.००	२४४.००	२४४.००	
२०	ब्रास हेण्डल -अन्तराप १० " - १२ "	"	१०११.००	१०११.००	१०११.००	
२१	किला काँटी (फलामे गोल किलाहरु)	के.जी	१७६.००	१७६.००	१७६.००	
२२	होल्डफास्ट	गोटा	२०.००	२०.००	२०.००	
२३	जे हुक , यु हुक	के.जी	१४७.००	१४७.००	१४७.००	
२४	छाना छाउने छाता किला विभिन्न साइजको	के.जी	१७६.००	१७६.००	१७६.००	
२५	बिटुमिन वासर	गोटा	४.००	४.००	४.००	
२६	पोलिथिन सिट (५०० गेजको)	के.जी.	२२.००	२२.००	२२.००	
२७	खाकसी	गोटा	७.००	७.००	७.००	
२८	पानी ३ कि.मी. दुरी सम्मको	लिट्र	०.३०	०.३०	०.३०	
२९	पानी ३ कि.मी. देखि माथी दुरी सम्मको	लिट्र	०.३५	०.३५	०.३५	
३०	चिकेन वायर मेस	व.मी.	८२.००	८२.००	८२.००	
३१	स्टील जाली	"	१६७.००	१६७.००	१६७.००	
३२	ब्रास क्रसिड जाली	"	२०८.००	२०८.००	२०८.००	
३३	चटाई	व.मी	३१.००	३१.००	३१.००	
३४	डोरी	के.जी.	१३२.००	१३२.००	१३२.००	
३५	फलामे पेच किला	गोटा	०.८०	०.८०	०.८०	
३६	नट एण्ड बोल्ट	गोटा	३१.००	३१.००	३१.००	
३७	३ इनचको रफिड किला	गोटा	१०.००	१०.००	१०.००	
३८	गेरु रंग	के.जी	१४७.००	१४७.००	१४७.००	
३९	चप्र पालिस	"	९७८.००	९७८.००	९७८.००	
४०	तयारी वासेवल डिस्टेम्पर	लिट्र	२३९.००	२३९.००	२३९.००	
४१	तयारी प्लास्टिक्स इमल्सन पेन्ट(interior)	"	५६३.००	५६३.००	५६३.००	
४२	तयारी वेदरकोट पेन्ट (exterior)	"	६७४.००	६७४.००	६७४.००	
४३	स्प्रीट	लिट्र	१२६.००	१२६.००	१२६.००	
४४	मोविकल, फेविकल	के.जी.	२८०.००	२८०.००	२८०.००	
४५	मैन पालिस	"	२२०.००	२२०.००	२२०.००	
४६	अक्यालिक एसिड	"	१२७.००	१२७.००	१२७.००	
४७	राम	"	२१७.००	२१७.००	२१७.००	
४८	लिनसिड आयल (linsed oil)	"	२११.००	२११.००	२११.००	
४९	राम तिलक	"	६०.००	६०.००	६०.००	
५०	उड प्रिजरभेटिव पेन्ट	लिट्र	२४५.००	२४५.००	२४५.००	
५१	माइक्रो सिलिका	के.जी.	७१५.००	७१५.००	७१५.००	
५२	बेन्टोनेट पाउडर (४० केजी = १ बोरा)	के.जी.	३५०.००	३५०.००	३५०.००	
५३	वाटरपुफिङ लिम्बुड	लीट्र	१२२९.००	१२२९.००	१२२९.००	
५४	वाटरपुफिङ पाउडर	के.जी.	१८२.००	१८२.००	१८२.००	
५५	१" बाक्लो रफिङ राफिङ टायल बुट्टा बनाउने सम्पूर्ण कार्य	व.मी.	६६६.००	६६६.००	६६६.००	
५६	बेली सपोर्ट फर्माको काममा	मिटर	५५.००	५५.००	५५.००	
५७	फलामे प्रप फर्माको काममा	गोटा	२३.००	२३.००	२३.००	

Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
1	Solar PV Module	प्रति.वाट	९२.००	९२.००	९२.००	
2	Solar Tubular Battery (200Ah@c20,12v)	गोटा	३२२००.००	३२२००.००	३२२००.००	
3	Solar Tubular Battery (150 Ah@c20,12v)	गोटा	२४५००.००	२४५००.००	२४५००.००	
4	Solar Tubular Battery (100 Ah@c20,12v)	गोटा	१७५००.००	१७५००.००	१७५००.००	
5	Solar Tubular Battery (80 Ah@c20,12v)	गोटा	१७०००.००	१७०००.००	१७०००.००	
6	Solar Tubular Battery (60 Ah@c20,12v)	गोटा	१२२००.००	१२२००.००	१२२००.००	
7	Solar Tubular Battery (40 Ah@c20,12v)	गोटा	८०९०.००	८०९०.००	८०९०.००	
8	Solar Gel Battery (200 Ah@c20,12v)	गोटा	६६७००.००	६६७००.००	६६७००.००	
9	Solar Gel Battery (150 Ah@c20,12v)	गोटा	५०२००.००	५०२००.००	५०२००.००	
10	Solar Gel Battery (100 Ah@c20,12v)	गोटा	३६१००.००	३६१००.००	३६१००.००	
11	Solar Gel Battery (80 Ah@c20,12v)	गोटा	३११००.००	३११००.००	३११००.००	
12	Solar Gel Battery (75 Ah@c20,12v)	गोटा	२७६००.००	२७६००.००	२७६००.००	
13	Solar Gel Battery (40 Ah@c20,12v)	गोटा	१५८००.००	१५८००.००	१५८००.००	
14	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	३६७००.००	३६७००.००	३६७००.००	
15	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	३२६००.००	३२६००.००	३२६००.००	
16	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	१८७००.००	१८७००.००	१८७००.००	
17	Charge controller (60A/24-48V)	गोटा	३२५००.००	३२५००.००	३२५००.००	
18	Charge controller 45A/12-24-48 V	गोटा	२३९००.००	२३९००.००	२३९००.००	
19	Charge controller 30A/12-24-48 V	गोटा	१९८००.००	१९८००.००	१९८००.००	
20	Charge controller 25A/12-24-48 V	गोटा	१४८००.००	१४८००.००	१४८००.००	
21	Charge controller 20a/12-24 V	गोटा	६०२१.००	६०२१.००	६०२१.००	
22	Charge controller 15a/12-24 V	गोटा	४९००.००	४९००.००	४९००.००	
23	Charge controller 10a/12-24 V	गोटा	२७००.००	२७००.००	२७००.००	
24	Charge controller 5a/12-24 V	गोटा	१६००.००	१६००.००	१६००.००	
25	Solar dusk to down controller 20A/12Vwith driver curcit	गोटा	४५००.००	४५००.००	४५००.००	
26	Solar street light 40W- 12V DC with autodimming system	गोटा	३१७००.००	३१७००.००	३१७००.००	
27	Solar street light 30W- 12V DC with autodimming system	गोटा	२४३२०.००	२४३२०.००	२४३२०.००	
28	Solar street light 20W- 12V DC with autodimming system	गोटा	१५३००.००	१५३००.००	१५३००.००	
29	Solar street light 100W	गोटा	४२३००.००	४२३००.००	४२३००.००	
30	Solar street light 80W	गोटा	३५८००.००	३५८००.००	३५८००.००	
31	Solar street light 60W	गोटा	२६८००.००	२६८००.००	२६८००.००	
32	Solar street light 40W	गोटा	१५१००.००	१५१००.००	१५१००.००	
33	Solar street light 30W	गोटा	१२०००.००	१२०००.००	१२०००.००	
34	Solar street light 20W	गोटा	८६००.००	८६००.००	८६००.००	
35	Solar street light 12W	गोटा	५६००.००	५६००.००	५६००.००	
36	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	१७४००.००	१७४००.००	१७४००.००	
37	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m	गोटा	१९२००.००	१९२००.००	१९२००.००	
38	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m	गोटा	२१५००.००	२१५००.००	२१५००.००	
39	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	२१७००.००	२१७००.००	२१७००.००	
40	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for buttom 4.5 m and 3" for top 2.5 m	गोटा	२१४००.००	२१४००.००	२१४००.००	

Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	सु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
41	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m	गोटा	२४७००.००	२४७००.००	२४७००.००	
42	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and and 3" for top 2m	गोटा	२६९००.००	२६९००.००	२६९००.००	
43	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and and 3" for top 2.4m	गोटा	२९१००.००	२९१००.००	२९१००.००	
44	Pure sine wave inverter 250 VA /12 V	गोटा	७२३०.००	७२३०.००	७२३०.००	
45	Pure sine wave inverter 400 VA /12 V	गोटा	१३५००.००	१३५००.००	१३५००.००	
46	Pure sine wave inverter 850 VA /12 V	गोटा	१६५००.००	१६५००.००	१६५००.००	
47	Pure sine wave inverter 1000 VA /12 V	गोटा	२२९००.००	२२९००.००	२२९००.००	
48	pure sine wave inverter 1400 VA	गोटा	२४३००.००	२४३००.००	२४३००.००	
49	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०२००.००	२०२००.००	२०२००.००	
50	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४२००.००	२४२००.००	२४२००.००	
51	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७५१००.००	७५१००.००	७५१००.००	
52	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	१४३०००.००	१४३०००.००	१४३०००.००	
53	Ms light Arms	सेट	२३००.००	२३००.००	२३००.००	
54	SPV mounting frame	सेट	५८००.००	५८००.००	५८००.००	
55	Battery box	सेट	४५५०.००	४५५०.००	४५५०.००	
56	Battery stand	सेट	४६००.००	४६००.००	४६००.००	

बिद्युतीकरणको लागि आवश्यक पर्ने सामग्रीहरूको स्वीकृत पालिका दररेट

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
S.N	Particulars/Specification	Unit				
१	Pole					
११	Wooden pole					
१२	8 m treated	Nos.	३७७०	३७७०	३७७०	
१३	9 m treated	Nos.	४२२०	४२२०	४२२०	
१४	11m concrete pole (PSC)	Nos.	९०००	९०००	९०००	
१५	Bottom Section Galvanized Steel Tubular Poles 8m,9m,10m, 11m (87Kg, 96kg, 136kg, 148kg)	Kg	१४०	१४०	१४०	
१६	Red Oxide Painted steel tubular Poles 8m,9m,10m, 11m (87Kg, 96kg, 136kg, 148kg)	Kg	१०७	१०७	१०७	
१७	M.S. Black Pipe 15mm to 100mm	Kg	९५	९५	९५	
१८	Bottom Section Galvanized Steel Tubular Poles 11.0m (148kg) with nut bolt & Washer	No.	२१६८०	२१६८०	२१६८०	
१९	Bottom Section Galvanized Steel Tubular Poles 10.0m (136kg) with nut bolt & Washer	No.	१९८००	१९८००	१९८००	
११०	Bottom Section Galvanized Steel Tubular Poles 9.0m (96kg) with nut bolt & Washer	No.	१९०००	१९०००	१९०००	
१११	Bottom Section Galvanized Steel Tubular Poles 8.0m (87kg) with nut bolt & Washer	No.	१२८००	१२८००	१२८००	
११२	Full Galvanized Steel 8 m Tubular (87kg)	Nos.	१६७००	१६७००	१६७००	
११३	Full Galvanized Steel 9 m Tubular (96kg)	Nos.	२००००	२००००	२००००	
११४	Full Galvanized Steel 10 m Tubular (132kg)		२२५००	२२५००	२२५००	
११५	Full Galvanized Steel 11 m Tubular (168kg)	Nos.	२६५५०	२६५५०	२६५५०	
२	Insulator	Nos.				
	Shackle	Nos.	६०	६०	६०	
	11 kvPin insulator	Nos.	२६६	२६६	२६६	
	Disc insulator and Disc Hardware	Nos.	४९४	४९४	४९४	
	D-iron Shackle insulator set	Nos.	१००	१००	१००	
	Distation clamp (Pole Clamp)	Nos.	३९६	३९६	३९६	
	Nut Bolt (3" with 8mm dia)	Nos.	१५०	१५०	१५०	
	Nut Bolt (3" with 8mm dia) to clamp on poles	Nos.	१५०	१५०	१५०	
३	Earthing Set					
	Copper rod earthing (3 rods)	set	६०००	६०००	६०००	
	Plate, rod, Nut bolts 600mmx600mmx 3mm	set	११०६२	११०६२	११०६२	
४	Lighting arrestor	set	१०६२	१०६२	१०६२	
	Stay set	set	१२००	१२००	१२००	
	Stay wire 7/12	kg	१५०	१५०	१५०	
५	Conductor					
	Squirrel 1.374 ohms/km	Meter	२२०	२२०	२२०	
	Weasel (0.03.sq.in) 0.9116 ohms/km	Meter	२६०	२६०	२६०	
	Gofer 1.098 ohms/km	Meter	२९	२९	२९	
	Rabbit (0.05.sq.in) 0.5449 ohms/km	Meter	४५०	४५०	४५०	
	Dog (0.1.sq.in) 0.2745 ohms/km	Meter	८४	८४	८४	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	Transformer (Neek or Equivalent Standard), Ex-Factory rate					
	15 KVA 11/0.4 kv, 3 phase	Nos	१९९०००	१९९०००	१९९०००	
	25KVA 11/0.4 kv, 3 phase	Nos	२६१४००	२६१४००	२६१४००	
	50 KVA 11/0.4 kv, 3 phase	Nos	३७३०००	३७३०००	३७३०००	
	100 KVA 11/0.4 kv, 3 phase	Nos	५९०६००	५९०६००	५९०६००	
७	Arms					
	Top arm 300	Nos	३३०	३३०	३३०	
	Cross arm 2250	Nos	२३००	२३००	२३००	
	Cross arm 550	Nos	६५०	६५०	६५०	
	Cross arm 1200	Nos	१३००	१३००	१३००	
८	Channel 2 ft,	Nos	८००	८००	८००	
९	Channel 4 ft	Nos	१६२०	१६२०	१६२०	
१०	Channel 7 ft	Nos	२७००	२७००	२७००	
११	Overhead Insulators with fixing accessories (11KV)					
a.	Pin Insulator	No	५६०	५६०	५६०	
b.	Disc Insulator	"	६५०	६५०	६५०	
c.	Cross Arms V Channel.	"	२२००	२२००	२२००	
१२	Sqarrel ACSR conductor 20mm²	Rm.	२४	२४	२४	
१३	weasel ACSR conductor 30 mm²	"	५५	५५	५५	
१४	Rabbit ACSR conductor 50 mm²	"	७२	७२	७२	
१५	Dog ACSR conductor 100 mm²	"	११२	११२	११२	
१६	Electrical Equipments					
i	Earthing Materials (ISI or other International Standard)					
a	6 mm thick 600mm× 600 mm G.I. Plate	No.				
c	Funnelling Mechanisn with cover (mild steel)	set				
d	3.2 mm thick 600mm× 600 mm Copper Plate	No.	१३५६०	१३५६०	१३५६०	
e	Copper wire (10 SWG)	Mtr.	१५०	१५०	१५०	
ii	Service wire (Al)					
a.	2.5 mm ²	Mtr.	२३	२३	२३	
b.	4.0 mm ²	"	२४	२४	२४	
c.	6.0 mm ²	"	२६	२६	२६	
iii	Lightening Arrester for 3 Phase .					
a.	0.5 KV(3 pis)	Set	१५००	१५००	१५००	
b.	11 KV(3 Pis)	Set	५५००	५५००	५५००	
c.	Cross Arms V Channel.	No	२२२०	२२२०	२२२०	
iv	Stay set with accessories.					
a.	GI wire	No	३१०	३१०	३१०	
b.	GI Plate	"	३५०	३५०	३५०	
c.	Gay Insulator.	"	२५०	२५०	२५०	
d	Elbow		४५०	४५०	४५०	
e	Rod , Nut	No	६४०	६४०	६४०	
f	Grip	"	२१०	२१०	२१०	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
१७	Transformer Maintenance Charges					
	a. Joint inspection,including opening of transformer,dismantaling of core and coil assembly,cleaning and removing dust and dirt from all parts and retaking and reassembling of all parts etc	lot	४००	४००	४००	
	b. Raising insulation	per/tra	४००	४००	४००	
	c. Replacement of H.V coil with insulation including winding charge (scarp not retainable)	kg	४९०	४९०	४९०	
	d. Rewinding of H.V coil with insulation	kg	३२	३२	३२	
	e. Set of gasket rubberised cork-sheet, insulation materials i.e varnish, ampire tap, wire sleeves, cotton tape, lathorised paper, soldering metal etc.	set	३००	३००	३००	
	f. Replacement of L.V coil wire with insulation	kg	४९०	४९०	४९०	
	g. Rewinding of L.V coil wire with insulation	kg	३०	३०	३०	
	h. Breather with fresh silicagel	set	७००	७००	७००	
	i. H.V bushing insulator	nos	३५५	३५५	३५५	
	j. L.V bushing insulator	nos	२००	२००	२००	
	k. H.V stud (brass)	nos	४००	४००	४००	
	l. L.V stud (brass)	nos	५००	५००	५००	
	m. New transformer oil feeling	lts	१५०	१५०	१५०	
	n. Testing of transformer	nos	४००	४००	४००	
१८	Labour Charge for the Installation					
1	Stringing of wire/Weasel (0.03.sq.in) 0.9116 ohms/km	KM	८०००	८०००	८०००	
2	Earthen work for poles	m3	३४५	३४५	३४५	
3	Dismantaling of 8m steel tubular poles	NOS	११२५	११२५	११२५	
4	Erection of 8m steel tubular poles	NOS	२०४५	२०४५	२०४५	
5	Erection of steel tubular pole 11m	NOS	४२६०	४२६०	४२६०	
6	Installation of stay set	NOS	१२५०	१२५०	१२५०	
7	Installation of D-Iron shackle insulator	NOS	८२	८२	८२	
8	D.O. set installation for branch fuse	NOS	३३४०	३३४०	३३४०	
9	Transformer Installation Charge	NOS	२२२७०	२२२७०	२२२७०	

नोट : माथि उल्लेखित दररेटमा नपरेका सामानहरू काठमाडौं जिल्लाले निर्धारण गरेको स्वीकृत दररेटलाई आधार मानी दुवानी दिनु पर्ने भए सो समेत जोडी नर्स अन्तगर्न दर निर्धारण गरी कर्षाचयन गर्ने निर्णय गरियो ।

(B) ELECTRICAL WORKS

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
१	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	६०.००	६०.००	६०.००	
	One Gang two way switch	सेट	७०.००	७०.००	७०.००	
	One way bell switch	सेट	७२.००	७२.००	७२.००	
	Two gang one way switch	सेट	९७.००	९७.००	९७.००	
	Two gang one way switch with one bell push	सेट	११०.००	११०.००	११०.००	
	Two gang Full two way switch	सेट	१०९.००	१०९.००	१०९.००	
	Three Gang one way switch	सेट	१२७.००	१२७.००	१२७.००	
	Four gang one way switch	सेट	१६१.००	१६१.००	१६१.००	
	Six gang one way switch (3x5)	सेट	२५३.००	२५३.००	२५३.००	
	Eight gang one way switch	सेट	३०४.००	३०४.००	३०४.००	
	Dimmer single 300 watt	सेट	३१३.००	३१३.००	३१३.००	
	Dimmer single 750 watt	सेट	४५९.००	४५९.००	४५९.००	
	5 Step humming free dimmer	सेट	४०७.००	४०७.००	४०७.००	
	16Amp 3 Pin Plug Top	सेट	१२१.००	१२१.००	१२१.००	
	1 switch with dimmer	सेट	३६९.००	३६९.००	३६९.००	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१५७.००	१५७.००	१५७.००	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१७०.००	१७०.००	१७०.००	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	३७१.००	३७१.००	३७१.००	
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	२०९.००	२०९.००	२०९.००	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६११.००	६११.००	६११.००	
	Blanking plate single	सेट	४०.००	४०.००	४०.००	
	Telephone socket single	सेट	१२०.००	१२०.००	१२०.००	
	Telephone socket Double	सेट	१७०.००	१७०.००	१७०.००	
	Angle / bottom holder	सेट	३५.००	३५.००	३५.००	
	Ceiling Rose	सेट	३५.००	३५.००	३५.००	
	Buzzer	सेट	९७.००	९७.००	९७.००	
	Musical bell	सेट	२२२.००	२२२.००	२२२.००	
	T.V.antena single Socket	सेट	८२.००	८२.००	८२.००	
	6A 2/3 Pin unshuttered multi switch socket	सेट	१३०.००	१३०.००	१३०.००	
	RJ 45 Computer Socket for modem	सेट	२३५.००	२३५.००	२३५.००	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५.००	३५.००	३५.००	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६५.००	६५.००	६५.००	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	९९.००	९९.००	९९.००	
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	10A 1gang 1way Switch	सेट	८५.००	८५.००	८५.००	
	10A 2gang 1way Switch	सेट	१६३.००	१६३.००	१६३.००	
	10A 3gang 1way Switch	सेट	२१६.००	२१६.००	२१६.००	
	10A 4gang 1way Switch	सेट	३५०.००	३५०.००	३५०.००	
	10A 5gang 1way Switch	सेट	३७३.००	३७३.००	३७३.००	
	10A 6gang 1way Switch	सेट	६१८.००	६१८.००	६१८.००	
	10A 1gang 2way Switch	सेट	१४६.००	१४६.००	१४६.००	
	10A 2gang 2way Switch	सेट	२७८.००	२७८.००	२७८.००	
	10A 3gang 2way Switch	सेट	४०९.००	४०९.००	४०९.००	
	10A 4gang 2way Switch	सेट	६१३.००	६१३.००	६१३.००	
	T V Socket outlet	सेट	३००.००	३००.००	३००.००	
	Telephone Socket	सेट	२६८.००	२६८.००	२६८.००	
	13A Universal socket outlet	सेट	४६५.००	४६५.००	४६५.००	
	13A Socket	सेट	२७३.००	२७३.००	२७३.००	
	15A switched Socket outlet	सेट	४४३.००	४४३.००	४४३.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	5A Socket	सेट	३४०.००	३४०.००	३४०.००	
	RJ 45 8way Computer Socket	सेट	८२४.००	८२४.००	८२४.००	
	TV and Telephone Socket	सेट	५९६.००	५९६.००	५९६.००	
	7+2 PIN SOCKET OUTLET	सेट	९२७.००	९२७.००	९२७.००	
	3+2 PIN SOCKET OUTLET	सेट	५७७.००	५७७.००	५७७.००	
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३.००	७८३.००	७८३.००	
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५.००	५०५.००	५०५.००	
	Bell Press	सेट	२३७.००	२३७.००	२३७.००	
	Blank Plate	सेट	९३.००	९३.००	९३.००	
	400W Light Dimmer W/ Switch	सेट	९०६.००	९०६.००	९०६.००	
	400W Fan Controller / Multi Step Dimmer	सेट	९१७.००	९१७.००	९१७.००	
	5 Step Fan Controller	सेट	८९७.००	८९७.००	८९७.००	
	2 Pin Socket W/ Switch	सेट	४५३.००	४५३.००	४५३.००	
	13A Twin Socket	सेट	६८०.००	६८०.००	६८०.००	
३	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,Bentex, Premier Rathi, Ohms or eqv.					
	One Gang one way switch	सेट	१००.००	१००.००	१००.००	
	One Gang two way switch	सेट	११५.००	११५.००	११५.००	
	One way bell switch	सेट	११२.००	११२.००	११२.००	
	Two gang one way switch	सेट	१३४.००	१३४.००	१३४.००	
	Two gang one way switch with one bell push	सेट	१४६.००	१४६.००	१४६.००	
	Two gang Full two way switch	सेट	१५८.००	१५८.००	१५८.००	
	Three Gang one way switch	सेट	१६७.००	१६७.००	१६७.००	
	Four gang one way switch	सेट	२०२.००	२०२.००	२०२.००	
	Six gang one way switch	सेट	३०७.००	३०७.००	३०७.००	
	Eight gang one way switch	सेट	३७५.००	३७५.००	३७५.००	
	Dimmer single 300 watt	सेट	४८६.००	४८६.००	४८६.००	
	1 switch with dimmer	सेट	४९९.००	४९९.००	४९९.००	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	२६०.००	२६०.००	२६०.००	
	6/13 Amp , Power sockets with switch , indicator	सेट	२६३.००	२६३.००	२६३.००	
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	३५४.००	३५४.००	३५४.००	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	३९८.००	३९८.००	३९८.००	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४७४.००	४७४.००	४७४.००	
	Blanking plate single	सेट	६२.००	६२.००	६२.००	
	Telephone socket single	सेट	१५२.००	१५२.००	१५२.००	
	Telephone socket Double	सेट	३४९.००	३४९.००	३४९.००	
	T.V.antena single Socket	सेट	१४२.००	१४२.००	१४२.००	
	RJ 45 Computer Socket for modem	सेट	२०९.००	२०९.००	२०९.००	
	CAT-6 Computer Socket for modem	सेट	३२१.००	३२१.००	३२१.००	
४	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1P – 6A/10A 1 way switch	गोटा	१३९.००	१३९.००	१३९.००	
	1P – 16A/20A 1 way switch	गोटा	२२५.००	२२५.००	२२५.००	
	1P – 25A 1 way switch	गोटा	३२६.००	३२६.००	३२६.००	
	1P – 6A/10A 2 way switch	गोटा	१६७.००	१६७.००	१६७.००	
	1P – 16A/20A 2 way switch	गोटा	२५३.००	२५३.००	२५३.००	
	1P – 6A push button	गोटा	१८४.००	१८४.००	१८४.००	
	1 gang blanking module	गोटा	४३.००	४३.००	४३.००	
	2 gang blanking module	गोटा	८६.००	८६.००	८६.००	
५	FAN REGULATOR / DIMMER	गोटा				
	Step type fan regulator	गोटा	६३८.००	६३८.००	६३८.००	
	60 – 500 W dimmer	गोटा	६९८.००	६९८.००	६९८.००	
	1000 W dimmer	गोटा	१५२४.००	१५२४.००	१५२४.००	
६	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	गोटा	२४५.००	२४५.००	२४५.००	
	6/16A twin socket 3 pin (flushed)	गोटा	३३२.००	३३२.००	३३२.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	6/16A twin socket 3 pin (projected)	गोटा	३३२.००	३३२.००	३३२.००	
	25A 3 pin socket	गोटा	४०१.००	४०१.००	४०१.००	
	13A 3 pin socket	गोटा	२७०.००	२७०.००	२७०.००	
	RJ 11 telephone jack	गोटा	१५९.००	१५९.००	१५९.००	
	RJ 45 cat.6e computer socket	गोटा	५५७.००	५५७.००	५५७.००	
	TV socket	गोटा	१६१.००	१६१.००	१६१.००	
	HOSPITALITY RANGE					
	250V/110V shaver socket	गोटा	४३५.००	४३५.००	४३५.००	
	Indicator (DO NOT DISTUURB)	गोटा	१८७.००	१८७.००	१८७.००	
	LED yellow night lamp	गोटा	५६०.००	५६०.००	५६०.००	
	LED Blue night lamp	गोटा	५६०.००	५६०.००	५६०.००	
७	FRONT PLATE (COMPATIBLE TO MARKET BOXES)	गोटा				
	1 module front plate	गोटा	७२.००	७२.००	७२.००	
	2 module front plate	गोटा	७७.००	७७.००	७७.००	
	3 module front plate	गोटा	८६.००	८६.००	८६.००	
	4 module front plate	गोटा	८९.००	८९.००	८९.००	
	6 module front plate	गोटा	१६२.००	१६२.००	१६२.००	
	8 module front plate(4+4)	गोटा	२१७.००	२१७.००	२१७.००	
	8 module front plate (Horizontal)	गोटा	१७४.००	१७४.००	१७४.००	
	12 module front plate	गोटा	२६०.००	२६०.००	२६०.००	
	18 module front plate	गोटा	३५५.००	३५५.००	३५५.००	
८	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
	1P – 6A/10A 1 way switch	गोटा	८७.००	८७.००	८७.००	
	1P – 16A/20A 1 way switch	गोटा	१४४.००	१४४.००	१४४.००	
	1P – 6A/10A 2 way switch	गोटा	१३६.००	१३६.००	१३६.००	
	1P – 16A/20A 2 way switch	गोटा	१७५.००	१७५.००	१७५.००	
	1P – 6A push button	गोटा	१३४.००	१३४.००	१३४.००	
	1 gang blanking module	गोटा	४१.००	४१.००	४१.००	
	2 gang blanking module	गोटा	७८.००	७८.००	७८.००	
९	FAN REGULATOR / DIMMER					
	Step type fan regulator	गोटा	७००.००	७००.००	७००.००	
	60 – 500 W dimmer	गोटा	५९७.००	५९७.००	५९७.००	
१०	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS	गोटा				
	6A – multi socket 5 pin	गोटा	१८५.००	१८५.००	१८५.००	
	6/16A twin socket 3 pin (flushed)	गोटा	२८९.००	२८९.००	२८९.००	
	6/16A twin socket 3 pin (projected)	गोटा	२८८.००	२८८.००	२८८.००	
	13A 3 pin socket	गोटा	१८५.००	१८५.००	१८५.००	
	RJ 11 telephone jack	गोटा	१४४.००	१४४.००	१४४.००	
	RJ 45 cat.6e computer socket	गोटा	२३७.००	२३७.००	२३७.००	
११	TV socket	गोटा	१४४.००	१४४.००	१४४.००	
	1 module front plate	गोटा	११४.००	११४.००	११४.००	
	2 module front plate	गोटा	११३.००	११३.००	११३.००	
	3 module front plate	गोटा	१५०.००	१५०.००	१५०.००	
	4 module front plate	गोटा	१६५.००	१६५.००	१६५.००	
	6 module front plate	गोटा	२२७.००	२२७.००	२२७.००	
	8 module front plate(4+4)	गोटा	३०५.००	३०५.००	३०५.००	
	8 module front plate (Horizontal)	गोटा	३१३.००	३१३.००	३१३.००	
	12 module front plate	गोटा	३६३.००	३६३.००	३६३.००	
	18 module front plate	गोटा	४५३.००	४५३.००	४५३.००	
१२	Flush mounting galvanized Metal box for modular type switch & socket					
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५५.००	५५.००	५५.००	
	2 module " " " =(78x78x45)mm	सेट	५२.००	५२.००	५२.००	
	3 gang " " " =(78x100x45)mm	सेट	५६.००	५६.००	५६.००	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	4 gang " " =(78x140x50)mm	सेट	६८.००	६८.००	६८.००	
	5 gang " " =(78x205x50)mm	सेट	१३४.००	१३४.००	१३४.००	
	6 gang " " =(78x205x50)mm	सेट	१३६.००	१३६.००	१३६.००	
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८१.००	१८१.००	१८१.००	
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८१.००	१८१.००	१८१.००	
	12 module metal box =(135x120x60)mm	सेट	२३१.००	२३१.००	२३१.००	
	TV socket metal box	सेट	५५.००	५५.००	५५.००	
	Telephone socket metal box	सेट	५२.००	५२.००	५२.००	
१३	METAL Junction BOX					
	4"x4"	सेट	१००.००	१००.००	१००.००	
	4"x6"	सेट	१५०.००	१५०.००	१५०.००	
	6"x8"	सेट	२३७.००	२३७.००	२३७.००	
	8"x10"	सेट	३४९.००	३४९.००	३४९.००	
	8"x12"	सेट	३५३.००	३५३.००	३५३.००	
१४	PVC Junction Box	सेट	३४.००	३४.००	३४.००	
	4"x4"	सेट				
	4"x6"	सेट	३१.००	३१.००	३१.००	
	6"x8"	सेट	४६.००	४६.००	४६.००	
	8"x10"	सेट	६७.००	६७.००	६७.००	
	8" x12"	सेट	१२९.००	१२९.००	१२९.००	
	PVC Junction box cover	सेट	१४४.००	१४४.००	१४४.००	
१५	PVC Listy Double Lock { 6'length =1 no.(गोटा)}					
	½ " breadth	सेट	३४.००	३४.००	३४.००	
	¾"	सेट	४६.००	४६.००	४६.००	
	1"	सेट	६७.००	६७.००	६७.००	
	1 ^{1/2} "	सेट	१२९.००	१२९.००	१२९.००	
	2"	सेट	१४४.००	१४४.००	१४४.००	
	PVC Conduit Pipe					
	1) ½ " diameter	र.मी	३१.००	३१.००	३१.००	
	2) ¾"	र.मी	४६.००	४६.००	४६.००	
	3) 1"	र.मी	६७.००	६७.००	६७.००	
	Listy Pipe Accessories					
	½"-2" size Saddle	र.मी	९.००	९.००	९.००	
	Grips (Denmark)	गोटा	६.००	६.००	६.००	
	Steel screws	गोटा	२.००	२.००	२.००	
	PVC Tape	गोटा	१५.००	१५.००	१५.००	
१६	Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	4 way SPN DB Double Cover	सेट	१०८२.००	१०८२.००	१०८२.००	
	6 way SPN DB " "	सेट	११३५.००	११३५.००	११३५.००	
	8 way SPN DB " "	सेट	१४१६.००	१४१६.००	१४१६.००	
	12 way SPN DB " "	सेट	१६८०.००	१६८०.००	१६८०.००	
	16 way SPN DB " "	सेट	१७९५.००	१७९५.००	१७९५.००	
	3-4 way TPN DB Double Cover	सेट	२६६८.००	२६६८.००	२६६८.००	
	6 way TPN " " "	सेट	२९९८.००	२९९८.००	२९९८.००	
	8 way TPN " " " Vertical	सेट	५७९९.००	५७९९.००	५७९९.००	
	12 way TPN " " " Vertical	सेट	७७२७.००	७७२७.००	७७२७.००	
	50 Pair Telephone D.B.with crown tag	सेट	५४४६.००	५४४६.००	५४४६.००	
	PVC Box for MCB					
	1-pole PVC box GPS	सेट	८१.००	८१.००	८१.००	
	2- pole PVC " "	सेट	८१.००	८१.००	८१.००	
	3 and 4-pole PVC " "	सेट	१३४.००	१३४.००	१३४.००	
१७	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	6-32 amp MCB SP (single pole)	गोटा	२०६.००	२०६.००	२०६.००	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	6-32 amp MCB DP (Double pole)	गोटा	१०३०.००	१०३०.००	१०३०.००	
	6-32 amp MCB TP (Triple pole)	गोटा	१७१०.००	१७१०.००	१७१०.००	
	32 amp MCB TPN	गोटा	२४७२.००	२४७२.००	२४७२.००	
	40-63 amp MCB DP	गोटा	१६४८.००	१६४८.००	१६४८.००	
	40-63 amp MCB TP	गोटा	२६३७.००	२६३७.००	२६३७.००	
	40-63 amp MCB TPN	गोटा	३१५८.००	३१५८.००	३१५८.००	
१८	Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	0.5-5 amp MCB SP (single pole)	गोटा	२५.००	२५.००	२५.००	
	6-32 amp MCB SP (single pole)	गोटा	१६५.००	१६५.००	१६५.००	
	6-32 amp MCB DP (Double pole)	गोटा	६१८.००	६१८.००	६१८.००	
	6-32 amp MCB TP (Triple pole)	गोटा	१२३६.००	१२३६.००	१२३६.००	
	32 amp MCB TPN	गोटा	१४९४.००	१४९४.००	१४९४.००	
	40-63 amp MCB DP	गोटा	९७९.००	९७९.००	९७९.००	
	40-63 amp MCB TP	गोटा	१३९१.००	१३९१.००	१३९१.००	
	40-63 amp MCB TPN	गोटा	१८५७.००	१८५७.००	१८५७.००	
१९	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent					
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	२७५१.००	२७५१.००	२७५१.००	
	63A 30mA DP RCCB	गोटा	३२७८.००	३२७८.००	३२७८.००	
	63A 100mA DP RCCB	गोटा	३०१४.००	३०१४.००	३०१४.००	
	63A 300mA DP RCCB	गोटा	३०६४.००	३०६४.००	३०६४.००	
	25A to 40A ,(30mA,100,300mA) FP RCCB	गोटा	३३७७.००	३३७७.००	३३७७.००	
	63A 30mA Four Pole RCCB	गोटा	३७०६.००	३७०६.००	३७०६.००	
	63A 100mA Four Pole RCCB	गोटा	३७०६.००	३७०६.००	३७०६.००	
	63A 300mA Four Pole RCCB	गोटा	३७०६.००	३७०६.००	३७०६.००	
२०	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
	16AMP- 63AMP TP MCCB 16KA	गोटा	५६६८.००	५६६८.००	५६६८.००	
	80AMP TP MCCB 16KA	गोटा	५६६५.००	५६६५.००	५६६५.००	
	100AMP TP MCCB 16KA	गोटा	६३८६.००	६३८६.००	६३८६.००	
	125AMP TP MCCB 16KA	गोटा	८२४०.००	८२४०.००	८२४०.००	
	160AMP TP MCCB 16KA	गोटा	९७८५.००	९७८५.००	९७८५.००	
	16AMP- 63AMP TP MCCB 25KA	गोटा	६३८६.००	६३८६.००	६३८६.००	
	80AMP TP MCCB 25KA	गोटा	७०४५.००	७०४५.००	७०४५.००	
	100AMP TP MCCB 25KA	गोटा	७०४५.००	७०४५.००	७०४५.००	
	125AMP TP MCCB 25KA	गोटा	११३३०.००	११३३०.००	११३३०.००	
	160AMP TP MCCB 25KA	गोटा	१३३९०.००	१३३९०.००	१३३९०.००	
	200AMP TP MCCB 25KA(Adjustable)	गोटा	२१११५.००	२१११५.००	२१११५.००	
	200AMP TP MCCB 36KA(Adjustable)	गोटा	२३१७५.००	२३१७५.००	२३१७५.००	
	250AMP TP MCCB 36KA(Adjustable)	गोटा	२७२९५.००	२७२९५.००	२७२९५.००	
	400AMP TP MCCB 50KA(Adjustable)	गोटा	३५५३५.००	३५५३५.००	३५५३५.००	
	630AMP TP MCCB 50KA(Adjustable)	गोटा	४८४१०.००	४८४१०.००	४८४१०.००	
	800AMP TP MCCB 50KA(Adjustable)	गोटा	६३९६३.००	६३९६३.००	६३९६३.००	
२१	Manual Change over Panel Type - ABB,Siemens,Hager DELTON or Equivalent					
	63 Amp FP	गोटा	११६१८.००	११६१८.००	११६१८.००	
	80 Amp FP	गोटा	१२८५४.००	१२८५४.००	१२८५४.००	
	100 Amp FP	गोटा	१८२१०.००	१८२१०.००	१८२१०.००	
	125 Amp FP	गोटा	१९१९९.००	१९१९९.००	१९१९९.००	
	160 Amp FP	गोटा	२५२१४.००	२५२१४.००	२५२१४.००	
	200 Amp FP	गोटा	२६०३८.००	२६०३८.००	२६०३८.००	
	250 Amp FP	गोटा	२७६८६.००	२७६८६.००	२७६८६.००	
	315 Amp FP	गोटा	३५०२०.००	३५०२०.००	३५०२०.००	
२२	Dome light Make Homedec, Decon, Fumagalli OR equivalent					
	6" Milky type decorative dome light	सेट	१८०.००	१८०.००	१८०.००	
	6" Brass base decorative dome light	सेट	७३६.००	७३६.००	७३६.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	8"Milky type decorative dome light	सेट	२२७.००	२२७.००	२२७.००	
	8 " Brass base decorative dome light	सेट	८७६.००	८७६.००	८७६.००	
	8" Silver cast Milky base Decorative Dome Light	सेट	११०७.००	११०७.००	११०७.००	
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५६७.००	५६७.००	५६७.००	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	१२१३.००	१२१३.००	१२१३.००	
२३	Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli	सेट	२३२.००	२३२.००	२३२.००	
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३६१.००	३६१.००	३६१.००	
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८२४.००	८२४.००	८२४.००	
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	सेट	९६८.००	९६८.००	९६८.००	
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	सेट	१५१४.००	१५१४.००	१५१४.००	
	Dining lamp.	सेट	१७००.००	१७००.००	१७००.००	
	Chandlers 6-8 lamp Medium	सेट	१५०९०.००	१५०९०.००	१५०९०.००	
	Chandlers 3-5 lamp Medium	सेट	१०७६४.००	१०७६४.००	१०७६४.००	
	Mirror Light Euro Light Wipro WRF21111	सेट	४६४.००	४६४.००	४६४.००	
	Picture light Euro Light POO2	सेट	६७०.००	६७०.००	६७०.००	
	Wall spot Light E27 60W Euro or eqv.	सेट	३६१.००	३६१.००	३६१.००	
	Exit Light safety sign(8.24)W Make Samcon	सेट	८२४.००	८२४.००	८२४.००	
२४	Post top Lanterns					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	२५७५.००	२५७५.००	२५७५.००	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३०९०.००	३०९०.००	३०९०.००	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३४७६.००	३४७६.००	३४७६.००	
	8" Globe type Post top Lamp complete set	सेट	१४१६.००	१४१६.००	१४१६.००	
	10" Globe type Post top Lamp complete set	सेट	२७०४.००	२७०४.००	२७०४.००	
२५	Roadway light luminaires Wipro,Philips , Legero or Equivalent					
	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	सेट	२६३७.००	२६३७.००	२६३७.००	
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	सेट	३८६८.००	३८६८.००	३८६८.००	
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	सेट	१५४५.००	१५४५.००	१५४५.००	
	1000 watt halogen weather proof lood light with glass cover Complete set	सेट	३०९०.००	३०९०.००	३०९०.००	
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९२७०.००	९२७०.००	९२७०.००	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	१०८१.००	१०८१.००	१०८१.००	
	Single Piece deep drawn aluminum POT optics <u>road light luminaires</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५२५३.००	५२५३.००	५२५३.००	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७१.००	२२७१.००	२२७१.००	
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	सेट	५११९.००	५११९.००	५११९.००	
	2X60/100W GLS <u>aviation light</u> fixture all complete set	सेट	५६८६.००	५६८६.००	५६८६.००	
२६	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G Almondard or equivalent					
	36" size ceiling Fan	गोटा	२१६३.००	२१६३.००	२१६३.००	
	42" size " "	गोटा	२२६६.००	२२६६.००	२२६६.००	
	48" size " "	गोटा	२३१८.००	२३१८.००	२३१८.००	
	56" size " "	गोटा	२५७५.००	२५७५.००	२५७५.००	
	6" Exhaust Fan	गोटा	१४९४.००	१४९४.००	१४९४.००	
	9" Exhaust Fan	गोटा	१८०३.००	१८०३.००	१८०३.००	
	16" size wall fan	गोटा	२८३३.००	२८३३.००	२८३३.००	
	12" size exhaust fan	गोटा	२५७५.००	२५७५.००	२५७५.००	
२७	BELL INDICATOR					

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	4 way bell indicator with plate	सेट	१२५.००	१२५.००	१२५.००	
	6 way " " " "	सेट	२०४९.००	२०४९.००	२०४९.००	
	8 way " " " "	सेट	२८५१.००	२८५१.००	२८५१.००	
	12 way " " " "	सेट	४३९५.००	४३९५.००	४३९५.००	
२८	Materials For Earthing & Lightning Protection (sp.gr. copper =8930kg/m³)					
	Copper plate	के.जी	९१७.००	९१७.००	९१७.००	
	Copper Strip (25 x 3)mm (Approx 60"=1kg)	के.जी	१०८२.००	१०८२.००	१०८२.००	
	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२.००	१०८२.००	१०८२.००	
	Copper Strip (12 x 3)mm	के.जी	१०८२.००	१०८२.००	१०८२.००	
	Lightning rod copper conductor Air termination set	गोटा	२७३०.००	२७३०.००	२७३०.००	
	8 SWG bare copper wire	र. मी	१४४.००	१४४.००	१४४.००	
	29 mm Diameter GI Pipe of 1m length	र. मी	२५२.००	२५२.००	२५२.००	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६१८.००	६१८.००	६१८.००	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६.००	१९६.००	१९६.००	
	Funnel with wire mesh	गोटा	३६१.००	३६१.००	३६१.००	
	Charcoal	ब्याग	३०९.००	३०९.००	३०९.००	
	Salt	के.जी	१२.००	१२.००	१२.००	
२९	STEEL TUBULAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	गोटा	१२०५.७००	१२०५.७००	१२०५.७००	
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	गोटा	१२९७८.००	१२९७८.००	१२९७८.००	
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints	गोटा	१२४८४.००	१२४८४.००	१२४८४.००	
	7 mtr.length Wooden Pole	गोटा	४९९६.००	४९९६.००	४९९६.००	
	9 mtr.length Wooden Pole	गोटा	६७९८.००	६७९८.००	६७९८.००	
३०	Fluorescent Tube light (FTL) set including Tube,condenser, starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	1x20 watt FTL (Patti fittings)	सेट	४६४.००	४६४.००	४६४.००	
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७७५.००	७७५.००	७७५.००	
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	८७६.००	८७६.००	८७६.००	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०२०.००	१०२०.००	१०२०.००	
	1x40 watt FTL box fittings WIF 14140	सेट	११५९.००	११५९.००	११५९.००	
	2x40 watt FTL box fittings WIF 14240	सेट	१७५१.००	१७५१.००	१७५१.००	
	1x40 watt FTL Industrial channel WIF 36140	सेट	१७८२.००	१७८२.००	१७८२.००	
	2x40 watt FTL Industrial channel WIF 36240	सेट	२२८७.००	२२८७.००	२२८७.००	
	1x40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	सेट	१८५४.००	१८५४.००	१८५४.००	
	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	सेट	३०९०.००	३०९०.००	३०९०.००	
	4x20 watt FTL, oplite WCF 93418	सेट	५४१०.००	५४१०.००	५४१०.००	
	4x20 watt FTL mirror optic , surface/recessed mounting WCF93418	सेट	५४१०.००	५४१०.००	५४१०.००	
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	सेट	३५४४.००	३५४४.००	३५४४.००	
	2x40 watt FTL mirror optic , surface/recessed mounting with electronic choke WVP40236	सेट	४३२६.००	४३२६.००	४३२६.००	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvor Complete set WVF20414	सेट	९३८३.००	९३८३.००	९३८३.००	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	८२४५.००	८२४५.००	८२४५.००	
३१	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .					
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set WCP32218	सेट	२६७८.००	२६७८.००	२६७८.००	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	१८३३.००	१८३३.००	१८३३.००	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	२२६६.००	२२६६.००	२२६६.००	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set WVP24236	सेट	६०६७.००	६०६७.००	६०६७.००	
	3x36 W CFL -4 pin low glare fixture with P 5 louver & electronic ballast complete set WVP 24336	सेट	६८२४.००	६८२४.००	६८२४.००	
	Recess mounting Direct indirect LED luninare LM15-321-XXX-60-XX	सेट	१०८१५.००	१०८१५.००	१०८१५.००	
	Recess mounting Direct indirect LED luninare LM11-291-XXX-57-XX	सेट	१४०६०.००	१४०६०.००	१४०६०.००	
	Recess Surface mounted LED luminate CRCO10R038HP57	सेट	१३३३९.००	१३३३९.००	१३३३९.००	
	Hight efficiency circular LED Down Lighter LD71	सेट	३२४५.००	३२४५.००	३२४५.००	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01	सेट	१४६००.००	१४६००.००	१४६००.००	
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26	सेट	१०८२.००	१०८२.००	१०८२.००	
	Circular LED wall/Dome Light suitable for true ceiling LW01	सेट	३२४५.००	३२४५.००	३२४५.००	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX	सेट	३२४५.००	३२४५.००	३२४५.००	
	Recess mounted indirect and direct luminaires WVP 64236	सेट	६१२९.००	६१२९.००	६१२९.००	
	2x36 Watt CFL Surface Mirror Optic WVP44236	सेट	६१२९.००	६१२९.००	६१२९.००	
३२.०	Down Light Fiam Make					
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१२९८.००	१२९८.००	१२९८.००	
	FDL004 SMD7W-CW Taiwan chip	सेट	१२९८.००	१२९८.००	१२९८.००	
	FDLOO4 SMD9W-WWH Taiwan chip (145*90)	सेट	१८५७.००	१८५७.००	१८५७.००	
	FDLOO4 SMD9W-CW Taiwan chip	सेट	१८५७.००	१८५७.००	१८५७.००	
	FDLOO4 SMD15W-WWH Taiwan chip (175*90)	सेट	२८२८.००	२८२८.००	२८२८.००	
	FDLOO4 SMD15W-CW Taiwan chip	सेट	२८२८.००	२८२८.००	२८२८.००	
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	५०९१.००	५०९१.००	५०९१.००	
	FDL004 SMD30W-CW Taiwan chip	सेट	५०९१.००	५०९१.००	५०९१.००	
	FDLO12 COB5W-WWH (90MM)	सेट	१३०१.००	१३०१.००	१३०१.००	
	FDLO12 COB5W-CW	सेट	१३०१.००	१३०१.००	१३०१.००	
	FDLO12 COB10W-WWH (120MM)	सेट	१९७९.००	१९७९.००	१९७९.००	
	FDLO12 COB10W-CW	सेट	१९७९.००	१९७९.००	१९७९.००	
	FDLO12 COB15W-WWH Taiwan chip (140MM)	सेट	५०९१.००	५०९१.००	५०९१.००	
	FDLO12 COB15W-CW Taiwan chip	सेट	५०९१.००	५०९१.००	५०९१.००	
	FDLO12 COB25W-WWH Taiwan chip (175MM)	सेट	६७८७.००	६७८७.००	६७८७.००	
	FDLO12 COB25W-CW Taiwan chip	सेट	६७८७.००	६७८७.००	६७८७.००	
	FDLO12 COB30W-WWH Taiwan chip (200MM)	सेट	८४८३.००	८४८३.००	८४८३.००	
	FDLO12 COB30W-CW Taiwan chip	सेट	८४८३.००	८४८३.००	८४८३.००	
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)	सेट	४१८४.००	४१८४.००	४१८४.००	
	FDLOO7 SMD12W-CW Taiwan chip	सेट	४१८४.००	४१८४.००	४१८४.००	
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)	सेट	६१०८.००	६१०८.००	६१०८.००	
	FDLOO7 SMD18W-CW Taiwan chip	सेट	६१०८.००	६१०८.००	६१०८.००	
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)	सेट	७६३५.००	७६३५.००	७६३५.००	
	FDLOO7 SMD24W-CW Taiwan chip	सेट	७६३५.००	७६३५.००	७६३५.००	
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३१६७.००	३१६७.००	३१६७.००	
	FDLOO1 HP5W FBK-CW Taiwan chip	सेट	३१६७.००	३१६७.००	३१६७.००	
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३१६७.००	३१६७.००	३१६७.००	
	FDLOO1 HP5W FWH-CW Taiwan chip	सेट	३१६७.००	३१६७.००	३१६७.००	
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	सेट	१३०१.००	१३०१.००	१३०१.००	
	FDLLOO5 SMD7W-CW Taiwan chip	सेट	१३०१.००	१३०१.००	१३०१.००	
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)	सेट	१६९६.००	१६९६.००	१६९६.००	
	FDLOO5 SMD12W-CW Taiwan chip	सेट	१६९६.००	१६९६.००	१६९६.००	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व.	आ.व.	आ.व.	
			२०७६/७७	२०७७/७८	२०७८/७९	
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)	सेट	३१११.००	३१११.००	३१११.००	
	FDLOO5 SMD20W-CW Taiwan chip	सेट	३१११.००	३१११.००	३१११.००	
	FM3161 HP 18W-WWH Cree Led	सेट	६७८७.००	६७८७.००	६७८७.००	
	FM3161 HP 18W-CW Cree Led	सेट	६७८७.००	६७८७.००	६७८७.००	
	HD-5010-13-WWH Osram chip (86*75)	सेट	२०९४.००	२०९४.००	२०९४.००	
	HD-5010-13-CW Osram chip	सेट	२०९४.००	२०९४.००	२०९४.००	
	HD-5010-14-WWH Osram chip (115*105)	सेट	३१६७.००	३१६७.००	३१६७.००	
	HD-5010-14-CW Osram chip	सेट	३१६७.००	३१६७.००	३१६७.००	
	HD-5010-14-WWH Osram chip (140*125)	सेट	३९५९.००	३९५९.००	३९५९.००	
	HD-5010-14-CW Osram chip	सेट	३९५९.००	३९५९.००	३९५९.००	
	HD-5010-18-WWH Osram chip (215*200)	सेट	७८६०.००	७८६०.००	७८६०.००	
	HD-5010-18-CW Osram chip	सेट	७८६०.००	७८६०.००	७८६०.००	
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२४५१.००	२४५१.००	२४५१.००	
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२४५१.००	२४५१.००	२४५१.००	
	LUCIA WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	LUCIA BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	LUCIA-GD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	LUCIA-GD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	REMI/LUCIA WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/LUCIA BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/LUCIA-EL WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/LUCIA-EL BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/LUCIA-GD WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/LUCIA-GD BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	MADDI BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	MADDI BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२५२४.००	२५२४.००	२५२४.००	
	MADDI-VE BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	MADDI-HL BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	MADDI-HL BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००	
	REMI/MADDI WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/MADDI BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/MADDI-VE WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/MADDI-VE BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/MADDI-HL WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	REMI/MADDI-HL BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००	
	GABRI/MADDI 1L BLACK OPAL	सेट	७२१०.००	७२१०.००	७२१०.००	
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६४८९.००	६४८९.००	६४८९.००	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६४८९.००	६४८९.००	६४८९.००	
	GELMI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००	
	GELMI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००	
	GELMI-EL WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००	
	GELMI-EL BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००	
	DANZI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००	
	DANZI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००	
	STUCCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००	
	STUCCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००	
	CECCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००	
	CECCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००	
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३६०५.००	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३६०५.००	
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३२४५.००	३२४५.००	३२४५.००	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	७२१०.००	७२१०.००	७२१०.००	
३३	System Sensor Product (Honeywell)					

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	Photo Electric Smoke Detector	सेट	१९००.००	१९००.००	१९००.००	
	Rate of Rise Heat Detector	सेट	१८७५.००	१८७५.००	१८७५.००	
	Fixed temperature Detector	सेट	२२८७.००	२२८७.००	२२८७.००	
	Base	सेट	३७६.००	३७६.००	३७६.००	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	१४८३.००	१४८३.००	१४८३.००	
	Wall mount Horn+Strobe	सेट	४१२०.००	४१२०.००	४१२०.००	
	Ceiling mount Horn+Strobe	सेट	४१२०.००	४१२०.००	४१२०.००	
३४	Exit Light Samcon make					
	MODEL SLM 18	सेट	१२३६०.००	१२३६०.००	१२३६०.००	
	MODEL ELS 28	सेट	१२३६०.००	१२३६०.००	१२३६०.००	
	MODEL ETL 210H-4LA	सेट	१२३६०.००	१२३६०.००	१२३६०.००	
३५	LUMINARIES Accessories-(PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	500 watt halogen rod	गोटा	२३२.००	२३२.००	२३२.००	
	1000 watt halogen rod	गोटा	२७८.००	२७८.००	२७८.००	
	70Watt SON Lamp (Sodium Vapour)	गोटा	८३४.००	८३४.००	८३४.००	
	150 watt sodium vapour bulb	गोटा	१२९८.००	१२९८.००	१२९८.००	
	250 watt sodium vapour bulb	गोटा	१७००.००	१७००.००	१७००.००	
	20-40 watt FTL rod	गोटा	८०.००	८०.००	८०.००	
	20-40 watt FTL Copper chowk.	गोटा	२५८.००	२५८.००	२५८.००	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४१२.००	४१२.००	४१२.००	
	Acryle cover for 4x20 FTL	गोटा	९८९.००	९८९.००	९८९.००	
	FTL starter	गोटा	१९.००	१९.००	१९.००	
	8 W to 11W, C.F.L.Direct fit	गोटा	२३२.००	२३२.००	२३२.००	
	13 to 22W, C.F.L.Direct fit	गोटा	२९९.००	२९९.००	२९९.००	
	15-100 watt bulb. (ISI)	गोटा	२६.००	२६.००	२६.००	
	PL-S 9W/86 (CFL)	गोटा	१६५.००	१६५.००	१६५.००	
	PL-S 11W/86 (CFL)	गोटा	१७५.००	१७५.००	१७५.००	
	PL-L 36W/86 (CFL)	गोटा	४१७.००	४१७.००	४१७.००	
	125W HPL-N (Mercury Vapour)	गोटा	३७९.००	३७९.००	३७९.००	
	250W HPL-N	गोटा	८७६.००	८७६.००	८७६.००	
	Solar LED bulb	गोटा				
	12V/2W LED bulb	गोटा	३६९.००	३६९.००	३६९.००	
	12V/3W LED bulb	गोटा	४१२.००	४१२.००	४१२.००	
	12V/4W LED bulb	गोटा	४६४.००	४६४.००	४६४.००	
३६	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked					
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९४८.००	९४८.००	९४८.००	
	3/22 " " "	क्वायल	११३३.००	११३३.००	११३३.००	
	3/20 " " "	क्वायल	१८०३.००	१८०३.००	१८०३.००	
	7/22 " " "	क्वायल	२५२४.००	२५२४.००	२५२४.००	
	7/20 " " "	क्वायल	४१२०.००	४१२०.००	४१२०.००	
	7/18 " " "	क्वायल	६४८९.००	६४८९.००	६४८९.००	
	7/16 " " "	क्वायल	१३३९०.००	१३३९०.००	१३३९०.००	
	19/18 " " "	क्वायल	१८०२५.००	१८०२५.००	१८०२५.००	
	19/16 " " "	क्वायल	३६०५०.००	३६०५०.००	३६०५०.००	
	2/20 " " "	क्वायल	१३७०.००	१३७०.००	१३७०.००	
	2/22 " " "	क्वायल	९२७.००	९२७.००	९२७.००	
३७	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	क्वायल	१०३०.००	१०३०.००	१०३०.००	
	1.5 mm PVC insulated Copper wire	क्वायल	१६४८.००	१६४८.००	१६४८.००	
	2.5 mm PVC insulated Copper wire	क्वायल	२४२९.००	२४२९.००	२४२९.००	
	4.0 mm PVC insulated Copper wire	क्वायल	३९९४.००	३९९४.००	३९९४.००	
	6.0 mm PVC insulated Copper wire	क्वायल	६९८०.००	६९८०.००	६९८०.००	
	10.0mm PVC insulated Copper wire	क्वायल	१०३००.००	१०३००.००	१०३००.००	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
३८	Concentric cable NS marked Eqv.					
	4mm size concentric cable	र.मी	२३.००	२३.००	२३.००	
	6mm size " "	र.मी	२६.००	२६.००	२६.००	
	10mm size concentric cable	र.मी	३९.००	३९.००	३९.००	
	16mm size " "	र.मी	६७.००	६७.००	६७.००	
	25mm size " "	र.मी	८९.००	८९.००	८९.००	
	RG6 Coaxial cable	र.मी	२३.००	२३.००	२३.००	
	RG59 Coaxial cable	र.मी	२६.००	२६.००	२६.००	
	UTP cat -5 networking cable	र.मी	२६.००	२६.००	२६.००	
३९	Telephone Drop wire/pair cable NS marked Eqv.					
	² / ₂₀ Telephone drop wire	क्वायल	९८९.००	९८९.००	९८९.००	
	² / ₂₂ - -	क्वायल	६७०.००	६७०.००	६७०.००	
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	१४.००	१४.००	१४.००	
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	२०.००	२०.००	२०.००	
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	३२.००	३२.००	३२.००	
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	६२.००	६२.००	६२.००	
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	९१.००	९१.००	९१.००	
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	११९.००	११९.००	११९.००	
	1mm drop wire	र.मी	१०.००	१०.००	१०.००	
४०	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	७६४८.००	७६४८.००	७६४८.००	
	2-6 Line EPABX "	सेट	१८४११.००	१८४११.००	१८४११.००	
	3-8 Line EPABX "	सेट	२०५३८.००	२०५३८.००	२०५३८.००	
	4-12 Line EPABX "	सेट	३६८२३.००	३६८२३.००	३६८२३.००	
	6-16 Line EPABX "	सेट	४९५६९.००	४९५६९.००	४९५६९.००	
	8-24 Line EPABX "	सेट	८४९७५.००	८४९७५.००	८४९७५.००	
	8-48 Line EPABX "	सेट	९०९२३.००	९०९२३.००	९०९२३.००	
	8-72 Line EPABX "	सेट	९७२८८.००	९७२८८.००	९७२८८.००	
४१	Other Accessories					
	6" size Dome light glass	गोटा	६५.००	६५.००	६५.००	
	8" size " " "	गोटा	७६.००	७६.००	७६.००	
	wall bracket glass	गोटा	६५.००	६५.००	६५.००	
	Fan regulator	गोटा	२७१.००	२७१.००	२७१.००	
४२	Panel board -double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of of MCCB / MCB & measuring instrument					
	60/75/100 AMP, 9"×36"×48" size	सेट	२१४१४.००	२१४१४.००	२१४१४.००	
	60/75/100 AMP "12×36"×48" size	सेट	२५४९३.००	२५४९३.००	२५४९३.००	
	60/75/100 AMP 9"×48"×60" size	सेट	३५६९०.००	३५६९०.००	३५६९०.००	
	60/75/100 AMP 12"×49"×60" size	सेट	४२४८८.००	४२४८८.००	४२४८८.००	
	150/200 AMP 9"×38"×52" size	सेट	२३७९३.००	२३७९३.००	२३७९३.००	
	150/200 AMP 12"×38"×52" size	सेट	२३७९३.००	२३७९३.००	२३७९३.००	
	150/200 AMP 9"×42"×56 "size	सेट	२६४९६.००	२६४९६.००	२६४९६.००	
	150/200 AMP 12"×42"×56" size	सेट	२८१७९.००	२८१७९.००	२८१७९.००	
	250/300AMP 12"×48"×60"size	सेट	३४५०५.००	३४५०५.००	३४५०५.००	
	250/300AMP 12"×52"×62" size	सेट	३८६२६.००	३८६२६.००	३८६२६.००	
	400 AMP 12"×52"×66" size	सेट	४१११८.००	४१११८.००	४१११८.००	
४३	Panel Board measurement instrument					
	0-500 volt meter	पिस	१०२३.००	१०२३.००	१०२३.००	
	60/100 Amp meter .	पिस	९७९.००	९७९.००	९७९.००	
	Panel Indicator	पिस	२३७.००	२३७.००	२३७.००	
	2 Amp glass fuse with holder 12 mm size	पिस	१३४.००	१३४.००	१३४.००	
	AMP meter selector switch	पिस	६४९.००	६४९.००	६४९.००	
	volt meter selector switch	पिस	७११.००	७११.००	७११.००	
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४३२.००	१४३२.००	१४३२.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	150-200AMP C.T coil. 3 PC / Set	गोटा	१७८२.००	१७८२.००	१७८२.००	
	250-300 AMP ,, ,,	गोटा	२४२१.००	२४२१.००	२४२१.००	
	400/500/600AMP ,, ,,	गोटा	३५५४.००	३५५४.००	३५५४.००	
	Kilo watt hour energy meter single phase	पिस	२२७१.००	२२७१.००	२२७१.००	
	Kilo watt hour energy meter 3 phase direct	पिस	१०२२८.००	१०२२८.००	१०२२८.००	
४४	Trailing Protected Industrial Plug IP44					
	16A 3P+E 400V Industrial plug	सेट	५४१.००	५४१.००	५४१.००	
	32 A 3p +N+E " Plug	सेट	८०३.००	८०३.००	८०३.००	
	32 A 3P+N+E water tight Plug IP67	सेट	१५४५.००	१५४५.००	१५४५.००	
४५	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००.००	२०६००.००	२०६००.००	
४६	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५.००	१३९०५.००	१३९०५.००	
४७	CABLE SHOE					
	16 sq.mm cable shoe	गोटा	६४.००	६४.००	६४.००	
	25 sq.mm " "	गोटा	८३.००	८३.००	८३.००	
	35 sq.mm " "	गोटा	६४.००	६४.००	६४.००	
	50 sq.mm " "	गोटा	७५.००	७५.००	७५.००	
	70 sq.mm " "	गोटा	९२.००	९२.००	९२.००	
	95 sq.mm " "	गोटा	१४३.००	१४३.००	१४३.००	
	150 sq.mm " "	गोटा	२१५.००	२१५.००	२१५.००	
	195 sq.mm " "	गोटा	३०५.००	३०५.००	३०५.००	
	250 sq.mm " "	गोटा	४८५.००	४८५.००	४८५.००	
४८	Copper Conductor Armoured Power Cables NS marked or equivalent					
	a) 2 Core					
	1.5 mm2	र.मी	१०३.००	१०३.००	१०३.००	
	2.5 mm2	र.मी	१३९.००	१३९.००	१३९.००	
	4.0 mm2	र.मी	१९१.००	१९१.००	१९१.००	
	6.0 mm2	र.मी	२४७.००	२४७.००	२४७.००	
	10.0 mm2	र.मी	३७१.००	३७१.००	३७१.००	
	16.0 mm2	र.मी	४९४.००	४९४.००	४९४.००	
	25.0 mm2	र.मी	७२१.००	७२१.००	७२१.००	
	35.0 mm2	र.मी	९५८.००	९५८.००	९५८.००	
	50.0 mm2	र.मी	१३३९.००	१३३९.००	१३३९.००	
	b) 3 Core					
	1.5 mm2	र.मी	१२९.००	१२९.००	१२९.००	
	2.5 mm2	र.मी	१८०.००	१८०.००	१८०.००	
	4.0 mm2	र.मी	२५८.००	२५८.००	२५८.००	
	6.0 mm2	र.मी	३३०.००	३३०.००	३३०.००	
	10.0 mm2	र.मी	४९४.००	४९४.००	४९४.००	
	16.0 mm2	र.मी	६९०.००	६९०.००	६९०.००	
	25.0 mm2	र.मी	१०५१.००	१०५१.००	१०५१.००	
	35.0 mm2	र.मी	१३९१.००	१३९१.००	१३९१.००	
	50.0 mm2 Copper Conductor Armoured	र.मी	१९०६.००	१९०६.००	१९०६.००	
	70.0 mm2	र.मी	२६७८.००	२६७८.००	२६७८.००	
	95.0 mm2	र.मी	३६०५.००	३६०५.००	३६०५.००	
	120.0 mm2	र.मी	४५३२.००	४५३२.००	४५३२.००	
	150.0 mm2	र.मी	५५६२.००	५५६२.००	५५६२.००	
	c) 3.5 Core					
	25.0 mm2	र.मी	१२५७.००	१२५७.००	१२५७.००	
	35.0 mm2	र.मी	१५९७.००	१५९७.००	१५९७.००	
	50.0 mm2	र.मी	२२४५.००	२२४५.००	२२४५.००	
	70.0 mm2	र.मी	३०९०.००	३०९०.००	३०९०.००	
	95.0 mm2	र.मी	४१२०.००	४१२०.००	४१२०.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व.	आ.व.	आ.व.	
			२०७६/७७	२०७७/७८	२०७८/७९	
	120.0 mm2	र.मी	५४०८.००	५४०८.००	५४०८.००	
	150.0 mm2	र.मी	६३८६.००	६३८६.००	६३८६.००	
	185.0 mm2	र.मी	७९३९.००	७९३९.००	७९३९.००	
	240.0 mm2	र.मी	९०४०३.००	९०४०३.००	९०४०३.००	
	300.0 mm2	र.मी	९३९८४.००	९३९८४.००	९३९८४.००	
	400.0 mm2	र.मी	९७३०४.००	९७३०४.००	९७३०४.००	
	d) 4 Core					
	1.5 mm ²	र.मी	९५५.००	९५५.००	९५५.००	
	2.5 mm2	र.मी	२२९.००	२२९.००	२२९.००	
	4.0 mm2	र.मी	३९९.००	३९९.००	३९९.००	
	6.0 mm2	र.मी	४९२.००	४९२.००	४९२.००	
	10.0 mm2	र.मी	६९८.००	६९८.००	६९८.००	
	16.0 mm2	र.मी	९०९.००	९०९.००	९०९.००	
	25.0 mm2	र.मी	९३३९.००	९३३९.००	९३३९.००	
	35.0 mm2	र.मी	९८०३.००	९८०३.००	९८०३.००	
	50.0 mm2	र.मी	२५७५.००	२५७५.००	२५७५.००	
	70.0 mm2	र.मी	३५०२.००	३५०२.००	३५०२.००	
	95.0 mm ² Copper Conductor Armoured	र.मी	४७३८.००	४७३८.००	४७३८.००	
	120.0 mm ²	र.मी	५९७४.००	५९७४.००	५९७४.००	
	150.0 mm ²	र.मी	७४९६.००	७४९६.००	७४९६.००	
	185.0 mm ²	र.मी	९०६४.००	९०६४.००	९०६४.००	
	240.0 mm ²	र.मी	९२३६०.००	९२३६०.००	९२३६०.००	
	300.0 mm ²	र.मी	९४८३२.००	९४८३२.००	९४८३२.००	
	400.0 mm ²	र.मी	२००८५.००	२००८५.००	२००८५.००	
४९	Copper Conductor Unarmoured Power Cables NS marked or equivalent					
	a) 1-core					
	10 sq. mm.	र.मी	४३.००	४३.००	४३.००	
	16 sq. mm.	र.मी	६५.००	६५.००	६५.००	
	25 sq. mm.	र.मी	७६.००	७६.००	७६.००	
	35 sq. mm.	र.मी	९९.००	९९.००	९९.००	
	50 sq. mm.	र.मी	९२९.००	९२९.००	९२९.००	
	70 sq. mm.	र.मी	९५८.००	९५८.००	९५८.००	
	95 sq. mm.	र.मी	२९४.००	२९४.००	२९४.००	
	120 sq. mm.	र.मी	२६०.००	२६०.००	२६०.००	
	150 sq. mm.	र.मी	३०८.००	३०८.००	३०८.००	
	b) 2- core					
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७२.००	७२.००	७२.००	
	2.5 sq.mm	र.मी	९०३.००	९०३.००	९०३.००	
	4 sq.mm	र.मी	९४४.००	९४४.००	९४४.००	
	6 sq.mm	र.मी	९९६.००	९९६.००	९९६.००	
	10 sq.mm	र.मी	३०९.००	३०९.००	३०९.००	
	16 sq.mm	र.मी	४२७.००	४२७.००	४२७.००	
	25 sq.mm	र.मी	६५९.००	६५९.००	६५९.००	
	35 sq.mm	र.मी	८९६.००	८९६.००	८९६.००	
	50 sq.mm	र.मी	९२३६.००	९२३६.००	९२३६.००	
	70 sq.mm	र.मी	९२३६.००	९२३६.००	९२३६.००	
	95 sq.mm	र.मी	२३९८.००	२३९८.००	२३९८.००	
	120 sq.mm	र.मी	३०३९.००	३०३९.००	३०३९.००	
	150 sq.mm	र.मी	३८९९.००	३८९९.००	३८९९.००	
	c) 3-core					
	1.5 sq.mm. 3- core copper conductor	र.मी	९३.००	९३.००	९३.००	
	2.5 sq.mm	र.मी	९३४.००	९३४.००	९३४.००	
	4 sq.mm	र.मी	९९६.००	९९६.००	९९६.००	
	6 sq.mm	र.मी	२७८.००	२७८.००	२७८.००	
	10 sq.mm	र.मी	४३८.००	४३८.००	४३८.००	
	16 sq.mm	र.मी	६३९.००	६३९.००	६३९.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व.	आ.व.	आ.व.	
			२०७६/७७	२०७७/७८	२०७८/७९	
	25 sq.mm	र.मी	९७९.००	९७९.००	९७९.००	
	35 sq.mm	र.मी	१३१८.००	१३१८.००	१३१८.००	
	50 sq.mm	र.मी	१८५४.००	१८५४.००	१८५४.००	
	70 sq.mm	र.मी	२५७५.००	२५७५.००	२५७५.००	
	95 sq.mm	र.मी	३५०२.००	३५०२.००	३५०२.००	
	120 sq.mm	र.मी	४४२९.००	४४२९.००	४४२९.००	
	150 sq.mm	र.मी	५४५९.००	५४५९.००	५४५९.००	
	d) 3.5 core					
	25 sq.mm	र.मी	१२०५.००	१२०५.००	१२०५.००	
	35 sq.mm Copper Conductor Unarmoured	र.मी	१५४५.००	१५४५.००	१५४५.००	
	50 sq.mm	र.मी	२१६३.००	२१६३.००	२१६३.००	
	70 sq.mm	र.मी	३०१३.००	३०१३.००	३०१३.००	
	95 sq.mm	र.मी	४०६९.००	४०६९.००	४०६९.००	
	120 sq.mm	र.मी	५३५६.००	५३५६.००	५३५६.००	
	150 sq.mm	र.मी	६३३५.००	६३३५.००	६३३५.००	
	e) 4-core Copper Conductor Unarmoured					
	1.5 sq.mm	र.मी	११३.००	११३.००	११३.००	
	2.5 sq.mm	र.मी	१७०.००	१७०.००	१७०.००	
	4 sq.mm	र.मी	२५२.००	२५२.००	२५२.००	
	6 sq.mm	र.मी	३५०.००	३५०.००	३५०.००	
	10 sq.mm	र.मी	५५६.००	५५६.००	५५६.००	
	16 sq.mm	र.मी	८४५.००	८४५.००	८४५.००	
	25 sq.mm	र.मी	१३१८.००	१३१८.००	१३१८.००	
	35 sq.mm	र.मी	१७७२.००	१७७२.००	१७७२.००	
	50 sq.mm	र.मी	२४७२.००	२४७२.००	२४७२.००	
	70 sq.mm	र.मी	३४५१.००	३४५१.००	३४५१.००	
	95 sq.mm	र.मी	४६८७.००	४६८७.००	४६८७.००	
	120 sq.mm	र.मी	५९२३.००	५९२३.००	५९२३.००	
	150 sq.mm	र.मी	७३६५.००	७३६५.००	७३६५.००	
	185 sq.mm	र.मी	९०६४.००	९०६४.००	९०६४.००	
	240 Sq. mm	र.मी	१२२५७.००	१२२५७.००	१२२५७.००	
	300 Sq. mm	र.मी	१४८३२.००	१४८३२.००	१४८३२.००	
	400 Sq. mm	र.मी	२००८५.००	२००८५.००	२००८५.००	
	५० Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1.5 sq.mm	र.मी				
	2.5 sq.mm	र.मी	९३.००	९३.००	९३.००	
	4 sq.mm	र.मी	११८.००	११८.००	११८.००	
	6 sq.mm	र.मी	१३४.००	१३४.००	१३४.००	
	10 sq.mm	र.मी	१६०.००	१६०.००	१६०.००	
	16 sq.mm	र.मी	१८०.००	१८०.००	१८०.००	
	25 sq.mm	र.मी	२१६.००	२१६.००	२१६.००	
	35 sq.mm	र.मी	२४७.००	२४७.००	२४७.००	
	50 sq.mm	र.मी	३१९.००	३१९.००	३१९.००	
	70 sq.mm	र.मी	३९७.००	३९७.००	३९७.००	
	95 sq.mm	र.मी	५०५.००	५०५.००	५०५.००	
	b) 3-core					
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८.००	१०८.००	१०८.००	
	4 sq.mm	र.मी	१३४.००	१३४.००	१३४.००	
	6 sq.mm	र.मी	१४९.००	१४९.००	१४९.००	
	10 sq.mm	र.मी	१८०.००	१८०.००	१८०.००	
	16 sq.mm	र.मी	२०६.००	२०६.००	२०६.००	
	25 sq.mm Aluminum conductor Armoured	र.मी	२७८.००	२७८.००	२७८.००	
	35 sq.mm	र.मी	३३५.००	३३५.००	३३५.००	
	50 sq.mm	र.मी	४२७.००	४२७.००	४२७.००	
	70 sq.mm	र.मी	५४९.००	५४९.००	५४९.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व.	आ.व.	आ.व.	
			२०७६/७७	२०७७/७८	२०७८/७९	
	95 sq.mm	र.मी	४९४.००	४९४.००	४९४.००	
	120 sq.mm	र.मी	८३४.००	८३४.००	८३४.००	
	150 sq.mm	र.मी	१००४.००	१००४.००	१००४.००	
	185 sq.mm	र.मी	१२३६.००	१२३६.००	१२३६.००	
	240 sq.mm	र.मी	१५१४.००	१५१४.००	१५१४.००	
	300 sq.mm	र.मी	१८५४.००	१८५४.००	१८५४.००	
	400 sq.mm	र.मी	२३१८.००	२३१८.००	२३१८.००	
	c) 3.5 core					
	25 sq.mm.	र.मी	३१९.००	३१९.००	३१९.००	
	35 sq.mm	र.मी	३७१.००	३७१.००	३७१.००	
	50 sq.mm	र.मी	४८९.००	४८९.००	४८९.००	
	70 sq.mm	र.मी	६२८.००	६२८.००	६२८.००	
	95 sq.mm	र.मी	८०३.००	८०३.००	८०३.००	
	120 sq.mm Aluminum conductor Armoured	र.मी	९७९.००	९७९.००	९७९.००	
	150 sq.mm	र.मी	११७४.००	११७४.००	११७४.००	
	185 sq.mm	र.मी	१४२१.००	१४२१.००	१४२१.००	
	240 sq.mm	र.मी	१७७२.००	१७७२.००	१७७२.००	
	300 sq.mm	र.मी	२२१५.००	२२१५.००	२२१५.००	
	400 sq.mm	र.मी	२७८१.००	२७८१.००	२७८१.००	
	d) 4-core					
	2.5 sq.mm	र.मी	१२४.००	१२४.००	१२४.००	
	4 sq.mm	र.मी	१५५.००	१५५.००	१५५.००	
	6 sq.mm	र.मी	१८०.००	१८०.००	१८०.००	
	10 sq.mm	र.मी	१९६.००	१९६.००	१९६.००	
	16 sq.mm	र.मी	२५२.००	२५२.००	२५२.००	
	25 sq.mm	र.मी	३४०.००	३४०.००	३४०.००	
	35 sq.mm	र.मी	४०२.००	४०२.००	४०२.००	
	50 sq.mm	र.मी	५४८.००	५४८.००	५४८.००	
	70 sq.mm	र.मी	७००.००	७००.००	७००.००	
	95 sq.mm	र.मी	९०१.००	९०१.००	९०१.००	
	120 sq.mm	र.मी	१०८२.००	१०८२.००	१०८२.००	
	150 sq.mm	र.मी	१३७०.००	१३७०.००	१३७०.००	
	185 sq.mm	र.मी	१६२७.००	१६२७.००	१६२७.००	
	240sq.mm	र.मी	२०३९.००	२०३९.००	२०३९.००	
	300 sq.mm Aluminum conductor Armoured	र.मी	२५२४.००	२५२४.००	२५२४.००	
	400sq.mm	र.मी	३१९३.००	३१९३.००	३१९३.००	
५१	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1-core					
	16 sq.mm	र.मी	५२.००	५२.००	५२.००	
	25 sq.mm	र.मी	७२.००	७२.००	७२.००	
	35 sq.mm	र.मी	८८.००	८८.००	८८.००	
	50 sq.mm	र.मी	११३.००	११३.००	११३.००	
	70 sq.mm	र.मी	१४४.००	१४४.००	१४४.००	
	95 sq.mm	र.मी	१९६.००	१९६.००	१९६.००	
	120 sq.mm	र.मी	२३७.००	२३७.००	२३७.००	
	150 sq.mm	र.मी	३१९.००	३१९.००	३१९.००	
	185 sq.mm	र.मी	३६९.००	३६९.००	३६९.००	
	240 sq.mm	र.मी	४४३.००	४४३.००	४४३.००	
	300 sq.mm	र.मी	५३६.००	५३६.००	५३६.००	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र.मी	५२.००	५२.००	५२.००	
	4 sq.mm	र.मी	६२.००	६२.००	६२.००	
	6 sq.mm	र.मी	७७.००	७७.००	७७.००	
	10 sq.mm	र.मी	९८.००	९८.००	९८.००	
	16 sq.mm	र.मी	१०३.००	१०३.००	१०३.००	
	25 sq.mm	र.मी	१४४.००	१४४.००	१४४.००	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व.	आ.व.	आ.व.	
			२०७६/७७	२०७७/७८	२०७८/७९	
	35 sq.mm	र.मी	१८५.००	१८५.००	१८५.००	
	50 sq.mm	र.मी	२३७.००	२३७.००	२३७.००	
	70 sq.mm	र.मी	२९९.००	२९९.००	२९९.००	
	95 sq.mm 2 core	र.मी	४०२.००	४०२.००	४०२.००	
	c) 3-core					
	2.5 sq.mm	र.मी	६२.००	६२.००	६२.००	
	4 sq.mm	र.मी	७२.००	७२.००	७२.००	
	6 sq.mm	र.मी	८८.००	८८.००	८८.००	
	10 sq.mm	र.मी	१२४.००	१२४.००	१२४.००	
	16 sq.mm	र.मी	१४४.००	१४४.००	१४४.००	
	25 sq.mm	र.मी	२०६.००	२०६.००	२०६.००	
	35 sq.mm	र.मी	२५८.००	२५८.००	२५८.००	
	50 sq.mm	र.मी	३४०.००	३४०.००	३४०.००	
	70 sq.mm	र.मी	४५३.००	४५३.००	४५३.००	
	95 sq.mm	र.मी	५९७.००	५९७.००	५९७.००	
	120 sq.mm	र.मी	७४२.००	७४२.००	७४२.००	
	150 sq.mm	र.मी	८८६.००	८८६.००	८८६.००	
	185 sq.mm	र.मी	१११२.००	१११२.००	१११२.००	
	240 sq.mm	र.मी	१३८०.००	१३८०.००	१३८०.००	
	300 sq.mm Aluminium conductor unarmoured	र.मी	१७५१.००	१७५१.००	१७५१.००	
	d) 3.5-core					
	25 sq.mm	र.मी	२५८.००	२५८.००	२५८.००	
	35 sq.mm	र.मी	३०९.००	३०९.००	३०९.००	
	50 sq.mm	र.मी	४१२.००	४१२.००	४१२.००	
	70 sq.mm	र.मी	५६७.००	५६७.००	५६७.००	
	95 sq.mm	र.मी	७४२.००	७४२.००	७४२.००	
	120 sq.mm	र.मी	९२७.००	९२७.००	९२७.००	
	150 sq.mm	र.मी	१११२.००	१११२.००	१११२.००	
	185 sq.mm	र.मी	१३९१.००	१३९१.००	१३९१.००	
	240 sq.mm	र.मी	१७५१.००	१७५१.००	१७५१.००	
	300 sq.mm	र.मी	२१६३.००	२१६३.००	२१६३.००	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.मी	७२.००	७२.००	७२.००	
	4 sq.mm	र.मी	८२.००	८२.००	८२.००	
	6 sq.mm	र.मी	९८.००	९८.००	९८.००	
	10 sq.mm	र.मी	१३४.००	१३४.००	१३४.००	
	16 sq.mm	र.मी	१९६.००	१९६.००	१९६.००	
	25 sq.mm	र.मी	२८८.००	२८८.००	२८८.००	
	35 sq.mm	र.मी	३५०.००	३५०.००	३५०.००	
	50 sq.mm	र.मी	४८४.००	४८४.००	४८४.००	
	70 sq.mm 4	र.मी	६३९.००	६३९.००	६३९.००	
	95 sq.mm	र.मी	८४५.००	८४५.००	८४५.००	
	120 sq.mm	र.मी	१०३०.००	१०३०.००	१०३०.००	
	150 sq.mm	र.मी	१२८८.००	१२८८.००	१२८८.००	
	185 sq.mm	र.मी	१५९७.००	१५९७.००	१५९७.००	
	240 sq.mm	र.मी	२००९.००	२००९.००	२००९.००	
	300 sq.mm	र.मी	२४७२.००	२४७२.००	२४७२.००	
	५२ General Lightig ANCHOR, C/G, Eqv.					
	1 x 40 W FTL Patti fitting	सेट	२५२.००	२५२.००	२५२.००	
	1 x 20 W FTL Patti fitting	सेट	२३२.००	२३२.००	२३२.००	
	1 x 40 W FTL Box Fitting	सेट	४२७.००	४२७.००	४२७.००	
	1 x 20 W FTL Box fitting	सेट	४१७.००	४१७.००	४१७.००	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	३५५.००	३५५.००	३५५.००	
	५३ GEWISS /BEC PVC Conduit product of Italy					
	RK Range					

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	16 mm medium rigid conduit DX 25 316	र.मी	८८.००	८८.००	८८.००	
	20 mm medium rigid conduit DX 25 320	र.मी	१२४.००	१२४.००	१२४.००	
	25 mm medium rigid conduit DX 25 325	र.मी	१७५.००	१७५.००	१७५.००	
	32 mm medium rigid conduit DX 25 332	र.मी	२५२.००	२५२.००	२५२.००	
	40 mm medium rigid conduit DX 25 340	र.मी	३४५.००	३४५.००	३४५.००	
	50 mm medium rigid conduit DX 25 350	र.मी	५३०.००	५३०.००	५३०.००	
	63 mm medium rigid conduit DX 25 363	र.मी	९९९.००	९९९.००	९९९.००	
	16 mm heavy rigid conduit DX 25 716	र.मी	१६५.००	१६५.००	१६५.००	
	20 mm heavy rigid conduit DX 25 720	र.मी	२१६.००	२१६.००	२१६.००	
	25 mm heavy rigid conduit DX 25 725	र.मी	२८८.००	२८८.००	२८८.००	
	32 mm heavy rigid conduit DX 25 732	र.मी	४३३.००	४३३.००	४३३.००	
	40 mm heavy rigid conduit DX 25 740	र.मी	५८७.००	५८७.००	५८७.००	
	50 mm heavy rigid conduit DX 25 750	र.मी	७९३.००	७९३.००	७९३.००	
	63 mm heavy rigid conduit DX 25 763	र.मी	१४८८.००	१४८८.००	१४८८.००	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	१९६.००	१९६.००	१९६.००	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२४७.००	२४७.००	२४७.००	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३७६.००	३७६.००	३७६.००	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६२३.००	६२३.००	६२३.००	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७४७.००	७४७.००	७४७.००	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	९६३.००	९६३.००	९६३.००	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२००.००	१२००.००	१२००.००	
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३१.००	३१.००	३१.००	
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३६.००	३६.००	३६.००	
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४१.००	४१.००	४१.००	
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६२.००	६२.००	६२.००	
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	९८.००	९८.००	९८.००	
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	११८.००	११८.००	११८.००	
	16 mm conduit coupler DX 40 016	र.मी	३६.००	३६.००	३६.००	
	20 mm conduit coupler DX 40 020	र.मी	४६.००	४६.००	४६.००	
	25 mm conduit coupler DX 40 025	र.मी	५७.००	५७.००	५७.००	
	32 mm conduit coupler DX 40 032	र.मी	१०३.००	१०३.००	१०३.००	
	40 mm conduit coupler DX 40 040	र.मी	१३९.००	१३९.००	१३९.००	
	50 mm conduit coupler DX 40 050	र.मी	२४२.००	२४२.००	२४२.००	
	63 mm conduit coupler DX 40 063	र.मी	४५८.००	४५८.००	४५८.००	
	16 mm tight bend DX 40 116	र.मी	५७.००	५७.००	५७.००	
	20 mm tight bend DX 40 120	र.मी	८२.००	८२.००	८२.००	
	25 mm tight bend DX 40 125	र.मी	१२९.००	१२९.००	१२९.००	
	32 mm tight bend DX 40 132	र.मी	२३७.००	२३७.००	२३७.००	
	40 mm tight bend DX 40 140	र.मी	३३५.००	३३५.००	३३५.००	
	50 mm tight bend DX 40 150	र.मी	६०३.००	६०३.००	६०३.००	
	63 mm tight bend DX 40 163	र.मी	२३५९.००	२३५९.००	२३५९.००	
	4 way junction box DX 45 004	र.मी	६७०.००	६७०.००	६७०.००	
	7 way junction box DX 45 007	र.मी	८०३.००	८०३.००	८०३.००	
	10 way junction box DX 45 010	र.मी	१०२०.००	१०२०.००	१०२०.००	
	Closing cap for junction box DX 47 000	र.मी	११८.००	११८.००	११८.००	
	16 mm inspectionable T bend DX 40216	र.मी	११८.००	११८.००	११८.००	
	20 mm inspectionable T bend DX 40220	र.मी	१४९.००	१४९.००	१४९.००	
	25 mm inspectionable T bend DX 40225	र.मी	१९६.००	१९६.००	१९६.००	
	32 mm inspectionable T bend DX 40232	र.मी	२३७.००	२३७.००	२३७.००	
	16 mm inspectionable bend DX 40 316	र.मी	९८.००	९८.००	९८.००	
	20 mm inspectionable bend DX 40 320	र.मी	११८.००	११८.००	११८.००	
	25 mm inspectionable bend DX 40 325	र.मी	१५५.००	१५५.००	१५५.००	
	32 mm inspectionable bend DX 40 332	र.मी	१८५.००	१८५.००	१८५.००	
५४	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range	र.मी				

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८१९.००	८१९.००	८१९.००	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	९७३.००	९७३.००	९७३.००	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	११७४.००	११७४.००	११७४.००	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३१८.००	१३१८.००	१३१८.००	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१५४०.००	१५४०.००	१५४०.००	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७९०.००	१७९०.००	१७९०.००	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२१३७.००	२१३७.००	२१३७.००	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२५१३.००	२५१३.००	२५१३.००	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३०९०.००	३०९०.००	३०९०.००	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३२८१.००	३२८१.००	३२८१.००	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	९८४.००	९८४.००	९८४.००	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	११७९.००	११७९.००	११७९.००	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१२९८.००	१२९८.००	१२९८.००	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१४६८.००	१४६८.००	१४६८.००	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१६६३.००	१६६३.००	१६६३.००	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१८५९.००	१८५९.००	१८५९.००	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२२७६.००	२२७६.००	२२७६.००	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२६५७.००	२६५७.००	२६५७.००	
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३४५६.००	३४५६.००	३४५६.००	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३७४९.००	३७४९.००	३७४९.००	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४५८४.००	४५८४.००	४५८४.००	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३१३.००	१३१३.००	१३१३.००	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२१२२.००	२१२२.००	२१२२.००	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२७८१.००	२७८१.००	२७८१.००	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	३८५२.००	३८५२.००	३८५२.००	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	४८३६.००	४८३६.००	४८३६.००	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	र.मी	५४४९.००	५४४९.००	५४४९.००	
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	र.मी	१४९४.००	१४९४.००	१४९४.००	
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	र.मी	२२७१.००	२२७१.००	२२७१.००	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	र.मी	२८८४.००	२८८४.००	२८८४.००	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	र.मी	४१५१.००	४१५१.००	४१५१.००	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	र.मी	५०१६.००	५०१६.००	५०१६.००	
५५	Intrusion Detection System Make Honeywell or equivalent					
	Main Controller-CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP	सेट	३८८५१.००	३८८५१.००	३८८५१.००	
	Smoke & Heat Detector-Wireless Smoke and Head Detector	सेट	१०५४७.००	१०५४७.००	१०५४७.००	
	Door Contact-Wireless Door Contact with transmitter	सेट	२६७८.००	२६७८.००	२६७८.००	
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	४१७८.००	४१७८.००	४१७८.००	
	Panic Switch-Wireless Panic Transmitter	सेट	४९२१.००	४९२१.००	४९२१.००	
	Key -Wireless Key to Arm and Disarm the System	सेट	४७८०.००	४७८०.००	४७८०.००	
	Window Contact- Wired door Contact with transmitter slim	सेट	२८१२.००	२८१२.००	२८१२.००	
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	३६०१.००	३६०१.००	३६०१.००	
५६	Automatic Motor Operator for water motor					
	Upto 1/2 HP single phase motor	सेट	४१२०.००	४१२०.००	४१२०.००	
	Upto 1 HP single phase motor	सेट	५६६५.००	५६६५.००	५६६५.००	
	Upto 5 HP three phase motor	सेट	९२७९.००	९२७९.००	९२७९.००	
५७	Earthing Materials (ISI or other International Standard)					
	6 mm thick 600mm× 600 mm G.I. Plate	गोटा	२८२९.००	२८२९.००	२८२९.००	
	Funneling Mechanism with cover (mild steel)	सेट	६१८.००	६१८.००	६१८.००	
	3.2 mm thick 600mm× 600 mm Copper Plate	गोटा	९५१७.००	९५१७.००	९५१७.००	
	Copper wire (10 SWG)	र.मी.	१५५.००	१५५.००	१५५.००	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	Service wire (Al)					
	2.5 mm ²	र.मी.	१८.००	१८.००	१८.००	
	4.0 mm ²	र.मी.	२२.००	२२.००	२२.००	
	6.0 mm ²	र.मी.	२८.००	२८.००	२८.००	
५८	Lightening Arrester for 3 Phase .					
	0.5 KV	सेट	१२३६.००	१२३६.००	१२३६.००	
	11 KV	सेट	४३२८.००	४३२८.००	४३२८.००	
	Cross Arms V Channel.	गोटा	३०९०.००	३०९०.००	३०९०.००	
	Stay set with accessories.					
	GI wire	गोटा	११८२.००	११८२.००	११८२.००	
	GI Plate	गोटा	१२००.००	१२००.००	१२००.००	
	Gay Insulator.	गोटा	५६.००	५६.००	५६.००	
	Elbow	गोटा	१०३.००	१०३.००	१०३.००	
	Rod , Nut	गोटा	४४५.००	४४५.००	४४५.००	
	Grip	गोटा	४९.००	४९.००	४९.००	
५९	Overhead Insulators (0.4KV)	गोटा				
	Sackle Insulator	गोटा	३१.००	३१.००	३१.००	
	D-Iron	गोटा	९३.००	९३.००	९३.००	
	Nut Bolt (3" with 8 mm Ø)	गोटा	१५.००	१५.००	१५.००	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	२३.००	२३.००	२३.००	
६०	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	गोटा	१९०.००	१९०.००	१९०.००	
	Disc Insulator	गोटा	९८९.००	९८९.००	९८९.००	
	Cross Arms V Channel.	गोटा	२७१९.००	२७१९.००	२७१९.००	
	Sqarrel ACSR conductor 20mm ²	र.मी.	१८.००	१८.००	१८.००	
	weasel ACSR conductor 30 mm ²	र.मी.	२५.००	२५.००	२५.००	
	Rabbit ACSR conductor 50 mm ²	र.मी.	४१.००	४१.००	४१.००	
	Dog ACSR conductor 100 mm ²	र.मी.	८२.००	८२.००	८२.००	
६१	Supply of aluminium ABC cable	र.मी.				
	25mm square 4 core ABC cable	र.मी.	१५५.००	१५५.००	१५५.००	
	50 mm square 4 core ABC cable	र.मी.	३००.००	३००.००	३००.००	
	95 mm square 4 core ABC cable	र.मी.	५०९.००	५०९.००	५०९.००	
६२	Alternator 3 Phase Brush less with compounded Excitation.					

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			कैफियत
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९	
	AMF with ATS palel for DG Ankur metal or Equivalent					
	5KVA AMF with ATS palel	सेट	२२६६०.००	२२६६०.००	२२६६०.००	
	7.5KVA AMF with ATS palel	सेट	२८८४०.००	२८८४०.००	२८८४०.००	
६३	10KVA AMF with ATS palel	सेट	३६०५०.००	३६०५०.००	३६०५०.००	
	15KVA AMF with ATS palel	सेट	४६३५०.००	४६३५०.००	४६३५०.००	
	20KVA AMF with ATS palel	सेट	६६९५०.००	६६९५०.००	६६९५०.००	
	25KVA AMF with ATS palel	सेट	७७२५०.००	७७२५०.००	७७२५०.००	
	30KVA AMF with ATS palel	सेट	९२७००.००	९२७००.००	९२७००.००	
६४	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	पोल	२३९.००	२३९.००	२३९.००	
	B CURVE MCB SP 40A	पोल	२८७.००	२८७.००	२८७.००	
	B CURVE MCB SP 50A-63A	पोल	२८९.००	२८९.००	२८९.००	
	C CURVE MCB SP 0.5-4A	पोल	२८९.००	२८९.००	२८९.००	
	C CURVE MCB SP 6-32A	पोल	२३९.००	२३९.००	२३९.००	
	C CURVE MCB SP 40A	पोल	४४६.००	४४६.००	४४६.००	
	C CURVE MCB SP 50-63A	पोल	४४६.००	४४६.००	४४६.००	
	C CURVE MCB SPN 0.5-4A	पोल	४७९.००	४७९.००	४७९.००	
	C CURVE MCB SPN 6-32A	पोल	५९६.००	५९६.००	५९६.००	
	C CURVE MCB SPN 40A	पोल	५६९.००	५६९.००	५६९.००	
	C CURVE MCB SPN 50-63A	पोल	५६९.००	५६९.००	५६९.००	
	C CURVE MCB DP 0.5-4A	पोल	६९७.००	६९७.००	६९७.००	
	C CURVE MCB DP 6-32A	पोल	५६४.००	५६४.००	५६४.००	
	C CURVE MCB DP 40A	पोल	६९७.००	६९७.००	६९७.००	
	C CURVE MCB DP 50-63A	पोल	६९७.००	६९७.००	६९७.००	
	C CURVE MCB TP 0.5-4A	पोल	९२५.००	९२५.००	९२५.००	
	C CURVE MCB TP 6-32A	पोल	८४७.००	८४७.००	८४७.००	
	C CURVE MCB TP 40A	पोल	९२५.००	९२५.००	९२५.००	
	C CURVE MCB TP 50-63A	पोल	९२५.००	९२५.००	९२५.००	
	C CURVE MCB TPN 0.5-4A	पोल	१२०६.००	१२०६.००	१२०६.००	
	C CURVE MCB TPN 6-32A	पोल	११०३.००	११०३.००	११०३.००	
	C CURVE MCB TPN 40A	पोल	१२०८.००	१२०८.००	१२०८.००	
	C CURVE MCB TPN 50-63A	पोल	१२०६.००	१२०६.००	१२०६.००	
	C CURVE MCB FP 0.5-4A	पोल	१२९०.००	१२९०.००	१२९०.००	
	C CURVE MCB FP 6-32A	पोल	११८०.००	११८०.००	११८०.००	
	C CURVE MCB FP 40A	पोल	१२९०.००	१२९०.००	१२९०.००	
	C CURVE MCB FP 50-63A	पोल	१२९०.००	१२९०.००	१२९०.००	
	ISOLATOR DP 40A	पोल	५५९.००	५५९.००	५५९.००	
	ISOLATOR DP 63A	पोल	५५८.००	५५८.००	५५८.००	
	ISOLATOR DP 80-100A	पोल	५७६.००	५७६.००	५७६.००	
	ISOLATOR DP 125A	पोल	६९९.००	६९९.००	६९९.००	
	ISOLATOR FP 40A	पोल	९०५.००	९०५.००	९०५.००	
	ISOLATOR FP 63A	पोल	९०२.००	९०२.००	९०२.००	
	ISOLATOR FP 80-100A	पोल	९९८.००	९९८.००	९९८.००	
	ISOLATOR FP 125A	पोल	९९९.००	९९९.००	९९९.००	
	RCCB DP 25A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००	
	RCCB DP 40A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००	
	RCCB DP 63A 30mA	पोल	३६७०.००	३६७०.००	३६७०.००	
	RCCB DP 25A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००	
	RCCB DP 40A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००	
	RCCB DP 63A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००	
	RCCB DP 25A 300mA	पोल	३३४७.००	३३४७.००	३३४७.००	
	RCCB DP 40A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००	
	RCCB DP 63A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००	
	RCCB FP 25A 30mA	पोल	४९५५.००	४९५५.००	४९५५.००	
	RCCB FP 40A 30mA	पोल	४९५५.००	४९५५.००	४९५५.००	
	RCCB FP 63A 30mA	पोल	४९५५.००	४९५५.००	४९५५.००	
	RCCB FP 25A 100mA	पोल	४००६.००	४००६.००	४००६.००	
	RCCB FP 40A 100mA	पोल	४००६.००	४००६.००	४००६.००	
	RCCB FP 63A 100mA	पोल	४००६.००	४००६.००	४००६.००	
	RCCB FP 25A 300mA	पोल	४००६.००	४००६.००	४००६.००	
	RCCB FP 40A 300mA	पोल	४००६.००	४००६.००	४००६.००	
	RCCB FP 63A 300mA	पोल	४००६.००	४००६.००	४००६.००	

(C) SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कमनीका सामानहरू)					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2524.00	2524.00	2524.00	
	ii)500 mm size white glazed without siphon	"	2741.00	2741.00	2741.00	
	iii)580 mm size orrisa Pan	"	3371.00	3371.00	3371.00	
	iii)580 mm size white glazed Indian pan	"	1049.00	1049.00	1049.00	
	iv) Siphon 'p' or 's' type	"	590.00	590.00	590.00	
	v) Asian Pan 51x40 Rectangular	"	2524.00	2524.00	2524.00	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559.00	3559.00	3559.00	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667.00	667.00	667.00	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698.00	3698.00	3698.00	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587.00	1587.00	1587.00	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825.00	1825.00	1825.00	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"	18119.00	18119.00	18119.00	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875.00	28875.00	28875.00	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389.00	20389.00	20389.00	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252.00	5252.00	5252.00	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656.00	8656.00	8656.00	
	x) 600 to 900 mm Grab bar	"	6062.00	6062.00	6062.00	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692.00	3692.00	3692.00	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174.00	4174.00	4174.00	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)	"	1880.00	1880.00	1880.00	
	iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619.00	1619.00	1619.00	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291.00	100291.00	100291.00	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212.00	1212.00	1212.00	
	ii) Porcelain clay white glaze squatting plate large size	"	1454.00	1454.00	1454.00	
	iii) Porcelain clay super color squatting plate large size.	"	2831.00	2831.00	2831.00	
	iv) Urinal Spreader	"	915.00	915.00	915.00	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095.00	1095.00	1095.00	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481.00	1481.00	1481.00	
	iv) Do but wash basin (45×32)cm	"	1065.00	1065.00	1065.00	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201.00	1201.00	1201.00	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348.00	8348.00	8348.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	..	13776.00	13776.00	13776.00	
	x(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	..	9785.00	9785.00	9785.00	
	x(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	..	6232.00	6232.00	6232.00	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	..	20549.00	20549.00	20549.00	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	..	1378.00	1378.00	1378.00	
	iii)White glazed Porcelain clay half pedestal complete set.	..	1670.00	1670.00	1670.00	
	iv) First color glazed Porcelain clay half pedestal complete set.	..	1973.00	1973.00	1973.00	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	..	13313.00	13313.00	13313.00	
	Urinal Partition					
	White glaze porcelain clay (68*30)cm division plate	..	1741.00	1741.00	1741.00	
	Lab sink					
	i) Porcelain clay white glaze large size	..	2222.00	2222.00	2222.00	
	ii) Porcelain clay white glaze small size	..	1653.00	1653.00	1653.00	
	iii) Porcelain clay janitor sink 58*71*43.5 size	..	27553.00	27553.00	27553.00	
	Kitchen sink					
	i) Porcelain clay large	सेट	3763.00	3763.00	3763.00	
	ii) Porcelain clay small	..	3409.00	3409.00	3409.00	
	iii) drain board white 53x45	..	1304.00	1304.00	1304.00	
	iii) Soap dish	..	661.00	661.00	661.00	
	iv) White glaze foot rest	..	419.00	419.00	419.00	
	v) White glaze Toilet paper holder	..	1157.00	1157.00	1157.00	
2	PVC Cistern Set					
	i) single flush	सेट	1973.00	1973.00	1973.00	
	ii) Deluxe single flush	..	2204.00	2204.00	2204.00	
	iii) Dual flush 6/3 lit. cistern complete set.	..	2966.00	2966.00	2966.00	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	..	16862.00	16862.00	16862.00	
	v) 32 mm pvc bottel trap set.	पिस	476.00	476.00	476.00	
	vi) 1.5x45 cm pvc pipe connector set.	..	143.00	143.00	143.00	
	vi) Bakelite toilet seat cover set.	..	276.00	276.00	276.00	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45*45*30 size	..	18185.00	18185.00	18185.00	
	Stainless steel Orissa pan LP 210 size	..	8486.00	8486.00	8486.00	
	Stainless steel wash basin model 251 12" round size with pedestal	..	13262.00	13262.00	13262.00	
	Stainless steel wash basin 500 mm model 277 with complete set	..	10276.00	10276.00	10276.00	
	Stainless steel commode S trap with self closing complete set	..	17554.00	17554.00	17554.00	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	..	14634.00	14634.00	14634.00	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	..	18432.00	18432.00	18432.00	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	..	25764.00	25764.00	25764.00	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	..	15952.00	15952.00	15952.00	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	..	4182.00	4182.00	4182.00	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	..	6455.00	6455.00	6455.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827.00	827.00	827.00	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1157.00	1157.00	1157.00	
	Stainless steel bowl 19"x16" diamond board 37" long	"	2673.00	2673.00	2673.00	
	Stainless steel bowl with diamond board 37" long	"	3660.00	3660.00	3660.00	
	Stainless steel bowl with ordinary board 37" long	"	2314.00	2314.00	2314.00	
	Stainless steel double bowl with double drain board 36" * 18"size	"	13917.00	13917.00	13917.00	
	Stainless steel double bowl with single drain board ordinary	"	5786.00	5786.00	5786.00	
	Stainless steel p trap bottle trap for basin	"	2324.00	2324.00	2324.00	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408.00	8408.00	8408.00	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565.00	5565.00	5565.00	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408.00	8408.00	8408.00	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462.00	1462.00	1462.00	
	Stainless steel Hose ringer 1200 mm	"	1274.00	1274.00	1274.00	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798.00	1798.00	1798.00	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943.00	6943.00	6943.00	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4425.00	4425.00	4425.00	
	Stainless steel Sink 700*450*200	"	24246.00	24246.00	24246.00	
	Stainless steel Sink table top1200*600*300	"	33504.00	33504.00	33504.00	
	Steel Split clamp with washer all complete					
	75 mm dia	पिस	331.00	331.00	331.00	
	110 mm dia		441.00	441.00	441.00	
	160 mm dia		771.00	771.00	771.00	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	1240.00	1240.00	1240.00	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	2976.00	2976.00	2976.00	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785.00	9785.00	9785.00	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	647.00	647.00	647.00	
	Stainless steel towel bar 450 mm	"	1240.00	1240.00	1240.00	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124.00	12124.00	12124.00	
	Capacity 1000 ltr	"	17699.00	17699.00	17699.00	
	Capacity 1500 ltr	"	27212.00	27212.00	27212.00	
	Capacity 2000 ltr	"	32743.00	32743.00	32743.00	
	Sinks Other Types:					
	Scrub sink					
	a) 1.2 mts (18" deep+6" splash)	सेट				
	b) 1.5 mts (18" deep+6" splash)	"				
	c) 1.0 mts (18" deep+6" splash)	"				
	d) 0.9 mts (18" deep+6" splash)	"				
	a) 1.2 mts (21" deep+6" splash)	"				
	b) 1.5 mts (21" deep+6" splash)	"				
	c) 1.0 mts (21" deep+6" splash)	"				
	d) 0.9 mts (21" deep+6" splash)	"				
	Table Top with Sink					
	42"x24"x12" deep+ 6" splash with					
	18"x24" drain and 24"x18"x12" sink					
	a) without frame and legs	सेट				
	b) with s.s. frame and legs	"				
	Deep Scrub Sink					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	28"x28"x24" deep+ 6" splash with					
	24"x24"x24" sink					
	a) without frame and legs	सेट				
	b) with s.s. frame and legs	"				
	Super lab sink					
	i) super lab sink large size	"	4313.00	4313.00	4313.00	
	ii) super lab sink small size	"	3401.00	3401.00	3401.00	
	Super kitchen sink					
	i) super kitchen sink large size	"	7465.00	7465.00	7465.00	
	ii) super kitchen sink small size	"	6756.00	6756.00	6756.00	
4	Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	"	19397.00	19397.00	19397.00	
	v) Hand Dryer Chinese	"	7164.00	7164.00	7164.00	
	vi) Indian Mark Brand Flush valve	"	5731.00	5731.00	5731.00	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267.00	35267.00	35267.00	
	xv) European pattern liquid soap container stainless steel	"	6062.00	6062.00	6062.00	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459.00	1459.00	1459.00	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	"	4786.00	4786.00	4786.00	
	b) 45 cm long bend type	"	5012.00	5012.00	5012.00	
	c) 60 cm long bend type	"	6418.00	6418.00	6418.00	
5	C.P. Accessories(jaquar, somany, essel or equivalent)					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
1) Toilet paper holder	..	510.00	510.00	510.00		
2) Soap dish	..	510.00	510.00	510.00		
3) Towel rod ½"×18" size	..	510.00	510.00	510.00		
4) Towel rod ¾" ×24" size	..	567.00	567.00	567.00		
5) Glass shelf	..	680.00	680.00	680.00		
6) C.P. bottle trap	..	1246.00	1246.00	1246.00		
7) 32 mm×60cm long C.P flush pipe	..	510.00	510.00	510.00		
8) 15 mm flush cock push type	..	1133.00	1133.00	1133.00		
9) 15 mm dia. C.P. shower arm	..	976.00	976.00	976.00		
10) 15 mm dia. C.P. spreader	..	940.00	940.00	940.00		
11) 15 mm dia. C.P. wall mixture	..	5435.00	5435.00	5435.00		
i) 3" dia. Shower rose , revolving type	..	906.00	906.00	906.00		
ii) 4" dia. Shower rose , revolving type	..	1020.00	1020.00	1020.00		
iii) Shower rose ordinary	..	567.00	567.00	567.00		
iv) Shower rod 12" long	..	283.00	283.00	283.00		
C.P. 15 mm dia. Angle Valve	..	1244.00	1244.00	1244.00		
C.P. 15 mm dia Concealed Stop Cock	..	1807.00	1807.00	1807.00		
C.P 15mm Bib Cock	..	1361.00	1361.00	1361.00		
C.P. 15 mm dia swan neck Pillar Cock	..	1331.00	1331.00	1331.00		
C.P. 15 mm dia Stop Cock	..	1331.00	1331.00	1331.00		
C.P. 15 mm dia Sink Cock	..	1309.00	1309.00	1309.00		
C.P. 15 mm dia Sink Mixture	..	4472.00	4472.00	4472.00		
C.P. 32 mm dia Flush Valve	..	5404.00	5404.00	5404.00		
C.P. 32 mm dia Waste Coupling for basin	..	424.00	424.00	424.00		
C.P. 32 mm dia Waste Coupling for Urinal	..	689.00	689.00	689.00		
C.P. Basin Mixture	सेट	4640.00	4640.00	4640.00		
15 mm dia Bath Tub Spout with Wall Hinge	..	1731.00	1731.00	1731.00		
C.P. Exclusive Shower Arm with Hinge	..	2014.00	2014.00	2014.00		
15 mm bath tub spout with bottom attachment of telephonic shower	..	4169.00	4169.00	4169.00		
15 mm wall mixture lever type telephonic shower of flexible type heavy.	..	6849.00	6849.00	6849.00		
C.P. flexible pipe	गेटा	181.00	181.00	181.00		
C.P. Grating						
i) 4" dia.	..	50.00	50.00	50.00		
ii) 5" dia.	..	62.00	62.00	62.00		
i) C.P. Toilet Paper Holder	..	929.00	929.00	929.00		
ii) C.P. Soap Dish(Polyurethane)	..	1042.00	1042.00	1042.00		
iii) C.P. Towel Rod 18"	..	1578.00	1578.00	1578.00		
iv) C.P. Towel Rod 24"	..	1663.00	1663.00	1663.00		
v) C.P. Glass Shelf 22"	..	2260.00	2260.00	2260.00		
vi) C.P. Coat Hook Double	..	812.00	812.00	812.00		
C.P. नोट निर्मित सामग्रीहरू (jaquar, somany, essel or equivalent)	..					
i) C.P. Toilet Paper Holder	..	969.00	969.00	969.00		
ii) C.P. Soap Dish(Polyurethane)	..	843.00	843.00	843.00		
iv) C.P. Towel Rod 24"	..	1643.00	1643.00	1643.00		
v) C.P. Glass Shelf 22"	..	2232.00	2232.00	2232.00		
vi) C.P. Coat Hook Double	..	758.00	758.00	758.00		
ix) C.P. Angle Cock						
15mm C.P. Angle Cock	..	927.00	927.00	927.00		
15 mm C.P. Angle Cock Long Thread	..	986.00	986.00	986.00		
x) C.P. Conceal Stop Cock						
i) 15 mm Reduced body	..	1136.00	1136.00	1136.00		
ii) 15 mm Extra Heavy Body	..	1390.00	1390.00	1390.00		
xi) C.P. Bib Cock						
i) 15mm C.P. Auto Closing Bib Cock With Aerator	..	2612.00	2612.00	2612.00		
ii) 15mm C.P. Bib Cock	..	952.00	952.00	952.00		
iii) 15mm C.P. Bib Cock with nozzle	..	1054.00	1054.00	1054.00		
xii) C.P. Pillar Cock						

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			भा.ब.	२०७७/७८	२०७८/७९	
			२०७६/७७	२०७७/७८	२०७८/७९	
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263.00	1263.00	1263.00	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527.00	2527.00	2527.00	
	i) 15mm C.P. Sink Cock	"	1600.00	1600.00	1600.00	
	ii) C.P. Sink Mixer	"	3966.00	3966.00	3966.00	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456.00	3456.00	3456.00	
	xv) C.P. Bottle Trap 32mm	"	1852.00	1852.00	1852.00	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874.00	3874.00	3874.00	
	xvii) C.P. Waste Coupling	"				
	32 mm C.P. Waste Coupling H/T	"	446.00	446.00	446.00	
	32 mm C.P. Waste Coupling F/T	"	446.00	446.00	446.00	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2694.00	2694.00	2694.00	
	xix) 15 mm C.P. Wall Mixer					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463.00	4463.00	4463.00	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463.00	4463.00	4463.00	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706.00	3706.00	3706.00	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891.00	3891.00	3891.00	
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	1263.00	1263.00	1263.00	
	15mm Bath Tub Spout with button attachment	"	2021.00	2021.00	2021.00	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	673.00	673.00	673.00	
	15 mm Casted Shower Arm Heavy	"	1094.00	1094.00	1094.00	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1791.00	1791.00	1791.00	
	With 1.5 Flexible Tube	"	2779.00	2779.00	2779.00	
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	गोटा	3224.00	3224.00	3224.00	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834.00	4834.00	4834.00	
	15 mm Braided Hose for E.W.C.	"	298.00	298.00	298.00	
	15 mm Health Faucet (Commode Spray)	"	1146.00	1146.00	1146.00	
	15 mm pillar cock with 200 mm extended lever handle	"	1515.00	1515.00	1515.00	
	15 mm Bib cock with 200 mm extended lever handle	"	1598.00	1598.00	1598.00	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956.00	5956.00	5956.00	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776.00	5776.00	5776.00	
	Sensor mixer for wash basin (Battery operated)	"	20481.00	20481.00	20481.00	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481.00	20481.00	20481.00	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221.00	16221.00	16221.00	
	Sensor valve for Urinal	"	10651.00	10651.00	10651.00	
	Basin cock Sensor	"	14418.00	14418.00	14418.00	
	15mm U shaped sink cock	"	1712.00	1712.00	1712.00	
	Sink Mixture with U shape swinging spout	"	3358.00	3358.00	3358.00	
	15mm metallic Health Faucet (Commode Spray)	"	2171.00	2171.00	2171.00	
	7 Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11241.00	11241.00	11241.00	
	ii) 25 lit cap. " " "	"	17331.00	17331.00	17331.00	
	iii) 35 lit cap " " "	"	21546.00	21546.00	21546.00	
	iv) 50 lit cap " " "	"	25761.00	25761.00	25761.00	
	iv) Gas water heater with cylinder	"	-	-	-	
	vi) 200 lit cap. 3 panel solar heater with fittings	"	-	-	-	
	vii) 300 lit cap. 3 panel solar heater with fittings	"	-	-	-	
	viii) 400 lit cap. 4 panel solar heater with fittings	"	-	-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	x) 500 lit cap. 4 panel solar heater with fittings	..	-	-	-	
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12123.00	12123.00	12123.00	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" x 10" (4 Kg.)	सेट	590.00	590.00	590.00	
	ii) 12" x 12" (5 Kg.)	..	730.00	730.00	730.00	
	iii) 14" x 14" (7 Kg.)	..	1090.00	1090.00	1090.00	
	v) 16" x 16" (10 Kg.)	..	1460.00	1460.00	1460.00	
	vi) 18" x 18" (14 Kg.)	..	2270.00	2270.00	2270.00	
	viii) 20" x 20" (16 Kg.)	..	2560.00	2560.00	2560.00	
	ix) 22" x 22" (20 Kg.)	..	2930.00	2930.00	2930.00	
	x) 24" x 24" (24 Kg.)	..	4070.00	4070.00	4070.00	
	xi) 27" x 27" (31 Kg.)	..	5130.00	5130.00	5130.00	
	Heavy Duty					
	iii) 14" x 14" (14 Kg.)	..	2220.00	2220.00	2220.00	
	viii) 20" x 20" (16 Kg.)	..	3620.00	3620.00	3620.00	
	ix) 22" x 22" (22 Kg.)	..	4950.00	4950.00	4950.00	
	xi) 27" x 27" (45 Kg.)	..	7080.00	7080.00	7080.00	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	8780.00	8780.00	8780.00	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	..	10240.00	10240.00	10240.00	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	..	14630.00	14630.00	14630.00	
	iv) 22" dia. Medium class. (125 Kg.)	..	18380.00	18380.00	18380.00	
	v) 22" dia. Heavy class. (208Kg.)	..	30490.00	30490.00	30490.00	
	vi) 24" dia. Medium class. (40 Kg.)	..	10530.00	10530.00	10530.00	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	..	12710.00	12710.00	12710.00	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	..	10290.00	10290.00	10290.00	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	..	12500.00	12500.00	12500.00	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	..	17250.00	17250.00	17250.00	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	..	18250.00	18250.00	18250.00	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1690.00	1690.00	1690.00	
	20" (12 Kg.)	..	2479.00	2479.00	2479.00	
	22" (14 Kg.)	..	2816.00	2816.00	2816.00	
	24" (16 Kg.)	..	3379.00	3379.00	3379.00	
	28" (24 Kg.)	..	5069.00	5069.00	5069.00	
	Square					
	18" x 18" (13 Kg.)	सेट	2788.00	2788.00	2788.00	
	24" x 24" (50 Kg.)	..	10038.00	10038.00	10038.00	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5633.00	5633.00	5633.00	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट	100.00	100.00	100.00	
	5"	..	134.00	134.00	134.00	
	6"	..	178.00	178.00	178.00	
	10"	..	613.00	613.00	613.00	
	Square Jali Strip Medium Duty					
	4" x 4"	सेट	89.00	89.00	89.00	
	5" x 5"	..	112.00	112.00	112.00	
	6" x 6"	..	134.00	134.00	134.00	
	9" x 9"	..	390.00	390.00	390.00	
	10" x 10"	..	502.00	502.00	502.00	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	12" x 12"	..	725.00	725.00	725.00	
	C.I. Gully Gratings					
	i) 15"×18" Medium (18 Kg.)	सेट	3718.00	3718.00	3718.00	
	ii) 15"×18" Heavy (25 Kg.)	सेट	5069.00	5069.00	5069.00	
	Grit Cover					
	फलामे एडलको फ्रेममा फलामे पल्लिको जाली बनाई फोब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	164.00	164.00	164.00	
	Aluminum Grating 4" dia.	गोटा	42.00	42.00	42.00	
	9 G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8317.00	8317.00	8317.00	
	ii) 200 gls	..	13066.00	13066.00	13066.00	
	iii) 300 gls	..	16434.00	16434.00	16434.00	
	iv) 400 gls	..	19730.00	19730.00	19730.00	
	v) 500 gls	..	23036.00	23036.00	23036.00	
	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा	8773.00	8773.00	8773.00	
	ii) 200 gls	..	13267.00	13267.00	13267.00	
	iii) 300 gls	..	17615.00	17615.00	17615.00	
	iv) 400 gls	..	21106.00	21106.00	21106.00	
	v) 500 gls	..	24597.00	24597.00	24597.00	
	10 Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	सी.	11.00	11.00	11.00	
	ii) 5000 lit – 10,000 lit cap	..	12.00	12.00	12.00	
	iii) Horizontal PVC water tank	..	12.00	12.00	12.00	
	11 Water Pumps/Hand Pumps					
	Indian Mark-III , Deep Well Hand Pump					
	6 No. hand pump	गोटा	1582.00	1582.00	1582.00	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885.00	10885.00	10885.00	
	ii) ½ H.P. Water Pump mono block type	..	6258.00	6258.00	6258.00	
	iii) 1.0 H.P. water pump Multistage	..	14258.00	14258.00	14258.00	
	iv) 1.0 H.P. water pump (mono block type)	..	9465.00	9465.00	9465.00	
	v) 2.0 H.P. water pump	..	22587.00	22587.00	22587.00	
	vi) 2.0 H.P. 3 phase water pump	..	23847.00	23847.00	23847.00	
	vii) 5.0 HP 3 phase water pump	..	28656.00	28656.00	28656.00	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	2163.00	2163.00	2163.00	
	ii) Double Stage jet 1.10 H.P.		25956.00	25956.00	25956.00	
	ii) 1.5 H.P.	..	29201.00	29201.00	29201.00	
	Super Sunction					
	i) ½ H.P.	सेट	8922.00	8922.00	8922.00	
	ii) 0.75 H.P.	..	8328.00	8328.00	8328.00	
	iii) 1.0 H.P.	..	14276.00	14276.00	14276.00	
	Water Pump (Grundfoss, pentair, Pedrello or equiv)					
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202.00	18202.00	18202.00	
	ii) 2 H.P. single pump set " "	..	29233.00	29233.00	29233.00	
	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	..	26089.00	26089.00	26089.00	
	ii) 2.0 H.P.	..	48397.00	48397.00	48397.00	
	Electric Water Pump (Chinese)					
	i) ½ H.P.	..	1703.00	1703.00	1703.00	
	ii) ¾ H.P.	..	2219.00	2219.00	2219.00	
	iii) 1.0 H.P.	..	3270.00	3270.00	3270.00	
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	..	16655.00	16655.00	16655.00	
	ii) 1.1 H.P open well type	..	24388.00	24388.00	24388.00	
	iii) 1.5 H.P open well type	..	29741.00	29741.00	29741.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	Vertical Submersible Pump Sarvo/Bimal or equivalent	"				
	i) 1.1 H.P	"	27254.00	27254.00	27254.00	
	iii) 1.5 H.P	"	329312.00	329312.00	329312.00	
12	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170° U-shape hose reel carrier with drum set	सेट	19700/-	19700/-	19700/-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel,	"	18480/-	18480/-	18480/-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"	27214/-	27214/-	27214/-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-	
13	Fire extinguisher ABC stored Pressure आपतकालिन बागलागी हुँदा प्रयोग गरिने सामग्री ९ safeguard india or equivalent)					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	3330/-	3330/-	3330/-	
	ii) 2 kg size ABC ,, ,, ,,	गोटा	3330/-	3330/-	3330/-	
	iii) 3.0kg size ABC ,, ,, ,,	"	5040	5040	5040	
	iii) 5.0kg size ABC ,, ,, ,,	"	7130	7130	7130	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	1050/-	1050/-	1050/-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	1575/-	1575/-	1575/-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	2100/-	2100/-	2100/-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	5040/-	5040/-	5040/-	
	viii) 2.5 kg size ABC ,, ,, ,,	"	3098/-	3098/-	3098/-	
	ix) Co ₂ Type fire extinguisher 6.80 lit .	"	7539/-	7539/-	7539/-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	2474/-	2474/-	2474/-	
14	Insulation for hot water pipe 'Acroflex'		0	0	0	
	15mm Insulation 6 mm wall thickness	र.मी	85/-	85/-	85/-	
	20mm Insulation 6 mm wall thickness	"	158/-	158/-	158/-	
	25mm Insulation 6 mm wall thickness	"	126/-	126/-	126/-	
	32mm Insulation 6 mm wall thickness '	"	158/-	158/-	158/-	
15	ACRYLIC GLASS SHELF		0	0	0	
	i) Acrylic glass shelf best quality	सेट	3071/-	3071/-	3071/-	
	ii) Acrylic glass shelf ordinary	"	866/-	866/-	866/-	
	iii) Shower curtain	"	195/-	195/-	195/-	
16	Water Purification System		0	0	0	
	Euro Guard Water purification system (one litre per minute)	युनिट	16263/-	16263/-	16263/-	
	Euro-guard water purification system (hi-flow 3 lit/min)	"	22035/-	22035/-	22035/-	
	AQUA-ALO water purifier (1.0 lit/min)	"	13685/-	13685/-	13685/-	
	AQUA-power water purifier	"	9484/-	9484/-	9484/-	
	RO feed pump	सेट	32000/-	32000/-	32000/-	
	Fire Sprinkler	"	600	600	600	
	Supply,installation, testing and commisioning of Aeration system (FRP Tray type)	"	35000	35000	35000	
	Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-	
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	15000	15000	15000	
	Filter Media for existing filtration system		0	0	0	
	Pebbles	के.मी.	27	27	27	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	Coarse silex	..	31.5	31.5	31.5	
	Gravel	..	27	27	27	
	Golden sand	..	27	27	27	
	Anthracite	..	108	108	108	
	MNo2	..	126	126	126	
	Activated Carbon	..	180	180	180	
	Motor starter switch	..	3398/-	3398/-	3398/-	
	Pressure sensor switch for water tank(Italian)	..	3675/-	3675/-	3675/-	
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)		0	0	0	
	a) Bath tub – 3'6" Medium	सेट	6090/-	6090/-	6090/-	
	Bath tub – 3'6" Heavy	..	7245/-	7245/-	7245/-	
	b) Bath tub – 4'0" Medium	..	6705.00	6705.00	6705.00	
	Bath tub _ 4'0" Heavy	..	7787.00	7787.00	7787.00	
	c) Bath Tub – 4'6" Medium	..	8111.00	8111.00	8111.00	
	Bath tub – 4'6" Heavy	..	8137.00	8137.00	8137.00	
	d) Bath tub – 5'0" Medium	..	8868.00	8868.00	8868.00	
	Bath tub _ 5'0" Heavy	..	29355.00	29355.00	29355.00	
	e) Bath Tub – 5'6" Medium	..	7957.00	7957.00	7957.00	
	Bath tub – 5'6" Heavy	..	9373.00	9373.00	9373.00	
	f) Bath Tub – 6'0" Medium	..	12875.00	12875.00	12875.00	
	Bath tub – 6'0" Heavy	..	36823.00	36823.00	36823.00	
18	Shower Tray 3'0"×3'0"	गोटा				
	Pipes and fittings					
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	62.65	62.65	62.65	
	25mm " 2.3 mm thick 0.164kg/m	..	95.04	95.04	95.04	
	32mm 2.9 mm thick 0.26kg/m	..	151.86	151.86	151.86	
	40mm 3.7 mm thick 0.412kg/m	..	239.47	239.47	239.47	
	50mm 4.6 mm thick 0.638kg/m	..	371.68	371.68	371.68	
	63 mm 8.6 mm thick 0.638kg/m	..	587.79	587.79	587.79	
	75 mm	..	819.82	819.82	819.82	
	90 mm	..	1180.88	1180.88	1180.88	
	110 mm	..	1751.15	1751.15	1751.15	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	..	83.89	83.89	83.89	
	25mm 3.50 mm thick 0.26kg/m	..	130.62	130.62	130.62	
	32mm 3.7 mm thick 0.230kg/m	..	208.67	208.67	208.67	
	40mm 5.50 mm thick 0.575kg/m	..	334.51	334.51	334.51	
	50mm 6.90 mm thick 0.896kg/m	..	521.42	521.42	521.42	
	63 mm 4.6 mm thick 0.638kg/m	..	819.82	819.82	819.82	
	75 mm	..	1169.20	1169.20	1169.20	
	90 mm	..	1669.91	1669.91	1669.91	
	110 mm	..	2501.42	2501.42	2501.42	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	..	99.82	99.82	99.82	
	25mm 4.20 mm thick 0.266kg/m	..	155.04	155.04	155.04	
	32mm 5.40 mm thick 0.434kg/m	..	252.21	252.21	252.21	
	40mm 6.70 mm thick 0.671kg/m	..	390.27	390.27	390.27	
	50mm 8.30 mm thick 1.04kg/m	..	605.31	605.31	605.31	
	63mm 8.6mm thick 1.04kg/m	..	960.00	960.00	960.00	
	75 mm	..	1361.42	1361.42	1361.42	
	90 mm	..	1955.04	1955.04	1955.04	
	110 mm	..	2914.51	2914.51	2914.51	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
	PP-R Pipe Accessories :						
	Elbow (90 °)						
	20mm	गोटा	13.27	13.27	13.27		
	25mm	"	26.55	26.55	26.55		
	32mm	गोटा	45.13	45.13	45.13		
	40mm	"	94.51	94.51	94.51		
	50mm	"	159.29	159.29	159.29		
	63 mm	"	280.35	280.35	280.35		
	75 mm	"	525.66	525.66	525.66		
	90 mm	"	887.79	887.79	887.79		
	110 mm	"	1653.45	1653.45	1653.45		
	Equal Tee						
	20mm	"	18.05	18.05	18.05		
	25mm	"	32.39	32.39	32.39		
	32mm	"	56.28	56.28	56.28		
	40mm	"	108.85	108.85	108.85		
	50mm	"	184.78	184.78	184.78		
	63mm	"	336.64	336.64	336.64		
	75 mm	"	584.07	584.07	584.07		
	90 mm	"	1069.38	1069.38	1069.38		
	110 mm	"	1857.88	1857.88	1857.88		
	Coupler						
	20mm	गोटा	10.62	10.62	10.62		
	25mm	"	13.27	13.27	13.27		
	32mm	"	26.55	26.55	26.55		
	40mm	"	51.5	51.5	51.5		
	50mm	"	86.02	86.02	86.02		
	63 mm	"	150.8	150.8	150.8		
	75 mm	"	292.04	292.04	292.04		
	90 mm	"	431.68	431.68	431.68		
	110 mm	"	788.50	788.50	788.50		
	45 Degree Elbow						
	20 mm	"	18.05	18.05	18.05		
	25 mm	"	29.73	29.73	29.73		
	32 mm	"	46.19	46.19	46.19		
	40 mm	"	86.02	86.02	86.02		
	50 mm	"	143.89	143.89	143.89		
	63 mm	"	237.88	237.88	237.88		
	75 mm	"	467.26	467.26	467.26		
	90 mm	"	788.50	788.50	788.50		
	110 mm	"	1378.41	1378.41	1378.41		
	Union (Plastic)						
	20mm	गोटा	69.56	69.56	69.56		
	25mm	"	118.94	118.94	118.94		
	32mm	"	191.68	191.68	191.68		
	40mm	"	290.44	290.44	290.44		
	50mm	"	455.58	455.58	455.58		
	63mm	"	544.25	544.25	544.25		
	Reducing Coupler						
	25mm*20mm	"	14.40	14.40	14.40		
	32mm*20mm	"	19.48	19.48	19.48		
	32mm*25mm	"	21.17	21.17	21.17		
	40mm*20mm	"	31.34	31.34	31.34		
	40mm*25mm	"	37.27	37.27	37.27		
	40mm*32mm	"	44.04	44.04	44.04		
	50mm*20mm	"	58.44	58.44	58.44		
	50mm*25mm	"	63.52	63.52	63.52		
	50mm*32mm	"	67.60	67.60	67.60		
	50mm*40mm	"	76.23	76.23	76.23		
	63mm*32mm	"	116.88	116.88	116.88		
	63mm*40mm	"	121.96	121.96	121.96		
	63mm*50mm	"	131.28	131.28	131.28		

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	75mm*40mm	"	194.80	194.80	194.80	
	75mm*50mm	"	238.85	238.85	238.85	
	75mm*63mm	"	241.39	241.39	241.39	
	90mm*50mm	"	482.77	482.77	482.77	
	90mm*63mm	"	520.89	520.89	520.89	
	90mm*75mm	"	614.05	614.05	614.05	
	110mm*75mm	"	818.17	818.17	818.17	
	110mm*90mm	"	949.46	949.46	949.46	
	Reducing Tee					
	25*20*25 mm	"	26.06	26.06	26.06	
	32*20*32 mm	"	41.5	41.5	41.5	
	32*25*32 mm	"	44.89	44.89	44.89	
	40*20*40 mm	"	66.06	66.06	66.06	
	40*25*40 mm	"	68.60	68.60	68.60	
	40*32*40 mm	"	76.23	76.23	76.23	
	50*20*50 mm	"	88.09	88.09	88.09	
	50*25*50 mm	"	93.17	93.17	93.17	
	50*32*50 mm	"	150.76	150.76	150.76	
	50*40*50 mm	"	160.92	160.92	160.92	
	63*32*63 mm	"	199.04	199.04	199.04	
	63*40*63 mm	"	193.11	193.11	193.11	
	63*50*63 mm	"	214.28	214.28	214.28	
	75*50*75 mm	"	438.73	438.73	438.73	
	75*63*75 mm	"	458.21	458.21	458.21	
	90*63*90 mm	"	925.74	925.74	925.74	
	90*75*90 mm	"	993.50	993.50	993.50	
	110*75*110 mm	"	1621.95	1621.95	1621.95	
	110*90*110 mm	"	1699.87	1699.87	1699.87	
	Reducing Elbow					
	25mm*20mm	"	22.02	22.02	22.02	
	32mm*20mm	"	32.18	32.18	32.18	
	32mm*25mm	"	40.65	40.65	40.65	
	High Footed Pipe Clip					
	20mm	गोटा	14.40	14.40	14.40	
	25mm	"	16.94	16.94	16.94	
	32mm	"	22.02	22.02	22.02	
	40mm	"	25.41	25.41	25.41	
	50mm	"	33.88	33.88	33.88	
	63 mm	"	38.96	38.96	38.96	
	Low Footed Pipe Clip					
	20mm	"	6.78	6.78	6.78	
	25mm	"	7.62	7.62	7.62	
	32mm	"	14.40	14.40	14.40	
	40mm	"	18.63	18.63	18.63	
	50mm	"	29.64	29.64	29.64	
	63 mm	"	38.11	38.11	38.11	
	"Y" type Pipe Clip					
	20mm	"	24.56	24.56	24.56	
	25mm	"	25.41	25.41	25.41	
	32mm	"	33.88	33.88	33.88	
	40 mm	"	48.28	48.28	48.28	
	End Plug (short)					
	20mm	"	14.40	14.40	14.40	
	25mm	"	22.02	22.02	22.02	
	32mm	"	33.88	33.88	33.88	
	End Plug with Ring					
	20mm	"	24.56	24.56	24.56	
	End Plug (long)					
	20mm	"	10.16	10.16	10.16	
	End Cap					
	20mm	"	14.4	14.4	14.4	
	25mm	"	22.02	22.02	22.02	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.ब.	२०७७/७८	२०७८/७९	
			२०७६/७७	२०७७/७८	२०७८/७९	
32mm	..	33.88	33.88	33.88		
40mm	..	52.51	52.51	52.51		
50mm	..	88.09	88.09	88.09		
63 mm	..	164.31	164.31	164.31		
75 mm	..	245.62	245.62	245.62		
Cross Tee						
20mm	..	25.41	25.41	25.41		
25mm	..	36.42	36.42	36.42		
32mm	..	63.52	63.52	63.52		
Short Passover						
20mm	..	70.30	70.30	70.30		
25mm	..	99.10	99.10	99.10		
32mm	..	143.14	143.14	143.14		
Long Bypass						
20mm	..	93.17	93.17	93.17		
25mm	..	134.67	134.67	134.67		
32mm	..	190.57	190.57	190.57		
Male Tee						
20mmx1/2"	..	144.83	144.83	144.83		
25mmx1/2"	..	142.29	142.29	142.29		
25mmx3/4"	..	176.17	176.17	176.17		
32mmx1/2"	..	219.37	219.37	219.37		
32mmx3/4"	..	224.45	224.45	224.45		
32mmx1"	..	400.62	400.62	400.62		
Female Tee						
20mmx1/2"	..	107.57	107.57	107.57		
25mmx1/2"	..	121.96	121.96	121.96		
25mmx3/4"	..	160.08	160.08	160.08		
32mmx1/2"	..	181.25	181.25	181.25		
32mmx3/4"	..	199.89	199.89	199.89		
32mmx1"	..	322.70	322.70	322.70		
Male elbow						
20mmx1/2"	..	138.90	138.90	138.90		
25mmx1/2"	..	143.14	143.14	143.14		
25mmx3/4"	..	173.63	173.63	173.63		
32mmx1/2"	..	188.03	188.03	188.03		
32mmx3/4"	..	204.97	204.97	204.97		
32mmx1"	..	396.38	396.38	396.38		
Female elbow						
20mmx1/2"	..	105.02	105.02	105.02		
25mmx1/2"	..	148.22	148.22	148.22		
25mmx3/4"	..	136.36	136.36	136.36		
32mmx1/2"	..	199.89	199.89	199.89		
32mmx3/4"	..	228.68	228.68	228.68		
32mmx1"	..	281.19	281.19	281.19		
Male Coupling						
20mmx1/2"	..	136.36	136.36	136.36		
20mmx3/4"	..	162.62	162.62	162.62		
25mmx1/2"	..	130.43	130.43	130.43		
25mmx3/4"	..	164.31	164.31	164.31		
32mmx1/2"	..	182.10	182.10	182.10		
32mmx3/4"	..	22.87	22.87	22.87		
32mmx1"	..	384.53	384.53	384.53		
40mmx1-1/4"	..	547.99	547.99	547.99		
50mmx1-1/2"	..	828.34	828.34	828.34		
63mmx2"	..	1201.01	1201.01	1201.01		
75mmx2-1/2"	..	329.47	329.47	329.47		
Female Coupling						
20mmx1/2"	..	102.48	102.48	102.48		
20mmx3/4"	..	124.50	124.50	124.50		
25mmx1/2"	..	114.34	114.34	114.34		
25mmx3/4"	..	127.89	127.89	127.89		

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	32mmx1/2"	..	122.81	122.81	122.81	
	32mmx3/4"	..	131.28	131.28	131.28	
	32mmx1"	..	299.83	299.83	299.83	
	40mmx1-1/4"	..	481.93	481.93	481.93	
	50mmx1-1/2"	..	625.91	625.91	625.91	
	63mmx2"	..	921.51	921.51	921.51	
	75mmx2-1/2"	..	1821.84	1821.84	1821.84	
	Male Union					
	20mmx1/2"	..	244.77	244.77	244.77	
	25mmx3/4"	..	352.34	352.34	352.34	
	32mmx1"	..	505.64	505.64	505.64	
	40mmx1 ^{1/4} "	..	976.56	976.56	976.56	
	50mmx1/2"	..	1341.60	1341.60	1341.60	
	63mmx2"	..	3116.86	3116.86	3116.86	
	Female Union					
	20mmx1/2"	..	238.00	238.00	238.00	
	25mmx3/4"	..	346.41	346.41	346.41	
	32mmx1"	..	487.01	487.01	487.01	
	40mmx1 ^{1/4} "	..	746.18	746.18	746.18	
	50mmx1/2"	..	1252.67	1252.67	1252.67	
	63mmx2"	..	2371.52	2371.52	2371.52	
	Stop Valve					
	a) 20 mm	..	287.97	287.97	287.97	
	b) 25 mm	..	381.14	381.14	381.14	
	c) 32 mm	..	461.60	461.60	461.60	
	d) 40mm	..	609.82	609.82	609.82	
	e)50 mm	..	1012.98	1012.98	1012.98	
	f) 63 mm	..	1461.03	1461.03	1461.03	
	Male base elbow					
	20mm x 1/2"	..	138.90	138.90	138.90	
	25mm x 3/4"	..	179.56	179.56	179.56	
	Female base elbow					
	20mm x 1/2"	..	146.53	146.53	146.53	
	25mm x 1/2"	..	175.32	175.32	175.32	
	25mm x 3/4"	..	161.77	161.77	161.77	
	Metal Ball valve (double)					
	20mmx1/2"	..	657.25	657.25	657.25	
	25mmx3/4"	..	886.78	886.78	886.78	
	32mmx1"	..	1284.01	1284.01	1284.01	
	40mmx1-1/4"	..	3257.45	3257.45	3257.45	
	50mmx1-1/2"	..	4586.35	4586.35	4586.35	
	Metal Ball valve (Single)					
	20mmx1/2"	..	647.93	647.93	647.93	
	25mmx3/4"	..	871.53	871.53	871.53	
	32mmx1"	..	1273.85	1273.85	1273.85	
	Conceal Valve (Lux)					
	20mm	..	754.65	754.65	754.65	
	Conceal Valve (Nor)					
	20mm	..	719.08	719.08	719.08	
	Ball Valve (Plastic)					
	20mm	..	11.80	11.80	11.80	
	25mm	..	150.76	150.76	150.76	
	32mm	..	243.93	243.93	243.93	
	40mm	..	477.69	477.69	477.69	
	50mm	..	614.05	614.05	614.05	
	63 mm	..	1090.90	1090.90	1090.90	
	Ball Valve (Brass)					
	20mm	..	310.84	310.84	310.84	
	25mm	..	441.27	441.27	441.27	
	32mm	..	737.71	737.71	737.71	
	40mm	..	1761.70	1761.70	1761.70	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत	
			आ.ब.	२०७६/७७	२०७७/७८		२०७८/७९
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.						
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)						
	1/2" dia	Rm	114.94	114.94	114.94		
	3/4" dia	"	160.15	160.15	160.15		
	1" dia	"	209.96	209.96	209.96		
	1-1/4" dia	"	261.29	261.29	261.29		
	1-1/2" dia	"	365.51	365.51	365.51		
	2" dia	"	558.60	558.60	558.60		
	CPVC Pipe SDR 11 (28.1 Kg/cm2)						
	1/2" dia	"	133.33	133.33	133.33		
	3/4" dia	"	177.77	177.77	177.77		
	1" dia	"	248.27	248.27	248.27		
	1-1/4" dia	"	300.37	300.37	300.37		
	1-1/2" dia	"	417.61	417.61	417.61		
	2" dia	"	677.37	677.37	677.37		
	CPVC Pipe SDR 11.0 (Hiltake, Panchakanya, Mangalam flow life or eqv.)						
	1/2" dia	Rm	125.68	125.68	125.68		
	3/4" dia	"	168.17	168.17	168.17		
	1" dia	"	234.40	234.40	234.40		
	1-1/4" dia	"	288.65	288.65	288.65		
	1-1/2" dia	"	402.34	402.34	402.34		
	2" dia	"	679.01	679.01	679.01		
	CPVC Ball Valve (CTS Sockets)						
	1/2"	"	365.42	365.42	365.42		
	3/4"	"	485.98	485.98	485.98		
	1"	"	587.69	587.69	587.69		
	1-1/4"	"	1371.28	1371.28	1371.28		
	1-1/2"	"	1642.52	1642.52	1642.52		
	2"	"	2117.20	2117.20	2117.20		
	CPVC Reducer Brass Coupling	गोटा					
	3/4" X 1/2"	"	137.93	137.93	137.93		
	1" X 1/2"	"	180.84	180.84	180.84		
	CPVC Tee	गोटा					
	1/2"	"	36.01	36.01	36.01		
	3/4"	"	76.63	76.63	76.63		
	1"	"	117.24	117.24	117.24		
	1-1/4"	"	219.92	219.92	219.92		
	1-1/2"	"	320.30	320.30	320.30		
	2"	"	686.57	686.57	686.57		
	CPVC Reducer Tee	गोटा					
	1/2" x 1/2" x 3/4"	"	70.50	70.50	70.50		
	3/4" x 3/4" x 1/2"	"	107.28	107.28	107.28		
	3/4" x 1/2" x 3/4"	"	134.10	134.10	134.10		
	3/4" x 1/2" x 1/2"	"	153.25	153.25	153.25		
	1" x 1" x 3/4"	"	160.91	160.91	160.91		
	1-1/2" x 1-1/2" x 1"	"	250.37	250.37	250.37		
	2" x 2" x 1"	"	436.00	436.00	436.00		
	1-1/4" x 1-1/4" x 1/2"	"	141.76	141.76	141.76		
	1-1/4" x 1-1/4" x 1"	"	153.25	153.25	153.25		
	2" x 2" x 1/2"	"	428.34	428.34	428.34		
	1" x 1" x 1/2"	"	99.61	99.61	99.61		
	CPVC Brass FPT Tee	गोटा					
	1/2" x 1/2" x 1/2"	"	120.30	120.30	120.30		
	3/4" x 3/4" x 1/2"	"	124.90	124.90	124.90		
	1" x 1" x 1/2"	"	138.69	138.69	138.69		
	1-1/4" x 1-1/4" x 1-1/4"	"	501.13	501.13	501.13		
	1-1/4" x 1-1/4" x 1/2"	"	272.02	272.02	272.02		
	CPVC Elbow 90°	गोटा					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
	1/2"	"	25.29	25.29	25.29		
	3/4"	"	52.11	52.11	52.11		
	1"	"	95.02	95.02	95.02		
	1-1/4"	"	179.30	179.30	179.30		
	1-1/2"	"	267.42	267.42	267.42		
	2"	"	572.40	572.40	572.40		
	CPVC Reducer Elbow 90°						
	3/4" X 1/2"	"	52.87	52.87	52.87		
	CPVC Brass FPT Elbow 90°	गोटा					
	1/2" x 1/2"	"	83.52	83.52	83.52		
	3/4" x 1/2"	"	97.32	97.32	97.32		
	3/4" x 3/4"	"	111.11	111.11	111.11		
	1" X 1/2"	"	214.55	214.55	214.55		
	1" X 1"	"	596.15	596.15	596.15		
	1-1/4" x 1-1/4"	"	773.92	773.92	773.92		
	CPVC Elbow 45°	गोटा					
	1/2"	"	29.88	29.88	29.88		
	3/4"	"	54.40	54.40	54.40		
	1"	"	77.39	77.39	77.39		
	1-1/4"	"	136.39	136.39	136.39		
	1-1/2"	"	196.93	196.93	196.93		
	2"	"	426.81	426.81	426.81		
	CPVC Male Adapter (CPVC Threads)	गोटा					
	1/2"	"	22.22	22.22	22.22		
	3/4"	"	39.08	39.08	39.08		
	1"	"	59.00	59.00	59.00		
	1-1/4"	"	105.74	105.74	105.74		
	1-1/2"	"	148.65	148.65	148.65		
	2"	"	290.41	290.41	290.41		
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा					
	3/4" x 1/2"	"	40.61	40.61	40.61		
	CPVC Male Adapters (Brass Threads)						
	1/2"	"	206.12	206.12	206.12		
	3/4"	"	266.66	266.66	266.66		
	1"	"	421.44	421.44	421.44		
	1-1/4"	"	925.64	925.64	925.64		
	1-1/2"	"	1080.43	1080.43	1080.43		
	2"	"	2223.69	2223.69	2223.69		
	CPVC Reducing Male Adapter (Brass Threads)						
	3/4" x 1/2"	"	229.11	229.11	229.11		
	CPVC Female Adapter (CPVC Threads)						
	1/2"	"	30.65	30.65	30.65		
	3/4"	"	51.34	51.34	51.34		
	1"	"	76.63	76.63	76.63		
	CPVC Female Adapters Brass Threads	गोटा					
	1/2"	"	197.70	197.70	197.70		
	3/4"	"	268.96	268.96	268.96		
	1"	"	349.41	349.41	349.41		
	1-1/4"	"	917.21	917.21	917.21		
	1-1/2"	"	1019.89	1019.89	1019.89		
	2"	"	1993.81	1993.81	1993.81		
	CPVC Caps						
	1/2"	"	13.03	13.03	13.03		
	3/4"	"	24.52	24.52	24.52		
	1"	"	36.78	36.78	36.78		
	1-1/4"	"	72.03	72.03	72.03		
	1-1/2"	"	105.74	105.74	105.74		
	2"	"	225.28	225.28	225.28		
	CPVC Union						
	1/2"	"	270.49	270.49	270.49		
	3/4"	"	397.69	397.69	397.69		
	1"	"	471.25	471.25	471.25		

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.ब.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	1-1/4"	"	862.04	862.04	862.04	
	1-1/2"	"	942.50	942.50	942.50	
	2"	"	1352.45	1352.45	1352.45	
	CPVC Cross Tee					
	1/2"	"	49.04	49.04	49.04	
	3/4"	"	105.74	105.74	105.74	
	CPVC Step Over Bend					
	1/2"	"	62.83	62.83	62.83	
	3/4"	"	104.21	104.21	104.21	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	661.28	661.28	661.28	
	3/4"	"	805.34	805.34	805.34	
	1"	"	921.04	921.04	921.04	
	1-1/4"	"	1878.87	1878.87	1878.87	
	1-1/2"	"	2390.73	2390.73	2390.73	
	2"	"	3075.00	3075.00	3075.00	
	CPVC Flow Guard Adhesive Solution					
	50ML	"	199.23	199.23	199.23	
	118ML	"	329.49	329.49	329.49	
	237ML	"	532.55	532.55	532.55	
	473ML	"	838.29	838.29	838.29	
	946ML	"	1471.22	1471.22	1471.22	
	Plastic Strap					
	1/2"	"	4.60	4.60	4.60	
	3/4"	"	5.36	5.36	5.36	
	1"	"	7.66	7.66	7.66	
	1-1/4"	"	11.49	11.49	11.49	
	1-1/2"	"	14.56	14.56	14.56	
	2"	"	18.39	18.39	18.39	
	Metal Strap					
	1/2"	"	13.03	13.03	13.03	
	3/4"	"	16.09	16.09	16.09	
	1"	"	20.69	20.69	20.69	
	1-1/4"	"	24.52	24.52	24.52	
	1-1/2"	"	26.82	26.82	26.82	
	2"	"	29.12	29.12	29.12	
	Tee Holder					
	1/2" X 1/2" X 1/2"	"	5.36	5.36	5.36	
	3/4" X 3/4" X 1/2"	"	7.66	7.66	7.66	
	Elbow Holder					
	1/2" X 1/2"	"	5.36	5.36	5.36	
	1/2" X 3/4"	"	6.90	6.90	6.90	
	Snap Fix Repair Coupling					
	1/2"	"	229.11	229.11	229.11	
	3/4"	"	248.27	248.27	248.27	
	End plug threaded 1/2"	"	11.49	11.49	11.49	
21	MS SEAMLESS PIPES					
	PIPES: ASTM-A-106 Gr.'B'/SA-106 Gr.'B'/SA-53/API-1(5L Gr.'B'/IS:1239 (Part					
	MS PIPE SEAMLESS SIZE OD (MM)	"				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	411.30	411.30	411.30	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	493.20	493.20	493.20	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	618.30	618.30	618.30	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	763.20	763.20	763.20	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	873.00	873.00	873.00	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1121.40	1121.40	1121.40	
	73mm OD 3" SCH.40,5.16 .mm thickness	"	1722.60	1722.60	1722.60	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2254.50	2254.50	2254.50	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2914.20	2914.20	2914.20	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3210.30	3210.30	3210.30	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4347.00	4347.00	4347.00	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5643.00	5643.00	5643.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410.40	410.40	410.40	
	Single Socket (R/R)	"	762.30	762.30	762.30	
	Single Socket (R/R)	"	820.80	820.80	820.80	
	Single Socket Self Fit	"	1058.40	1058.40	1058.40	
	Single Socket Self Fit	"	1294.20	1294.20	1294.20	
	Single Socket Self Fit	"	1778.40	1778.40	1778.40	
	Single Socket Self Fit	"	2092.50	2092.50	2092.50	
	Single Socket Self Fit	"	2794.50	2794.50	2794.50	
	Single Socket Self Fit	"	3330.90	3330.90	3330.90	
	Long Radius Bend - 45 Degree	Pc	1082.70	1082.70	1082.70	
	Long Radius Bend - 45 Degree	"	1977.30	1977.30	1977.30	
	Long Radius Bend - 45 Degree	"	3569.40	3569.40	3569.40	
	Long Radius Bend - 45 Degree	"	6921.00	6921.00	6921.00	
	Long Radius Bend - 60 Degree	"	1193.40	1193.40	1193.40	
	Long Radius Bend - 60 Degree	"	2186.10	2186.10	2186.10	
	Long Radius Bend - 60 Degree	"	4010.40	4010.40	4010.40	
	Long Radius Bend - 60 Degree	"	7593.30	7593.30	7593.30	
	Long Radius Bend - 90 Degree	"	585.00	585.00	585.00	
	Long Radius Bend - 90 Degree	"	1413.00	1413.00	1413.00	
	Long Radius Bend - 90 Degree	"	2606.40	2606.40	2606.40	
	Long Radius Bend - 90 Degree	"	4873.50	4873.50	4873.50	
	Long Radius Bend - 90 Degree	"	8980.20	8980.20	8980.20	
	Fab. Coupler	"	168.30	168.30	168.30	
	Fab. Coupler	"	404.10	404.10	404.10	
	Fab. Coupler	"	869.40	869.40	869.40	
	Fab. Coupler	"	1700.10	1700.10	1700.10	
	Fab. Coupler	"	3126.60	3126.60	3126.60	
	End Cap	"	360.00	360.00	360.00	
	End Cap	"	582.20	582.20	582.20	
	End Cap	"	945.00	945.00	945.00	
	End Cap	"	1379.70	1379.70	1379.70	
	Equal Tee	"	10303.20	10303.20	10303.20	
	Equal Tee	"	5929.20	5929.20	5929.20	
	Equal Tee	"	3291.30	3291.30	3291.30	
	Gully Trap with grating	"	962.10	962.10	962.10	
	Rodding Point	"	569.70	569.70	569.70	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608.40	608.40	608.40	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834.30	834.30	834.30	
	Inspection Chamber Body	"	2999.70	2999.70	2999.70	
	Inspection Chamber Riser	"	1490.40	1490.40	1490.40	
	Inspection Chamber Lid with Cover	"	2828.70	2828.70	2828.70	
	Inspection Chamber Body	"	8283.60	8283.60	8283.60	
	Inspection Chamber Riser	"	2634.30	2634.30	2634.30	
	Inspection Chamber Lid with Cover	"	4394.70	4394.70	4394.70	
24	GEBERIT					
	Geberit Products					
	Concealled Cisterns 9cm	"	7431.30	7431.30	7431.30	
	Concealled Cisterns Kombo fix 8cm	"	9102.60	9102.60	9102.60	
	Dual Flush Actuator Plate Shiny Chrome	"	3645.90	3645.90	3645.90	
	Concealled Cisterns 12cm	"	9140.40	9140.40	9140.40	
	Dual Flush Actuator Plate Shiny Chrome	"	3645.90	3645.90	3645.90	
	Traps for Wash Basins	"	1004.40	1004.40	1004.40	
	Sensor for Urinal 9V DC	"	25764.30	25764.30	25764.30	
	Sensor for Urinal 230V AC	"	25764.30	25764.30	25764.30	
	control box for urinal sensor	"	7077.60	7077.60	7077.60	
	Sensor Faucet Cold / Mixed water 6V DC	"	32158.80	32158.80	32158.80	
	Sensor Faucet Cold / Mixed water 230V AC	"	32158.80	32158.80	32158.80	
22	PVC Lead Free White Pipes SCHEDULE 40					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564						
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.					
	1/2" dia. (42.19 Kg/cm2)	"	114.30	114.30	114.30		
	3/4" dia. (33.75 Kg/cm2)	"	146.70	146.70	146.70		
	1" dia. (31.64 Kg/cm2)	"	225.90	225.90	225.90		
	1-1/4" dia. (26.01 Kg/cm2)	"	279.00	279.00	279.00		
	1-1/2" dia. (23.20 Kg/cm2)	"	342.00	342.00	342.00		
	2" dia. (19.69 Kg/cm2)	"	485.10	485.10	485.10		
	2-1/2" dia. (21.09 Kg/cm2)	"	677.70	677.70	677.70		
	3" dia. (18.28 Kg/cm2)	"	855.90	855.90	855.90		
	4" dia. (15.47 Kg/cm2)	"	1256.40	1256.40	1256.40		
	6" dia. (12.66 Kg/cm2)	"	2616.30	2616.30	2616.30		
	PVC Tee - Soc	गोटा					
	1/2"	"	31.50	31.50	31.50		
	3/4"	"	44.10	44.10	44.10		
	1"	"	69.30	69.30	69.30		
	1-1/4"	"	108.90	108.90	108.90		
	1-1/2"	"	143.10	143.10	143.10		
	2"	"	220.50	220.50	220.50		
	2-1/2"	"	632.70	632.70	632.70		
	3"	"	830.70	830.70	830.70		
	4"	"	1503.00	1503.00	1503.00		
	6"	"	8335.80	8335.80	8335.80		
	PVC Reducer Tee - Soc	गोटा					
	3/4 x 1/2	"	63.00	63.00	63.00		
	1 x 1/2	"	97.20	97.20	97.20		
	1 x 3/4	"	97.20	97.20	97.20		
	1-1/2 X 1/2	"	329.40	329.40	329.40		
	1-1/2 X 3/4	"	329.40	329.40	329.40		
	1-1/2 X 1	"	329.40	329.40	329.40		
	1-1/2 X 1-1/4	"	329.40	329.40	329.40		
	2 X 1/2	"	405.90	405.90	405.90		
	2 X 3/4	"	405.90	405.90	405.90		
	2 X 1	"	405.90	405.90	405.90		
	2 X 1-1/4	"	405.90	405.90	405.90		
	2 X 1-1/2	"	405.90	405.90	405.90		
	2-1/2 X 1/2	"	1043.10	1043.10	1043.10		
	2-1/2 X 3/4	"	1043.10	1043.10	1043.10		
	2-1/2 X 1	"	1043.10	1043.10	1043.10		
	2-1/2 X 1-1/4	"	1043.10	1043.10	1043.10		
	2-1/2 X 1-1/2	"	1043.10	1043.10	1043.10		
	2-1/2 X 2	"	1043.10	1043.10	1043.10		
	3 X 1/2	"	1522.80	1522.80	1522.80		
	3 X 3/4	"	1522.80	1522.80	1522.80		
	3 X 1	"	1522.80	1522.80	1522.80		
	3 X 1-1/4	"	1522.80	1522.80	1522.80		
	3 X 1-1/2	"	1522.80	1522.80	1522.80		
	3 X 2	"	1522.80	1522.80	1522.80		
	3 X 2-1/2	"	1522.80	1522.80	1522.80		
	6 X 1-1/4	"	8007.30	8007.30	8007.30		
	6 X 1-1/2	"	8007.30	8007.30	8007.30		
	6 X 2	"	8007.30	8007.30	8007.30		
	6 X 2-1/2	"	8007.30	8007.30	8007.30		
	6 X 3	"	8007.30	8007.30	8007.30		
	6 X 4	"	8007.30	8007.30	8007.30		
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा					
	1/2"	"	161.10	161.10	161.10		
	3/4"	"	291.60	291.60	291.60		
	3/4" X 1/2"	"	236.70	236.70	236.70		

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	1" X 1/2"		420.30	420.30	420.30	
	PVC 90° Elbow - Soc	गोटा				
	1/2"	"	26.10	26.10	26.10	
	3/4"	"	29.70	29.70	29.70	
	1"	"	53.10	53.10	53.10	
	1-1/4"	"	92.70	92.70	92.70	
	1-1/2"	"	108.90	108.90	108.90	
	2"	"	167.40	167.40	167.40	
	2-1/2"	"	495.90	495.90	495.90	
	3"	"	594.00	594.00	594.00	
	4"	"	1215.90	1215.90	1215.90	
	6"	"	5121.00	5121.00	5121.00	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा				
	1/2"	"	172.80	172.80	172.80	
	3/4"	"	242.10	242.10	242.10	
	3/4" X 1/2"	"	250.20	250.20	250.20	
	PVC 45° Elbow - Soc	गोटा				
	1/2"	"	54.90	54.90	54.90	
	3/4"	"	85.50	85.50	85.50	
	1"	"	101.70	101.70	101.70	
	1-1/4"	"	143.10	143.10	143.10	
	1-1/2"	"	180.00	180.00	180.00	
	2"	"	234.00	234.00	234.00	
	2-1/2"	"	668.70	668.70	668.70	
	3"	"	1039.50	1039.50	1039.50	
	4"	"	1865.70	1865.70	1865.70	
	6"	"	5135.40	5135.40	5135.40	
	PVC Coupling - Soc	गोटा				
	1/2"	"	17.10	17.10	17.10	
	3/4"	"	26.10	26.10	26.10	
	1"	"	41.40	41.40	41.40	
	1-1/4"	"	55.80	55.80	55.80	
	1-1/2"	"	75.60	75.60	75.60	
	2"	"	117.00	117.00	117.00	
	2-1/2"	"	246.60	246.60	246.60	
	3"	"	386.10	386.10	386.10	
	4"	"	603.90	603.90	603.90	
	6"	"	2420.10	2420.10	2420.10	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	"	42.30	42.30	42.30	
	1 X 3/4	"	72.90	72.90	72.90	
	1-1/2 X 1-1/4	"	130.50	130.50	130.50	
	2 X 1-1/2	"	207.90	207.90	207.90	
	4 x 2	"	1392.30	1392.30	1392.30	
	4 X 3	"	1392.30	1392.30	1392.30	
	6 X 4	"	2895.30	2895.30	2895.30	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	"	35.10	35.10	35.10	
	1 X 1/2	"	49.50	49.50	49.50	
	1 X 3/4	"	49.50	49.50	49.50	
	1-1/4 X 1/2	"	85.50	85.50	85.50	
	1-1/4 X 3/4	"	85.50	85.50	85.50	
	1-1/4 X 1	"	85.50	85.50	85.50	
	1-1/2 X 1/2	"	90.00	90.00	90.00	
	1-1/2 X 3/4	"	90.00	90.00	90.00	
	1-1/2 X 1	"	90.00	90.00	90.00	
	1-1/2 X 1-1/4	"	90.00	90.00	90.00	
	2 X 1/2	"	164.70	164.70	164.70	
	2 X 3/4	"	164.70	164.70	164.70	
	2 X 1	"	164.70	164.70	164.70	
	2 X 1-1/4	"	164.70	164.70	164.70	
	2 X 1-1/2	"	164.70	164.70	164.70	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.ब.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	2-1/2 X 1-1/4	..	232.20	232.20	232.20	
	2-1/2 X 1-1/2	..	232.20	232.20	232.20	
	2-1/2 X 2	..	232.20	232.20	232.20	
	3 X 1-1/2	..	343.80	343.80	343.80	
	3 X 2	..	373.80	373.80	373.80	
	3 X 2-1/2	..	343.80	343.80	343.80	
	4 X 2	..	675.90	675.90	675.90	
	4 X 3	..	675.90	675.90	675.90	
	6 X 2	..	2270.70	2270.70	2270.70	
	6 X 3	..	2270.70	2270.70	2270.70	
	6 X 4	..	2270.70	2270.70	2270.70	
	PVC Cap - Soc	गोटा				
	1/2"	..	24.30	24.30	24.30	
	3/4"	..	29.70	29.70	29.70	
	1"	..	42.30	42.30	42.30	
	1-1/4"	..	60.30	60.30	60.30	
	1-1/2"	..	65.70	65.70	65.70	
	2"	..	79.20	79.20	79.20	
	2-1/2"	..	253.80	253.80	253.80	
	3"	..	278.10	278.10	278.10	
	4"	..	632.70	632.70	632.70	
	6"	..	2498.40	2498.40	2498.40	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	..	253.80	253.80	253.80	
	3/4"	..	290.70	290.70	290.70	
	1"	..	297.90	297.90	297.90	
	1-1/4"	..	960.30	960.30	960.30	
	1-1/2"	..	1000.80	1000.80	1000.80	
	2"	..	1350.00	1350.00	1350.00	
	2-1/2"	..	1889.10	1889.10	1889.10	
	3"	..	3017.70	3017.70	3017.70	
	4"	..	4177.80	4177.80	4177.80	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	..	45.90	45.90	45.90	
	3/4"	..	54.00	54.00	54.00	
	1"	..	71.10	71.10	71.10	
	1-1/4"	..	87.30	87.30	87.30	
	1-1/2"	..	120.60	120.60	120.60	
	2"	..	155.70	155.70	155.70	
	2-1/2"	..	545.40	545.40	545.40	
	3"	..	648.00	648.00	648.00	
	4"	..	1025.10	1025.10	1025.10	
	6"	..	2358.90	2358.90	2358.90	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	..	261.90	261.90	261.90	
	3/4"	..	350.10	350.10	350.10	
	1"	..	526.50	526.50	526.50	
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	..	59.40	59.40	59.40	
	3/4"	..	61.20	61.20	61.20	
	1"	..	63.90	63.90	63.90	
	1-1/4"	..	166.50	166.50	166.50	
	1-1/2"	..	244.80	244.80	244.80	
	2"	..	237.60	237.60	237.60	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	..	219.60	219.60	219.60	
	3/4"	..	311.40	311.40	311.40	
	1"	..	398.70	398.70	398.70	
	PVC Ball Valve - Soc	गोटा				
	1/2"	..	881.10	881.10	881.10	
	3/4"	..	1047.60	1047.60	1047.60	
	1"	..	1466.10	1466.10	1466.10	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	1-1/4"	"	1984.50	1984.50	1984.50	
	1-1/2"	"	3026.70	3026.70	3026.70	
	2"	"	3827.70	3827.70	3827.70	
	2-1/2"	"	6323.40	6323.40	6323.40	
	3"	"	10017.90	10017.90	10017.90	
	4"	"	16555.50	16555.50	16555.50	
	6"	"	35961.30	35961.30	35961.30	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	"	306.00	306.00	306.00	
	237ML	"	439.20	439.20	439.20	
	473ML	"	794.70	794.70	794.70	
	946ML	"	1307.70	1307.70	1307.70	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	"	492.30	492.30	492.30	
	237ML	"	648.90	648.90	648.90	
	473ML	"	1137.60	1137.60	1137.60	
	946ML	"	1969.20	1969.20	1969.20	
23	Rainwater Collection System sintex or Prince Brand Roof)					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159.30	159.30	159.30	
	JOINT BRACKET To connect two lengths of roof water	Pc.	256.50	256.50	256.50	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	351.90	351.90	351.90	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432.00	432.00	432.00	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432.00	432.00	432.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95.40	95.40	95.40	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305.10	305.10	305.10	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	76.50	76.50	76.50	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50.40	50.40	50.40	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	31.50	31.50	31.50	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77.40	77.40	77.40	
	RUBBER GASKET To provide leak proof joints.	Pc.	29.70	29.70	29.70	
	75 mm dia.					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.ब.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63.00	63.00	63.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	37.80	37.80	37.80	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126.00	126.00	126.00	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	301.50	301.50	301.50	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358.20	358.20	358.20	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	517.50	517.50	517.50	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592.20	592.20	592.20	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592.20	592.20	592.20	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140.40	140.40	140.40	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	423.90	423.90	423.90	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108.00	108.00	108.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	90.90	90.90	90.90	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51.30	51.30	51.30	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	109.80	109.80	109.80	
	RUBBER GASKET To provide leak proof joints.	Pc.	40.50	40.50	40.50	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68.40	68.40	68.40	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44.10	44.10	44.10	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243.00	243.00	243.00	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585.00	585.00	585.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	613.80	613.80	613.80	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	964.80	964.80	964.80	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1386.90	1386.90	1386.90	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1386.90	1386.90	1386.90	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	301.50	301.50	301.50	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	801.90	801.90	801.90	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	299.70	299.70	299.70	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	163.80	163.80	163.80	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	121.50	121.50	121.50	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	317.70	317.70	317.70	
	RUBBER GASKET To provide leak proof joints.	Pc.	165.60	165.60	165.60	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	81.90	81.90	81.90	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	190.80	190.80	190.80	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437.40	437.40	437.40	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	246.51	246.51	246.51	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	437.58	437.58	437.58	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262.35	262.35	262.35	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470.25	470.25	470.25	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447.48	447.48	447.48	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673.20	673.20	673.20	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473.22	473.22	473.22	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	695.97	695.97	695.97	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959.31	959.31	959.31	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1195.92	1195.92	1195.92	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1021.68	1021.68	1021.68	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350.36	1350.36	1350.36	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	139.59	139.59	139.59	
	DWV Bend 87.5 Degree	"	177.21	177.21	177.21	
	DWV Bend 87.5 Degree with Door	"	81.18	81.18	81.18	
	DWV Socket Plug	"	189.09	189.09	189.09	
	DWV Cleansing Pipe	"	113.85	113.85	113.85	
	DWV Coupler	"	201.96	201.96	201.96	
	DWV Single Tee	"	221.76	221.76	221.76	
	DWV Single Tee with Door	"	349.47	349.47	349.47	
	DWV Cross Tee	"	491.04	491.04	491.04	
	DWV Cross Tee with Door	"	361.35	361.35	361.35	
	DWV Double 'Y'	"	481.14	481.14	481.14	
	DWV Double 'Y' with Door	"	225.72	225.72	225.72	
	DWV Single 'Y'	"	288.09	288.09	288.09	
	DWV Single 'Y' with Door	"	11.88	11.88	11.88	
	DWV Pipe Clip	"	24.75	24.75	24.75	
	DWV Vent Cowel	"	229.68	229.68	229.68	
	DWV Bend 45 Degree 110mm size	"	282.15	282.15	282.15	
	DWV Bend 87.5 Degree	"	322.74	322.74	322.74	
	DWV Bend 87.5 Degree with Door	"	102.96	102.96	102.96	
	DWV Socket Plug	"	370.26	370.26	370.26	
	DWV Cleansing Pipe	"	205.92	205.92	205.92	
	DWV Coupler	"	684.09	684.09	684.09	
	DWV Double 'Y'	"	807.84	807.84	807.84	
	DWV Double 'Y' with Door	"	566.28	566.28	566.28	
	DWV Cross Tee	"	641.52	641.52	641.52	
	DWV Cross Tee with Door	"	370.26	370.26	370.26	
	DWV Single Tee	"	436.59	436.59	436.59	
	DWV Single Tee with Door	"	453.42	453.42	453.42	
	DWV Single 'Y'	"	475.20	475.20	475.20	
	DWV Single 'Y' with Door	"	46.53	46.53	46.53	
	DWV Vent Cowel	"	161.37	161.37	161.37	
	DWV Reducer 110*75 mm	"	35.64	35.64	35.64	
	DWV Pipe Clip 110mm size	"	435.60	435.60	435.60	
	DWV W.C. Connectore (Straight type)	"	348.48	348.48	348.48	
	DWV W.C. Connectore (Bend type)	"	174.24	174.24	174.24	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	23.76	23.76	23.76	
	DWV Nahani Trap Jali	"	538.56	538.56	538.56	
	DWV P-Trap with Leap Ring 10*110 mm	"	773.19	773.19	773.19	
	DWV P-Trap with Leap Ring 25*110 mm	"	231.66	231.66	231.66	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470.25	470.25	470.25	
	DWV Reducer 60*110 mm	"	449.46	449.46	449.46	
	DWV Coupler 160mm size	"	1077.12	1077.12	1077.12	
	DWV Single Tee	"	1157.31	1157.31	1157.31	
	DWV Single Tee with Door	"	2015.64	2015.64	2015.64	
	DWV Single 'Y'	"	2117.61	2117.61	2117.61	
	DWV Single 'Y' with Door	"	741.51	741.51	741.51	
	DWV Bend 87.5 Degree	"	988.02	988.02	988.02	
	DWV Bend 87.5 Degree with Door	"	864.27	864.27	864.27	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584.10	584.10	584.10	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	605.88	605.88	605.88	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	629.64	629.64	629.64	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593.01	593.01	593.01	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	603.90	603.90	603.90	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160	"	1078.11	1078.11	1078.11	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1119.69	1119.69	1119.69	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163.25	1163.25	1163.25	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1095.93	1095.93	1095.93	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1115.73	1115.73	1115.73	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200	"	1687.95	1687.95	1687.95	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1717.65	1717.65	1717.65	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746.36	1746.36	1746.36	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2800.71	2800.71	2800.71	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849.22	2849.22	2849.22	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2898.72	2898.72	2898.72	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315	"	3708.54	3708.54	3708.54	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3772.89	3772.89	3772.89	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838.23	3838.23	3838.23	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4582.71	4582.71	4582.71	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4662.90	4662.90	4662.90	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743.09	4743.09	4743.09	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583.11	583.11	583.11	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	597.96	597.96	597.96	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	612.81	612.81	612.81	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594.00	594.00	594.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	604.89	604.89	604.89	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077.12	1077.12	1077.12	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1108.80	1108.80	1108.80	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139.49	1139.49	1139.49	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1096.92	1096.92	1096.92	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1115.73	1115.73	1115.73	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1687.95	1687.95	1687.95	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1717.65	1717.65	1717.65	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747.35	1747.35	1747.35	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2800.71	2800.71	2800.71	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849.22	2849.22	2849.22	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2897.73	2897.73	2897.73	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3708.54	3708.54	3708.54	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3772.89	3772.89	3772.89	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838.23	3838.23	3838.23	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4582.71	4582.71	4582.71	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4662.90	4662.90	4662.90	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743.09	4743.09	4743.09	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294.03	294.03	294.03	
	DWV Coupler SN-4 160 mm	"	707.85	707.85	707.85	
	DWV Coupler SN-4 200 mm	"	1447.38	1447.38	1447.38	
	DWV Coupler SN-4 250 mm	"	2696.76	2696.76	2696.76	
	DWV Coupler SN-2 315mm	"	4338.18	4338.18	4338.18	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			भा.ब.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	DWV Coupler SN-4 315 mm	"	4736.34	4736.34	4736.34	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1000.75	1000.75	1000.75	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2786.80	2786.80	2786.80	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205.06	5205.06	5205.06	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11667.91	11667.91	11667.91	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27704.56	27704.56	27704.56	
24	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	100.98	100.98	100.98	
	14-18 mm ½"	"	110.88	110.88	110.88	
	16-20 mm ½"	"	118.80	118.80	118.80	
	20-25 mm ¾"	"	180.18	180.18	180.18	
	26-32 mm 1"	"	281.16	281.16	281.16	
	32-40 mm 1¼"	"	445.50	445.50	445.50	
	41-50 mm 1½"	"	653.40	653.40	653.40	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	110.88	110.88	110.88	
	14-18 mm ½"	"	122.76	122.76	122.76	
	16-20 mm ½"	"	140.58	140.58	140.58	
	20-25 mm ¾"	"	207.90	207.90	207.90	
	26-32 mm 1"	"	301.95	301.95	301.95	
	32-40 mm 1¼"	"	465.30	465.30	465.30	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	87.12	87.12	87.12	
	14-18 mm ½"	"	87.12	87.12	87.12	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	गोटा	133.20	133.20	133.20	
	½"ø (18mm ø)	"	140.40	140.40	140.40	
	½"ø (20mm ø)	"	153.90	153.90	153.90	
	¾" ø (25 mm ø)	"	225.00	225.00	225.00	
	1" ø (32 mm ø)	"	351.00	351.00	351.00	
	1¼" ø (40 mm ø)	"	1296.00	1296.00	1296.00	
	1½" ø (50 mm ø)	"	1957.50	1957.50	1957.50	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	252.00	252.00	252.00	
	25 - 18 mm ø	"	261.00	261.00	261.00	
	25 - 20 mm ø	"	274.50	274.50	274.50	
	32 - 16 mm ø	"	337.50	337.50	337.50	
	32 - 18 mm ø	"	355.50	355.50	355.50	
	32 - 20 mm ø	"	382.50	382.50	382.50	
	32 - 25 mm ø	"	409.50	409.50	409.50	
	40 - 32 mm ø	"	1120.50	1120.50	1120.50	
	50 - 20 mm ø	"	1633.50	1633.50	1633.50	
	50 - 32 mm ø	"	1957.50	1957.50	1957.50	
	50 - 40 mm ø	"	1845.00	1845.00	1845.00	
	c. Male Union					
	16mm x ½"M	गोटा	94.50	94.50	94.50	
	18mm x ½"M	"	109.80	109.80	109.80	
	20mm x ½"M	"	126.00	126.00	126.00	
	25mm x ½"M	"	153.00	153.00	153.00	
	25mm x ¾"M	"	193.50	193.50	193.50	
	25mm x 1"M	"	247.50	247.50	247.50	
	32mm x ¾"M	"	283.50	283.50	283.50	
	32mm x 1"M	"	310.50	310.50	310.50	
	32mm x 1½"M	"	315.00	315.00	315.00	
	40mm x 1"M	"	994.50	994.50	994.50	
	40mm x 1½"M	"	1029.60	1029.60	1029.60	
	50mm x 1"M	"	1563.30	1563.30	1563.30	
	50mm x 1¼"M	"	1590.30	1590.30	1590.30	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	50mm x 1½"M	"	2160.00	2160.00	2160.00	
	50mm x 2"M	"	1622.70	1622.70	1622.70	
	d. Female Straight Union					
	16mm x ½"F	गोटा	103.50	103.50	103.50	
	18mm x ½"F	"	112.50	112.50	112.50	
	20mm x ½"F	"	122.40	122.40	122.40	
	25mm x ½"F	"	162.00	162.00	162.00	
	25mm x ¾"F	"	193.50	193.50	193.50	
	25mm x 1"F	"	198.00	198.00	198.00	
	32mm x ½"F	"	202.50	202.50	202.50	
	32mm x ¾"F	"	207.00	207.00	207.00	
	32mm x 1"F	"	292.50	292.50	292.50	
	40mm x 1½"F	"	1168.20	1168.20	1168.20	
	50mm x 1½"F	"	1575.00	1575.00	1575.00	
	50mm x 1½"F	"	2160.00	2160.00	2160.00	
	50mm x 2"F	"	1638.00	1638.00	1638.00	
	e. Equal Elbow					
	½"ø (16mm ø)	गोटा	126.00	126.00	126.00	
	½"ø (18mm ø)	"	153.00	153.00	153.00	
	½"ø (20mm ø)	"	207.00	207.00	207.00	
	¾"ø (25 mm ø)	"	315.00	315.00	315.00	
	1"ø (32 mm ø)	"	508.50	508.50	508.50	
	1¼"ø (40 mm ø)	"	1656.00	1656.00	1656.00	
	1½"ø (50 mm ø)	"	2565.00	2565.00	2565.00	
	f. Unequal Elbow					
	40 - 32 mm ø	"	1836.00	1836.00	1836.00	
	50 - 20 mm ø	"	2115.00	2115.00	2115.00	
	50 - 40 mm ø	"	2155.50	2155.50	2155.50	
	g. Female Elbow					
	16mm x ½"F	गोटा	166.50	166.50	166.50	
	18mm x ½"F	"	184.50	184.50	184.50	
	20mm x ½"F	"	202.50	202.50	202.50	
	25mm x ½"F	"	225.00	225.00	225.00	
	25mm x ¾"F	"	279.00	279.00	279.00	
	25mm x 1"F	"	306.00	306.00	306.00	
	32mm x ¾"F	"	329.40	329.40	329.40	
	32mm x 1"F	"	409.50	409.50	409.50	
	50mm x 1½"F	"	2115.00	2115.00	2115.00	
	h. Male Elbow					
	25mm x ¾"M	"	225.00	225.00	225.00	
	25mm x 1"M	"	292.50	292.50	292.50	
	32mm x ¾"M	"	221.40	221.40	221.40	
	32mm x 1"M	"	373.50	373.50	373.50	
	40mm x 1"M	"	1215.00	1215.00	1215.00	
	50mm x 1"M	"	1731.60	1731.60	1731.60	
	i. Equal Tee					
	½"ø (16mm ø)	गोटा	225.00	225.00	225.00	
	½"ø (18mm ø)	"	252.00	252.00	252.00	
	½"ø (20mm ø)	"	315.00	315.00	315.00	
	¾"ø (25 mm ø)	"	454.50	454.50	454.50	
	1"ø (32 mm ø)	"	711.00	711.00	711.00	
	1¼"ø (40 mm ø)	"	2657.70	2657.70	2657.70	
	1½"ø (50 mm ø)	"	3883.50	3883.50	3883.50	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	202.50	202.50	202.50	
	20 mm x 18 mm x 20 mm	"	225.00	225.00	225.00	
	25 mm x 16 mm x 25 mm	"	337.50	337.50	337.50	
	25 mm x 18 mm x 25 mm	"	382.50	382.50	382.50	
	25 mm x 20 mm x 25 mm	"	396.00	396.00	396.00	
	32 mm x 16 mm x 32 mm	"	652.50	652.50	652.50	
	32 mm x 18 mm x 32 mm	"	675.00	675.00	675.00	
	32 mm x 20 mm x 32 mm	"	702.00	702.00	702.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
	32 mm x 25 mm x 32 mm	"	720.00	720.00	720.00		
	40 mm x 32 mm x 32 mm	"	1966.50	1966.50	1966.50		
	40 mm x 32 mm x 40 mm	"	2277.90	2277.90	2277.90		
	50 mm x 20 mm x 50 mm	"	3105.00	3105.00	3105.00		
	50 mm x 32 mm x 32 mm	"	2046.60	2046.60	2046.60		
	50 mm x 32 mm x 50 mm	"	3136.50	3136.50	3136.50		
	50 mm x 40 mm x 40 mm	"	3147.30	3147.30	3147.30		
	50 mm x 40 mm x 50 mm	"	3594.60	3594.60	3594.60		
	k. Female Tee						
	16mm x 1/2"F x 16mm	गोटा	225.00	225.00	225.00		
	18mm x 1/2"F x 18mm	"	234.00	234.00	234.00		
	20mm x 1/2"F x 20mm	"	252.00	252.00	252.00		
	25mm x 1/2"F x 25mm	"	236.70	236.70	236.70		
	25mm x 3/4"F x 25mm	"	261.00	261.00	261.00		
	25mm x 1"F x 25mm	"	338.40	338.40	338.40		
	32mm x 1/2"F x 32mm	"	364.50	364.50	364.50		
	32mm x 3/4"F x 32mm	"	373.50	373.50	373.50		
	32mm x 1"F x 32mm	"	506.70	506.70	506.70		
	40mm x 3/4"F x 32mm	"	1495.80	1495.80	1495.80		
	50mm x 3/4"F x 40mm	"	2219.40	2219.40	2219.40		
	l. Equal Ball Valve Union						
	1/2"ø (16mm ø)	गोटा	261.90	261.90	261.90		
	1/2"ø (18mm ø)	"	290.70	290.70	290.70		
	1/2"ø (20mm ø)	"	382.50	382.50	382.50		
	3/4"ø (25 mm ø)	"	634.50	634.50	634.50		
	1"ø (32 mm ø)	"	882.00	882.00	882.00		
	1 1/4"ø (40 mm ø)	"	2881.80	2881.80	2881.80		
	1 1/2"ø (50 mm ø)	"	4158.90	4158.90	4158.90		
	m. Female Ball Valve Union						
	16mm x 1/2"F	गोटा	243.90	243.90	243.90		
	18mm x 1/2"F	"	279.90	279.90	279.90		
	20mm x 1/2"F	"	313.20	313.20	313.20		
	20mm x 3/4"F	"	351.00	351.00	351.00		
	25mm x 3/4"F	"	652.50	652.50	652.50		
	25mm x 1"F	"	666.00	666.00	666.00		
	32mm x 1"F	"	702.00	702.00	702.00		
	n. Plug						
	1 1/4"ø (40 mm ø)	"	1440.00	1440.00	1440.00		
	1 1/2"ø (50 mm ø)	"	1980.00	1980.00	1980.00		
	p. Wall Plated Female Elbow						
	16mm x 1/2"F	गोटा	189.00	189.00	189.00		
	18mm x 1/2"F	"	207.00	207.00	207.00		
	20mm x 1/2"F	"	225.00	225.00	225.00		
	q. Nipple						
	N 1/2F*1/2F	गोटा	48.60	48.60	48.60		
	N 1/2M*1/2M	"	48.60	48.60	48.60		
	N 3/4F*1/2F	"	67.50	67.50	67.50		
	N 1F*1/2F	"	77.40	77.40	77.40		
	N 1F*3/4F	"	87.30	87.30	87.30		
	N 3/4M*1/2M	"	67.50	67.50	67.50		
	N 1M*1/2M	"	77.40	77.40	77.40		
	N 1M*3/4M	"	87.30	87.30	87.30		
	N 1/2F*1/2M	"	58.50	58.50	58.50		
	N 1/2F*3/4M	"	67.50	67.50	67.50		
	N 1/2F*1M	"	107.10	107.10	107.10		
	N 1/2M*3/4F	"	67.50	67.50	67.50		
	N 1/2M*1F	"	111.60	111.60	111.60		
	N 3/4F*3/4M	"	87.30	87.30	87.30		
	N 3/4F*1M	"	96.30	96.30	96.30		
	N 3/4M*1F	"	126.90	126.90	126.90		

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
25	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486.00	486.00	486.00	
	a.2) Failure chagre per well	संख्या	1350.00	1350.00	1350.00	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693.00	693.00	693.00	
	b.2) Failure chagre per well	संख्या	3600.00	3600.00	3600.00	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323.00	1323.00	1323.00	
	c.2) Failure chagre per well	संख्या	4680.00	4680.00	4680.00	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872.00	1872.00	1872.00	
	d.2) Failure chagre per well	संख्या	5400.00	5400.00	5400.00	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575.00	1575.00	1575.00	
26	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	605.00	605.00	605.00	
	200 mm dia.	"	785.40	785.40	785.40	
	250 mm dia.	"	983.40	983.40	983.40	
	300 mm dia.	"	1331.00	1331.00	1331.00	
	350 mm dia.	"	1388.20	1388.20	1388.20	
	375 mm dia.	"	1520.20	1520.20	1520.20	
	400 mm dia.	"	1852.40	1852.40	1852.40	
	450 mm dia.	"	1960.20	1960.20	1960.20	
	500 mm dia.	"	2200.00	2200.00	2200.00	
	600 mm dia.	"	2901.80	2901.80	2901.80	
	700 mm dia.	"	3786.20	3786.20	3786.20	
	750 mm dia.	"	3864.30	3864.30	3864.30	
	800 mm dia.	"	4569.40	4569.40	4569.40	
	900 mm dia.	"	6173.20	6173.20	6173.20	
	1000 mm dia.	"	7273.60	7273.60	7273.60	
	1200 mm dia.	"	8784.59	8784.59	8784.59	
	1500 mm dia.	"	17436.10	17436.10	17436.10	
	b) NP-3					
	150 mm dia.	र.मि	1291.39	1291.39	1291.39	
	200 mm dia.	"	1720.40	1720.40	1720.40	
	250 mm dia.	"	2149.40	2149.40	2149.40	
	300 mm dia.	"	3088.57	3088.57	3088.57	
	350 mm dia.	"	3445.44	3445.44	3445.44	
	375 mm dia.	"	3682.98	3682.98	3682.98	
	400 mm dia.	"	3949.00	3949.00	3949.00	
	450 mm dia.	"	4433.00	4433.00	4433.00	
	500 mm dia.	"	4941.20	4941.20	4941.20	
	600 mm dia.	"	6105.35	6105.35	6105.35	
	700 mm dia.	"	7372.20	7372.20	7372.20	
	750 mm dia.	"	8466.32	8466.32	8466.32	
	800 mm dia.	"	9240.00	9240.00	9240.00	
	900 mm dia.	"	11985.60	11985.60	11985.60	
	1000 mm dia.	"	13316.60	13316.60	13316.60	
	1200 mm dia.	"	15851.00	15851.00	15851.00	
	1500 mm dia.	"	24760.77	24760.77	24760.77	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	129.00	129.00	129.00	
	200 mm dia.	"	170.00	170.00	170.00	
	250 mm dia.	"	211.00	211.00	211.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	300 mm dia.	..	286.00	286.00	286.00	
	350 mm dia.	..	315.00	315.00	315.00	
	375 mm dia.	..	346.00	346.00	346.00	
	400 mm dia.	..	398.00	398.00	398.00	
	450 mm dia.	..	420.00	420.00	420.00	
	500 mm dia.	..	472.00	472.00	472.00	
	600 mm dia.	..	623.00	623.00	623.00	
	700 mm dia.	..	812.00	812.00	812.00	
	750 mm dia.	..	878.00	878.00	878.00	
	800 mm dia.	..	980.00	980.00	980.00	
	900 mm dia.	..	1324.00	1324.00	1324.00	
	1000 mm dia.	..	1545.00	1545.00	1545.00	
	1200 mm dia.	..	1885.00	1885.00	1885.00	
	1500 mm dia.	..	3962.00	3962.00	3962.00	
	b) NP-3					
	150 mm dia.	..	289.00	289.00	289.00	
	200 mm dia.	..	385.00	385.00	385.00	
	250 mm dia.	..	481.00	481.00	481.00	
	300 mm dia.	..	691.00	691.00	691.00	
	350 mm dia.		776.00	776.00	776.00	
	375 mm dia.		829.00	829.00	829.00	
	400 mm dia.	..	883.00	883.00	883.00	
	450 mm dia.	..	993.00	993.00	993.00	
	500 mm dia.	..	1107.00	1107.00	1107.00	
	600 mm dia.	..	1368.00	1368.00	1368.00	
	700 mm dia.	..	1650.00	1650.00	1650.00	
	750 mm dia.	..	1895.00	1895.00	1895.00	
	800 mm dia.	..	2068.00	2068.00	2068.00	
	900 mm dia.	..	2683.00	2683.00	2683.00	
	1000 mm dia.	..	2982.00	2982.00	2982.00	
	1200 mm dia.	..	3549.00	3549.00	3549.00	
	1500 mm dia.	..	5577.00	5577.00	5577.00	
	R.C.C.Spigot Pipes (Socket System)					
	a) NP-2					
	150 mm dia.	र.मि				
	200 mm dia.	..				
	250 mm dia.	..				
	300 mm dia.	..				
	350 mm dia.	..				
	400 mm dia.	..				
	450 mm dia.	..				
	500 mm dia.	..				
	600 mm dia.	..				
	700 mm dia.	..				
	750 mm dia.	..				
	800 mm dia.	..				
	900 mm dia.	..				
	1000 mm dia.	..				
	1200 mm dia.	..				
	b) NP-3					
	150 mm dia.	र.मि	1306.00	1306.00	1306.00	
	200 mm dia.	..	1774.00	1774.00	1774.00	
	250 mm dia.	..	2213.00	2213.00	2213.00	
	300 mm dia.	..	3181.00	3181.00	3181.00	
	350 mm dia.	..				
	400 mm dia.	..	4067.00	4067.00	4067.00	
	450 mm dia.	..	4566.00	4566.00	4566.00	
	500 mm dia.	..	5089.00	5089.00	5089.00	
	600 mm dia.	..	6288.00	6288.00	6288.00	
	700 mm dia.	..	7593.00	7593.00	7593.00	
	750 mm dia.	..				
	800 mm dia.	..	9517.00	9517.00	9517.00	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत	
			भा.ब.	२०७६/७७	२०७७/७८		२०७८/७९
	900 mm dia.	..	12346.00	12346.00	12346.00		
	1000 mm dia.	..	13717.00	13717.00	13717.00		
	1200 mm dia.	..	16327.00	16327.00	16327.00		
	1500 mm dia.	..	26247.00	26247.00	26247.00		
	1600 mm dia.	..	30275.00	30275.00	30275.00		
	1800 mm dia.	..	40323.00	40323.00	40323.00		
27	High Density Polythene Pipe NS-40						
	Pipes of different sizes, series & pressure						
	HDP Pipe	Kg	260.00	260.00	260.00		
27.1	2.5Kg/cm² Series II						
	63 mm (0.403 Avg.wt. Kg/m)	Rm	104.78	104.78	104.78	0.403	
	75 mm (0.557 Avg.wt Kg/m)	..	144.82	144.82	144.82	0.557	
	90 mm (0.799 Avg.wt Kg/m)	..	207.74	207.74	207.74	0.799	
	110 mm (1.185 Avg.wt Kg/m)	..	308.36	308.36	308.36	1.186	
	125 mm (1.530 Avg.wt Kg/m)	..	397.80	397.80	397.80	1.53	
	140 mm (1.897 Avg.wt Kg/m)	..	493.22	493.22	493.22	1.897	
	160 mm (2.453 Avg.wt Kg/m)	..	636.74	636.74	636.74	2.449	
	180 mm (3.148 Avg.wt Kg/m)	..	818.48	818.48	818.48	3.148	
	200 mm (3.875 Avg.wt Kg/m)	..	1007.76	1007.76	1007.76	3.876	
	225 mm (4.822 Avg.wt Kg/m)	..	1253.72	1253.72	1253.72	4.822	
	250 mm (6.012 Avg.wt Kg/m)	..	1563.12	1563.12	1563.12	6.012	
	280 mm (7.471 Avg.wt Kg/m)	..	1942.46	1942.46	1942.46	7.471	
	315 mm (9.417 Avg.wt Kg/m)	..	2448.16	2448.16	2448.16	9.416	
	355 mm (11.957 Avg.wt Kg/m)	..	3108.82	3108.82	3108.82	11.957	
	400 mm (15.221 Avg.wt Kg/m)	..	3957.46	3957.46	3957.46	15.221	
	450 mm (19.163 Avg.wt Kg/m)	..	4982.12	4982.12	4982.12	19.162	
27.2	4 Kg/cm² Series III						
	40 mm (0.251 Avg.wt Kg/m)	Rm	65.26	65.26	65.26	0.251	
	50 mm (0.378 Avg.wt Kg/m)	..	98.28	98.28	98.28	0.378	
	63 mm (0.585 Avg.wt Kg/m)	..	152.36	152.36	152.36	0.586	
	75 mm (0.846 Avg.wt Kg/m)	..	219.96	219.96	219.96	0.846	
	90 mm (1.220 Avg.wt Kg/m)	..	317.46	317.46	317.46	1.221	
	110 mm (1.703 Avg.wt Kg/m)	..	462.02	462.02	462.02	1.777	
	125 mm (2.289 Avg.wt Kg/m)	..	595.14	595.14	595.14	2.289	
	140 mm (2.901 Avg.wt Kg/m)	..	754.52	754.52	754.52	2.902	
	160 mm (3.773 Avg.wt Kg/m)	..	986.96	986.96	986.96	3.796	
	180 mm (4.762 Avg.wt Kg/m)	..	1238.12	1238.12	1238.12	4.762	
	200 mm (5.890 Avg.wt Kg/m)	..	1531.40	1531.40	1531.40	5.89	
	225 mm (7.445 Avg.wt Kg/m)	..	1932.06	1932.06	1932.06	7.431	
	250 mm (9.187 Avg.wt Kg/m)	..	2388.62	2388.62	2388.62	9.187	
	280 mm (11.455 Avg.wt Kg/m)	..	2978.30	2978.30	2978.30	11.455	
	315 mm (14.508 Avg.wt Kg/m)	..	3772.08	3772.08	3772.08	14.508	
	355 mm (18.382 Avg.wt Kg/m)	..	4779.32	4779.32	4779.32	18.382	
	400 mm (23.343 Avg.wt Kg/m)	..	6069.18	6069.18	6069.18	23.343	
	450mm (29.351Avg.wt Kg/m)	..	7666.10	7666.10	7666.10	29.485	
27.3	6 Kg/cm² Series IV						
	32 mm (0.226 Avg.wt Kg/m)	Rm	58.76	58.76	58.76	0.226	
	40 mm (0.350 Avg.wt Kg/m)	..	91.00	91.00	91.00	0.35	
	50 mm (0.542 Avg.wt Kg/m)	..	140.92	140.92	140.92	0.542	
	63 mm (0.850 Avg.wt Kg/m)	..	221.26	221.26	221.26	0.851	
	75 mm (1.191 Avg.wt Kg/m)	..	309.66	309.66	309.66	1.191	
	90 mm (1.717 Avg.wt Kg/m)	..	446.42	446.42	446.42	1.717	
	110 mm (2.545 Avg.wt Kg/m)	..	661.70	661.70	661.70	2.545	
	125 mm (3.293 Avg.wt Kg/m)	..	856.18	856.18	856.18	3.293	
	140 mm (4.150 Avg.wt Kg/m)	..	1066.00	1066.00	1066.00	4.1	
	160 mm (5.355 Avg.wt Kg/m)	..	1392.30	1392.30	1392.30	5.355	
	180 mm (6.800 Avg.wt Kg/m)	..	1768.26	1768.26	1768.26	6.801	
	200 mm (8.391 Avg.wt Kg/m)	..	2181.92	2181.92	2181.92	8.392	
	225 mm (10.544 Avg.wt Kg/m)	..	2741.44	2741.44	2741.44	10.544	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
	250 mm (13.041 Avg.wt Kg/m)	..	3390.66	3390.66	3390.66	13.041	
	280 mm (16.327 Avg.wt Kg/m)	..	4245.28	4245.28	4245.28	16.328	
	315 mm (20.694 Avg.wt Kg/m)	..	5380.70	5380.70	5380.70	20.695	
	355 mm (26.243 Avg.wt Kg/m)	..	6823.70	6823.70	6823.70	26.245	
	400 mm (33.309 Avg.wt Kg/m)	..	8660.86	8660.86	8660.86	33.311	
	450 mm (42.065 Avg.wt Kg/m)	..	10937.42	10937.42	10937.42	42.067	
27.4	10 Kg/cm² Series VI						
	16 mm (0.092 Avg.wt Kg/m)	Rm	23.92	23.92	23.92	0.092	
	20 mm (0.134 Avg.wt Kg/m)	..	35.10	35.10	35.10	0.135	
	25 mm (0.202 Avg.wt Kg/m)	..	52.52	52.52	52.52	0.202	
	32 mm (0.334 Avg.wt Kg/m)	..	87.10	87.10	87.10	0.335	
	40 mm (0.514 Avg.wt Kg/m)	..	140.66	140.66	140.66	0.541	
	50 mm (0.796 Avg.wt Kg/m)	..	207.22	207.22	207.22	0.797	
	63 mm (1.269 Avg.wt Kg/m)	..	330.20	330.20	330.20	1.27	
	75 mm (1.782 Avg.wt Kg/m)	..	463.58	463.58	463.58	1.783	
	90 mm (2.568 Avg.wt Kg/m)	..	667.94	667.94	667.94	2.569	
	110 mm (3.801 Avg.wt Kg/m)	..	1011.66	1011.66	1011.66	3.891	
	125 mm (4.962 Avg.wt Kg/m)	..	1290.38	1290.38	1290.38	4.963	
	140 mm (6.209 Avg.wt Kg/m)	..	1614.60	1614.60	1614.60	6.21	
	160 mm (8.079 Avg.wt Kg/m)	..	2100.80	2100.80	2100.80	8.08	
	180 mm (10.256 Avg.wt Kg/m)	..	2667.80	2667.80	2667.80	10.258	
	200 mm (12.620 Avg.wt Kg/m)	..	3281.98	3281.98	3281.98	12.623	
	225 mm (16.014 Avg.wt Kg/m)	..	4164.42	4164.42	4164.42	16.017	
	250 mm (19.757 Avg.wt Kg/m)	..	5137.86	5137.86	5137.86	19.761	
	280 mm (24.708 Avg.wt Kg/m)	..	6425.38	6425.38	6425.38	24.713	
	315 mm (31.16 Avg.wt Kg/m)	..	8122.14	8122.14	8122.14	31.239	
	355 mm (39.635 Avg.wt Kg/m)	..	10307.18	10307.18	10307.18	39.643	
	400 mm (50.344 Avg.wt Kg/m)	..	13091.78	13091.78	13091.78	50.353	
	450 mm (63.598 Avg.wt Kg/m)	..	16538.34	16538.34	16538.34	63.609	
28	UPVC (Pipe NS 206/046						
28.1	A) pipe 2.5 kg /cm² pressure						
	a) 90 mm	र.मी	140.62	140.62	140.62		
	b) 110 mm	"	208.76	208.76	208.76		
	c) 125 mm	"	265.75	265.75	265.75		
	d) 140 mm	"	328.32	328.32	328.32		
	e) 160 mm	"	429.29	429.29	429.29		
	f) 180 mm	"	549.47	549.47	549.47		
	g) 200 mm	"	670.88	670.88	670.88		
28.2	B) PVC Pipe 4 kg / cm²						
	a) 63mm	र.मी	111.50	111.50	111.50		
	b) 75 mm	"	154.25	154.25	154.25		
	c) 90 mm	"	219.29	219.29	219.29		
	d) 110 mm	"	301.06	301.06	301.06		
	e) 125 mm	"	415.04	415.04	415.04		
	f) 140 mm	"	527.17	527.17	527.17		
	g) 160 mm	"	682.65	682.65	682.65		
	h) 180 mm	"	877.17	877.17	877.17		
	i) 200 mm	"	1063.63	1063.63	1063.63		
28.3	C) PVC Pipe 6 Kg/ cm² pressure						
	a) 40 mm	र.मी	65.66	65.66	65.66		
	b) 50 mm	"	99.12	99.12	99.12		
	c) 63 mm	"	158.58	158.58	158.58		
	d) 75 mm	"	221.77	221.77	221.77		
	e) 90 mm	"	319.65	319.65	319.65		
	f) 110 mm	"	462.12	462.12	462.12		
	g) 125 mm	"	615.75	615.75	615.75		
	h) 140 mm	"	766.28	766.28	766.28		
	i) 160 mm	"	981.86	981.86	981.86		
	j) 180 mm	र.मी	1251.95	1251.95	1251.95		
	k) 200 mm	..	1533.81	1533.81	1533.81		
28.4	C) PVC Pipe 10 Kg/ cm² pressure						

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	a) 20 mm	र.मी	25.40	25.40	25.40	
	b) 25 mm	"	39.65	39.65	39.65	
	c) 32mm	"	65.04	65.04	65.04	
	a) 40 mm	"	98.50	98.50	98.50	
	b) 50 mm	"	154.87	154.87	154.87	
	c) 63 mm	"	245.93	245.93	245.93	
	d) 75 mm	"	351.24	351.24	351.24	
	e) 90 mm	"	500.53	500.53	500.53	
	f) 110 mm	"	742.12	742.12	742.12	
	g) 125 mm	"	950.27	950.27	950.27	
	h) 140 mm	"	1198.27	1198.27	1198.27	
	i) 160 mm	"	1542.48	1542.48	1542.48	
	j) 180 mm	"	1966.19	1966.19	1966.19	
	k) 200 mm	"	2431.42	2431.42	2431.42	
28.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	30.97	30.97	30.97	
	75 mm	"	74.96	74.96	74.96	
	110 mm	"	127.60	127.60	127.60	
	Bend 87.5 degree					
	50 mm	गोटा	45.84	45.84	45.84	
	75 mm	"	108.41	108.41	108.41	
	110 mm	"	200.09	200.09	200.09	
	Bend 45 degree					
	50 mm	गोटा	44.60	44.60	44.60	
	75 mm	"	87.96	87.96	87.96	
	110 mm	"	157.96	157.96	157.96	
	Single Tee					
	50 mm	गोटा	68.14	68.14	68.14	
	75 mm	"	146.81	146.81	146.81	
	110 mm	"	278.76	278.76	278.76	
	Pipe clip					
	50 mm	गोटा	14.25	14.25	14.25	
	75 mm	"	27.88	27.88	27.88	
	110 mm	"	37.17	37.17	37.17	
	Bend 87.5 degree with door					
	75 mm	गोटा	138.76	138.76	138.76	
	110 mm	"	241.59	241.59	241.59	
	Single Tee with door					
	75 mm	गोटा	198.23	198.23	198.23	
	110 mm	"	368.58	368.58	368.58	
	Double Tee					
	75 mm	गोटा	322.12	322.12	322.12	
	110 mm	"	509.82	509.82	509.82	
	Double Tee with door					
	75 mm	गोटा	427.43	427.43	427.43	
	110 mm	"	662.21	662.21	662.21	
	Vent cowl					
	75 mm	गोटा	52.65	52.65	52.65	
	110 mm	"	87.35	87.35	87.35	
	Socket plug					
	75 mm	गोटा	66.28	66.28	66.28	
	110 mm	"	107.79	107.79	107.79	
	Single "Y"					
	75 mm	गोटा	189.56	189.56	189.56	
	110 mm	"	363.01	363.01	363.01	
	Single "Y" with door					
	75 mm	गोटा	230.44	230.44	230.44	
	110 mm	"	437.96	437.96	437.96	
	Double "Y"					
	75 mm	गोटा	253.36	253.36	253.36	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.ब.	२०७७/७८	२०७८/७९	
			२०७६/७७	२०७७/७८	२०७८/७९	
	110 mm	"	499.29	499.29	499.29	
	Double "Y" with door					
	75 mm	गोटा	324.60	324.60	324.60	
	110 mm	"	522.83	522.83	522.83	
	Cleaning pipe					
	75 mm	"	147.43	147.43	147.43	
	110 mm	"	284.34	284.34	284.34	
	Reducer					
	110x 75 mm	"	131.33	131.33	131.33	
	75X50 mm	"	68.76	68.76	68.76	
	P -Trap					
	125mmx110mm	"	538.94	538.94	538.94	
	110mmx110mm	"	505.49	505.49	505.49	
	75mmx75mm	"	193.27	193.27	193.27	
	Multi-Floor -Trap					
	110mmx75mm	"	280.00	280.00	280.00	
	Nahani-Trap					
	110mmx75mm	"	255.22	255.22	255.22	
	W.C. Connector (bent type)	"	260.80	260.80	260.80	
	Square tile with jali	"	83.63	83.63	83.63	
	Round jali	"	38.41	38.41	38.41	
	End cap 50mm	"	24.78	24.78	24.78	
29.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½" (15 mm)	र.मी	148.33	148.33	148.33	
	ii. ¾" (20 mm)	"	201.67	201.67	201.67	
	iii. 1" (25 mm)	"	280.00	280.00	280.00	
	iv. 1 ¼" (32 mm)	"	358.33	358.33	358.33	
	v. 1 ½" (40 mm)	"	441.67	441.67	441.67	
	vi. 2" (50 mm)	"	558.33	558.33	558.33	
	vii. 2 ½" (65 mm)	"	770.00	770.00	770.00	
	viii. 3" (80 mm)	"	903.33	903.33	903.33	
	ix. 4" (100 mm)	"	1291.67	1291.67	1291.67	
	x. 5" (125 mm)	"	2066.67	2066.67	2066.67	
	xi. 6" (150 mm)	"	2455.00	2455.00	2455.00	
	xii. 8" (200 mm)	"	3523.33	3523.33	3523.33	
	b) Medium class					
	i. ½" (15 mm)	र.मी	171.67	171.67	171.67	
	ii. ¾" (20 mm)	"	220.00	220.00	220.00	
	iii. 1" (25 mm)	"	328.33	328.33	328.33	
	iv. 1 ¼" (32 mm)	"	426.67	426.67	426.67	
	v. 1 ½" (40 mm)	र.मि	490.00	490.00	490.00	
	vi. 2" (50 mm)	"	670.00	670.00	670.00	
	vii. 2 ½" (65 mm)	"	855.00	855.00	855.00	
	viii. 3" (80 mm)	"	1060.00	1060.00	1060.00	
	ix. 4" (100 mm)	"	1573.33	1573.33	1573.33	
	x. 5" (125 mm)	"	2180.00	2180.00	2180.00	
	xi. 6" (150 mm)	"	2633.33	2633.33	2633.33	
	xii. 8" (200 mm)	"	4003.33	4003.33	4003.33	
	c) Heavy duty					
	i. ½" (15 mm)	र.मि	203.33	203.33	203.33	
	ii. ¾" (20 mm)	"	256.67	256.67	256.67	
	iii. 1" (25 mm)	"	383.33	383.33	383.33	
	iv. 1 ¼" (32 mm)	"	490.00	490.00	490.00	
	v. 1 ½" (40 mm)	"	565.00	565.00	565.00	
	vi. 2" (50 mm)	"	823.33	823.33	823.33	
	vii. 2 ½" (65 mm)	"	1031.67	1031.67	1031.67	
	viii. 3" (80 mm)	"	1215.00	1215.00	1215.00	
	ix. 4" (100 mm)	"	1883.33	1883.33	1883.33	
	x. 5" (125 mm)	"	2440.00	2440.00	2440.00	
	xi. 6" (150 mm)	"	2766.67	2766.67	2766.67	
	xii. 8" (200 mm)	"	4243.33	4243.33	4243.33	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.ब.	२०७७/७८	२०७८/७९	
			२०७६/७७	२०७७/७८	२०७८/७९	
30.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
i.	½ "	गोटा	881.88	881.88	881.88	
ii.	¾"	"	1098.25	1098.25	1098.25	
iii.	1"	"	1768.30	1768.30	1768.30	
iv.	1 ¼"	"	2522.89	2522.89	2522.89	
v.	1 ½ "	"	3177.48	3177.48	3177.48	
vi.	2"	"	5059.42	5059.42	5059.42	
vii.	2 ½ "	"	10459.77	10459.77	10459.77	
viii.	3"	"	13005.39	13005.39	13005.39	
ix.	4"	"	21301.38	21301.38	21301.38	
	b) G.M Check valve					
i.	½ "	गोटा	818.24	818.24	818.24	
ii.	¾"	"	1100.07	1100.07	1100.07	
iii.	1"	"	1627.38	1627.38	1627.38	
iv.	1 ¼"	"	2404.70	2404.70	2404.70	
v.	1 ½ "	"	2782.00	2782.00	2782.00	
vi.	2"	"	4613.94	4613.94	4613.94	
vii.	2 ½ "	"	9373.34	9373.34	9373.34	
viii.	3"	"	12519.00	12519.00	12519.00	
ix.	4"	"	17692.06	17692.06	17692.06	
	c) G.I. Ebow					
i.	½ "	गोटा	47.47	47.47	47.47	
ii.	¾"	"	85.28	85.28	85.28	
iii.	1"	"	133.56	133.56	133.56	
iv.	1 ¼"	"	201.14	201.14	201.14	
v.	1 ½ "	"	283.20	283.20	283.20	
vi.	2"	"	425.61	425.61	425.61	
vii.	2 ½ "	"	738.58	738.58	738.58	
viii.	3"	"	1148.10	1148.10	1148.10	
ix.	4"	"	1978.41	1978.41	1978.41	
x.	5"	"	4897.34	4897.34	4897.34	
xi.	6"	"	5893.38	5893.38	5893.38	
	d) G.I. Tee					
i.	½ "	गोटा	73.21	73.21	73.21	
ii.	¾"	"	116.66	116.66	116.66	
iii.	1"	"	169.76	169.76	169.76	
iv.	1 ¼"	"	271.94	271.94	271.94	
v.	1 ½ "	"	375.73	375.73	375.73	
vi.	2"	"	614.68	614.68	614.68	
vii.	2 ½ "	"	965.47	965.47	965.47	
viii.	3"	"	1305.80	1305.80	1305.80	
ix.	4"	"	2371.84	2371.84	2371.84	
x.	5"	"	6563.58	6563.58	6563.58	
xi.	6"	"	7606.29	7606.29	7606.29	
	e) G.I Union					
i.	½ "	गोटा	155.28	155.28	155.28	
ii.	¾"	"	218.04	218.04	218.04	
iii.	1"	"	320.21	320.21	320.21	
iv.	1 ¼"	"	440.09	440.09	440.09	
v.	1 ½ "	"	544.69	544.69	544.69	
vi.	2"	"	810.19	810.19	810.19	
vii.	2 ½ "	"	1658.19	1658.19	1658.19	
viii.	3"	"	2233.45	2233.45	2233.45	
ix.	4"	"	2942.27	2942.27	2942.27	
x.	5"	"	6563.58	6563.58	6563.58	
xi.	6"	"	7940.98	7940.98	7940.98	
	f) G.I. Socket					
i.	½ "	गोटा	42.64	42.64	42.64	
ii.	¾"	"	66.78	66.78	66.78	
iii.	1"	"	90.92	90.92	90.92	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
iv.	1 ¼"	"	140.80	140.80	140.80		
v.	1 ½ "	"	189.88	189.88	189.88		
vi.	2"	"	279.99	279.99	279.99		
vii.	2 ½ "	"	507.68	507.68	507.68		
viii.	3"	"	749.04	749.04	749.04		
ix.	4"	"	1296.95	1296.95	1296.95		
x.	5"	"	3239.95	3239.95	3239.95		
xi.	6"	"	4355.87	4355.87	4355.87		
g) C.I. Plug							
i.	½ "	गोटा	27.27	27.27	27.27		
ii.	¾"	"	36.37	36.37	36.37		
iii.	1"	"	45.46	45.46	45.46		
iv.	1 ¼"	"	90.01	90.01	90.01		
v.	1 ½ "	"	113.64	113.64	113.64		
vi.	2"	"	136.37	136.37	136.37		
vii.	2 ½ "	"	195.47	195.47	195.47		
viii.	3"	"	400.03	400.03	400.03		
ix.	4"	"	768.23	768.23	768.23		
h) Hex Nipple							
i.	½ "	गोटा	51.49	51.49	51.49		
ii.	¾"	"	78.85	78.85	78.85		
iii.	1"	"	127.92	127.92	127.92		
iv.	1 ¼"	"	198.73	198.73	198.73		
v.	1 ½ "	"	251.83	251.83	251.83		
vi.	2"	"	374.92	374.92	374.92		
vii.	2 ½ "	"	687.09	687.09	687.09		
viii.	3"	"	888.23	888.23	888.23		
ix.	4"	"	1360.51	1360.51	1360.51		
i) Reducing Tee							
i.	¾"	गोटा	127.92	127.92	127.92		
ii.	1"	"	187.46	187.46	187.46		
iii.	1 ¼"	"	297.69	297.69	297.69		
iv.	1 ½ "	"	413.54	413.54	413.54		
v.	2"	"	675.83	675.83	675.83		
vi.	2 ½ "	"	1063.63	1063.63	1063.63		
vii.	3"	"	1437.74	1437.74	1437.74		
viii.	4"	"	2626.88	2626.88	2626.88		
x.	5"	"	7226.54	7226.54	7226.54		
xi.	6"	"	8365.79	8365.79	8365.79		
j) Reducing Elbow							
i.	¾"	गोटा	94.13	94.13	94.13		
ii.	1"	"	146.43	146.43	146.43		
iii.	1 ¼"	"	222.86	222.86	222.86		
iv.	1 ½ "	"	313.78	313.78	313.78		
v.	2"	"	469.06	469.06	469.06		
vi.	2 ½ "	"	809.38	809.38	809.38		
vii.	3"	"	1247.87	1247.87	1247.87		
viii.	4"	"	2209.31	2209.31	2209.31		
x.	5"	"	5388.12	5388.12	5388.12		
xi.	6"	"	6483.12	6483.12	6483.12		
j) Reducing socket							
i.	¾"	गोटा	74.02	74.02	74.02		
ii.	1"	"	98.96	98.96	98.96		
iii.	1 ¼"	"	154.48	154.48	154.48		
iv.	1 ½ "	"	206.77	206.77	206.77		
v.	2"	"	308.95	308.95	308.95		
vi.	2 ½ "	"	552.73	552.73	552.73		
vii.	3"	"	788.47	788.47	788.47		
viii.	4"	"	1422.46	1422.46	1422.46		
x.	5"	"	4067.04	4067.04	4067.04		
xi.	6"	"	4781.49	4781.49	4781.49		
K) Short bend							

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
i.	½ "	गोटा	127.28	127.28	127.28	
ii.	¾"	"	195.47	195.47	195.47	
iii.	1"	"	300.02	300.02	300.02	
iv.	1 ¼"	"	577.31	577.31	577.31	
v.	1 ½ "	"	872.78	872.78	872.78	
vi.	2"	"	1277.36	1277.36	1277.36	
vii.	2 ½ "	"	3277.49	3277.49	3277.49	
viii.	3"	"	5082.15	5082.15	5082.15	
ix.	4"	"	7200.47	7200.47	7200.47	
D) Cross Tee						
i.	½ "	गोटा	119.88	119.88	119.88	
ii.	¾"	"	170.57	170.57	170.57	
iii.	1"	"	268.72	268.72	268.72	
iv.	1 ¼"	"	466.64	466.64	466.64	
v.	1 ½ "	"	559.97	559.97	559.97	
vi.	2"	"	907.54	907.54	907.54	
vii.	2 ½ "	"	1531.07	1531.07	1531.07	
viii.	3"	"	2218.97	2218.97	2218.97	
ix.	4"	"	2995.37	2995.37	2995.37	
M) Tanki nipple						
i.	½ "	गोटा	140.80	140.80	140.80	
ii.	¾"	"	196.31	196.31	196.31	
iii.	1"	"	292.05	292.05	292.05	
iv.	1 ¼"	"	440.09	440.09	440.09	
v.	1 ½ "	"	559.97	559.97	559.97	
vi.	2"	"	907.54	907.54	907.54	
vii.	2 ½ "	"	1746.69	1746.69	1746.69	
viii.	3"	"	2325.98	2325.98	2325.98	
ix.	4"	"	3086.28	3086.28	3086.28	
G.I. Nipple Medium Class ISI or NS						
2" Long						
i.	½ "	गोटा	23.33	23.33	23.33	
ii.	¾"	"	34.60	34.60	34.60	
iii.	1"	"	46.66	46.66	46.66	
iv.	1 ¼"	"	62.76	62.76	62.76	
v.	1 ½ "	"	76.43	76.43	76.43	
vi.	2"	"	116.66	116.66	116.66	
3" Long						
i.	½ "	गोटा	34.60	34.60	34.60	
ii.	¾"	"	51.49	51.49	51.49	
iii.	1"	"	69.19	69.19	69.19	
iv.	1 ¼"	"	93.33	93.33	93.33	
v.	1 ½ "	"	115.86	115.86	115.86	
vi.	2"	"	172.98	172.98	172.98	
vii.	2 ½ "	"	237.34	237.34	237.34	
viii.	3"	"	345.96	345.96	345.96	
4" Long						
i.	½ "	गोटा	46.66	46.66	46.66	
ii.	¾"	"	68.39	68.39	68.39	
iii.	1"	"	92.52	92.52	92.52	
iv.	1 ¼"	"	124.71	124.71	124.71	
v.	1 ½ "	"	151.26	151.26	151.26	
vi.	2"	"	231.71	231.71	231.71	
vii.	2 ½ "	"	317.80	317.80	317.80	
viii.	3"	"	462.62	462.62	462.62	
ix.	4"	"	595.37	595.37	595.37	
6" Long						
i.	½ "	गोटा	69.19	69.19	69.19	
ii.	¾"	"	102.98	102.98	102.98	
iii.	1"	"	138.38	138.38	138.38	
iv.	1 ¼"	"	188.27	188.27	188.27	
v.	1 ½ "	"	231.71	231.71	231.71	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.ब.	२०७७/७८	२०७८/७९	
			२०७६/७७	२०७७/७८	२०७८/७९	
vi.	2"	"	347.57	347.57	347.57	
vii.	2 ½ "	"	474.69	474.69	474.69	
viii.	3"	"	679.85	679.85	679.85	
ix.	4"	"	840.76	840.76	840.76	
9" Long						
i.	½ "	गोटा	103.79	103.79	103.79	
ii.	¾"	"	152.87	152.87	152.87	
iii.	1"	"	185.05	185.05	185.05	
iv.	1 ¼"	"	281.60	281.60	281.60	
v.	1 ½ "	"	378.14	378.14	378.14	
vi.	2"	"	521.35	521.35	521.35	
vii.	2 ½ "	"	703.99	703.99	703.99	
viii.	3"	"	1041.90	1041.90	1041.90	
ix.	4"	"	4465.29	4465.29	4465.29	
12" Long						
i.	½ "	गोटा	138.38	138.38	138.38	
ii.	¾"	"	202.75	202.75	202.75	
iii.	1"	"	230.10	230.10	230.10	
iv.	1 ¼"	"	376.53	376.53	376.53	
v.	1 ½ "	"	462.62	462.62	462.62	
vi.	2"	"	694.33	694.33	694.33	
vii.	2 ½ "	"	937.31	937.31	937.31	
viii.	3"	"	1387.86	1387.86	1387.86	
ix.	4"	"	1657.39	1657.39	1657.39	
18" Long						
i.	½ "	गोटा	207.58	207.58	207.58	
ii.	¾"	"	255.85	255.85	255.85	
iii.	1"	"	345.96	345.96	345.96	
iv.	1 ¼"	"	563.19	563.19	563.19	
v.	1 ½ "	"	691.92	691.92	691.92	
vi.	2"	"	1041.90	1041.90	1041.90	
vii.	2 ½ "	"	1407.98	1407.98	1407.98	
viii.	3"	"	2061.28	2061.28	2061.28	
ix.	4"	"	2514.24	2514.24	2514.24	
G.I./G.I. Flange						
i.	1 ¼"	गोटा	883.03	883.03	883.03	
ii.	1 ½ "	"	1086.80	1086.80	1086.80	
iii.	2"	"	1332.38	1332.38	1332.38	
iv.	2 ½ "	"	1557.05	1557.05	1557.05	
v.	3"	"	1734.70	1734.70	1734.70	
vi.	4"	"	2152.70	2152.70	2152.70	
vii.	5"	"	3077.53	3077.53	3077.53	
viii.	6"	"	3197.70	3197.70	3197.70	
ix.	8"	"	6369.28	6369.28	6369.28	
G.I./HDP Flange						
i.	1 ¼"	गोटा	950.95	950.95	950.95	
ii.	1 ½ "	"	1212.20	1212.20	1212.20	
iii.	2"	"	1431.65	1431.65	1431.65	
iv.	2 ½ "	"	1672.00	1672.00	1672.00	
v.	3"	"	1786.95	1786.95	1786.95	
vi.	4"	"	2204.95	2204.95	2204.95	
vii.	5"	"	3077.53	3077.53	3077.53	
viii.	6"	"	3213.88	3213.88	3213.88	
ix.	8"	"	6991.05	6991.05	6991.05	
HDP/HDP Flange set with adaptor						
i.	1 ¼"	गोटा	950.95	950.95	950.95	
ii.	1 ½ "	"	1212.20	1212.20	1212.20	
iii.	2"	"	1431.65	1431.65	1431.65	
iv.	2 ½ "	"	1672.00	1672.00	1672.00	
v.	3"	"	1786.95	1786.95	1786.95	
vi.	4"	"	2204.95	2204.95	2204.95	
vii.	5"	"	3495.33	3495.33	3495.33	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.ब.	२०७७/७८	२०७८/७९	
			२०७६/७७	२०७७/७८	२०७८/७९	
viii.	6"	"	3213.38	3213.38	3213.38	
ix.	8"	"	6991.05	6991.05	6991.05	
Brass tap ½"						
i.	½" (Wt. 400 gm)	गोटा	830.78	830.78	830.78	
ii.	½" ordinary	गोटा	188.10	188.10	188.10	
Globe Valve (GM)						
i.	½"	गोटा	846.45	846.45	846.45	
ii.	¾"	"	1379.40	1379.40	1379.40	
iii.	1"	"	1703.35	1703.35	1703.35	
iv.	1 ¼"	"	2706.55	2706.55	2706.55	
v.	1 ½"	"	3406.70	3406.70	3406.70	
vi.	2"	"	4253.15	4253.15	4253.15	
vii.	2 ½"	"	8354.78	8354.78	8354.78	
viii.	3"	"	13804.45	13804.45	13804.45	
ix.	4"	"	22321.20	22321.20	22321.20	
Float Valve						
i.	½"	गोटा	1039.78	1039.78	1039.78	
ii.	¾"	"	1175.63	1175.63	1175.63	
iii.	1"	"	1426.43	1426.43	1426.43	
iv.	1 ¼"	"	2466.20	2466.20	2466.20	
v.	1 ½"	"	3704.53	3704.53	3704.53	
vi.	2"	"	4932.40	4932.40	4932.40	
C.I. Air valve (Heavy)						
i.	½"	गोटा	3443.28	3443.28	3443.28	
ii.	¾"	"	4749.53	4749.53	4749.53	
iii.	1"	"	5266.80	5266.80	5266.80	
Brass Union with Adoptr						
i.	½"	गोटा	224.68	224.68	224.68	
ii.	¾"	"	344.85	344.85	344.85	
iii.	1"	"	522.50	522.50	522.50	
iv.	1 ¼"	"	679.25	679.25	679.25	
v.	1 ½"	"	1212.20	1212.20	1212.20	
vi.	2"	"	1797.40	1797.40	1797.40	
Saddle Ferrule						
i.	1 ½"	गोटा	323.95	323.95	323.95	
ii.	2"	"	428.45	428.45	428.45	
iii.	2 ½"	"	1196.53	1196.53	1196.53	
iv.	3"	"	1583.18	1583.18	1583.18	
v.	4"	"	2257.20	2257.20	2257.20	
Flow Regulating Valve (G.M.)						
i.	½"	गोटा	1212.20	1212.20	1212.20	
C.I Sluice Valve						
i.	1 ½"	गोटा	6275.23	6275.23	6275.23	
ii.	2"	"	8370.45	8370.45	8370.45	
iii.	2 ½"	"	10455.23	10455.23	10455.23	
iv.	3"	"	12549.41	12549.41	12549.41	
v.	4"	"	16728.36	16728.36	16728.36	
vi.	5"	"	25424.85	25424.85	25424.85	
vii.	6"	"	30514.00	30514.00	30514.00	
viii.	8"	"	42719.60	42719.60	42719.60	
Brass Ferrule Cock						
i.	½"	गोटा	1379.40	1379.40	1379.40	
ii.	¾"	"	1797.40	1797.40	1797.40	
iii.	1"	"	2638.63	2638.63	2638.63	
Ball valve						
a)	15mm	गोटा	470.25	470.25	470.25	
b)	20 mm	"	595.65	595.65	595.65	
c)	25 mm	"	799.43	799.43	799.43	
d)	32 mm	"	963.49	963.49	963.49	
e)	40 mm	"	1865.33	1865.33	1865.33	
f)	50 mm	"	3061.85	3061.85	3061.85	
31.0 Supplying of RCC Ring for Construction of Well						

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
31.1	Ring						
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	580.00	580.00	580.00		
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	718.00	718.00	718.00		
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	835.00	835.00	835.00		
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1106.00	1106.00	1106.00		
31.2	Supplying & fixing of metal frame and Rec cover						
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1751.00	1751.00	1751.00		
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2318.00	2318.00	2318.00		
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2544.00	2544.00	2544.00		
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3039.00	3039.00	3039.00		
32.0	ईनार खनको लागी R.C.C. रिङ बापुती गरि माटो खन्ने ,बाबरयक फील्डर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा डस्कन बाहेक)						
	i) 28" dia. R.C.C. Ring	र.मी	4009.00	4009.00	4009.00		
	ii) 36" dia. R.C.C. Ring	"	5088.00	5088.00	5088.00		
	iii) 42" dia. R.C.C. Ring	"	5922.00	5922.00	5922.00		
	iv) 48" dia. R.C.C. Ring	"	7305.00	7305.00	7305.00		
32.2	२५ फीट देखि माथीको गहीराइ भएमा						
	ईनार खनको लागी R.C.C. रिङ बापुती गरि माटो खन्ने ,बाबरयक फील्डर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा माय डस्कन बाहेक)						
	i) 28" dia. R.C.C. Ring	र.मी	5380.00	5380.00	5380.00		
	ii) 36" dia. R.C.C. Ring	"	9097.00	9097.00	9097.00		
	iii) 42" dia. R.C.C. Ring	"	11011.00	11011.00	11011.00		
	iv) 48" dia. R.C.C. Ring	"	13228.00	13228.00	13228.00		
33.0	Accessories for Deep boring works by machine .						
	i) MS Slotted pipe	Kg					
	ii) Submersible pump with motor 15 hp per set, head 80 m.discharge 10 lps. with control pannel	Set					
	iii) Submersible pump with motor 12.5 hp per set, head 80 m.discharge 8 lps.with control pannel	"					
	iv) Submersible pump with motor 10 hp per set, head 70 m.discharge 7 lps. with control pannel	"					
	v) Submersible pump with motor 7.5 hp per set, head 70 m.discharge 5 lps. with control pannel	"					
	vi) 10 mm sq. submersible Cable three phase per meter	र.मि					
	vii) 6 mm sq. submersible Cable three phase per meter	"					
	viii) 4 mm sq. submersible Cable three phase per meter	"					
	ix) 2.5 mm sq. submersible Cable three phase per meter	"					
	x) Pannel Board Suitable for above pumps 20 H P	set					
	xi) Pannel Board Suitable for above pumps 15 H P	"					
	xii) Pannel Board Suitable for above pumps 12.50 H P	"					
	xiii) Pannel Board Suitable for above pumps 10 H P	"					
	xiv) Pannel Board Suitable for above pumps 7.5 H P	"					
	xv) 10" dia flange and flange cover with nut bolt , thickness 10 mm	"					
	xvi) 8" dia flange and flange cover with nut bolt , thickness 10 mm	"					
	xvii) 6" dia flange and flange cover with nut bolt , thickness 10 mm	"					
	xviii) 10" MS collar (socket) suitable for above pipe thickness 7 mm	"					
	xix) 8" MS collar (socket) suitable for above pipe thickness 6 mm	"					
	xx) 6" MS collar (socket) suitable for above pipe thickness 6 mm	"					
	xxi) 4" MS collar (socket) suitable for above pipe thickness 6 mm	"					
	vi) 200 mm dia ms pipe of 7 mm thick	र.मि					
	vi) 200 mm dia ms pipe of 7 mm thick Slotted pipe	"					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत	
			आ.व.	२०७६/७७	२०७७/७८		२०७८/७९
	vi) 150 mm dia ms pipe of 5.4 mm thick	"					
	vi) 150 mm dia ms pipe of 5.4 mm thick Slotted pipe	"					
	Construction material for deep boring						
	Bentonite	Ton					
	Barite	Ton					
	Drill bit	nos					
	Oxyzen gs	cy,					
	Acetelyne gas	cy,					
	Bucket	nos					
	Liner	nos					
	Piston rod	nos					
	Gland packing	set					
	swivel packing	Set					
	V-packing	Set					
	Valve / Steel ball	nos					
	Valve sheat	nos					
	Valve Packing	nos					
	Machinery for Deep boring						
	Rig machine	Hrs					
	Elec. Generetor	"					
	Water truck	"					
	Cargo truck	"					
	Picup truck	"					
	Water pump	"					
	Electric logger	"					
34.0	Sanitary Tools						
a	Adjustable spanner						
	10"	Pc	247.50	247.50	247.50		
	12"	Pc	467.50	467.50	467.50		
	15"	Pc	1347.50	1347.50	1347.50		
	18"	Pc	1595.00	1595.00	1595.00		
b	Blow Torch						
	1/2 pint	Pc	1391.50	1391.50	1391.50		
	1 pint	Pc	1716.00	1716.00	1716.00		
c	Building Trowel	Pc	77.00	77.00	77.00		
d	Chain Pipe wrench						
	50mm	Pc	1595.00	1595.00	1595.00		
	75mm	Pc	1897.50	1897.50	1897.50		
	100mm	Pc	2227.50	2227.50	2227.50		
	150mm	Pc	3135.00	3135.00	3135.00		
	200mm	Pc	5335.00	5335.00	5335.00		
e	Chain Pulley in Ton						
	3 ton	Pc	17050.00	17050.00	17050.00		
	5 ton	Pc	28160.00	28160.00	28160.00		
f	Stone Chisel 1"x12"	Pc	357.50	357.50	357.50		
g	Die teeth oil with cane (250 ml size)	Pc	275.00	275.00	275.00		
h	Smooth steel file half round						
	8"	Pc	522.50	522.50	522.50		
	10"	Pc	1001.00	1001.00	1001.00		
i	Flat file 10"	Pc	522.50	522.50	522.50		
10.0	Hacksaw Blade						
	Single	Pc	4.40	4.40	4.40		
	double	Pc	8.80	8.80	8.80		
j	Hacksaw Frame 6mm	Pc	187.00	187.00	187.00		
k	Handle die set						
	25 mm	Pc	3107.50	3107.50	3107.50		
	50 mm	Pc	3520.00	3520.00	3520.00		
	60 mm	Pc	9350.00	9350.00	9350.00		
l	Heating Plate						
	80 mm	Pc	935.00	935.00	935.00		
	100 mm	Pc	1072.50	1072.50	1072.50		
	125 mm	Pc	1375.00	1375.00	1375.00		

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	150 mm	Pc	1639.00	1639.00	1639.00	
	200 mm	Pc	2651.00	2651.00	2651.00	
	250 mm	Pc	3212.00	3212.00	3212.00	
	300 mm	Pc	3751.00	3751.00	3751.00	
m	Iron Brush 12"	Pc	71.50	71.50	71.50	
n	Iron Pan (madium)	Pc	253.00	253.00	253.00	
o	Pick Axe 1.7 Kg.	Pc	418.00	418.00	418.00	
p	Pipe Cutter					
	15-50 mm	Pc	1980.00	1980.00	1980.00	
	65-80 mm	Pc	3080.00	3080.00	3080.00	
	100 mm	Pc	4950.00	4950.00	4950.00	
	125 mm	Pc	5500.00	5500.00	5500.00	
	150 mm	Pc	9790.00	9790.00	9790.00	
q	Pipe Jack Machine (Heavy)	Pc	31350.00	31350.00	31350.00	
r	Pipe Vice					
	2"	Pc	2420.00	2420.00	2420.00	
	3"	Pc	3520.00	3520.00	3520.00	
	4"	Pc	5307.00	5307.00	5307.00	
	5"	Pc	9845.00	9845.00	9845.00	
s	Pipe Wrench					
	10"	Pc	308.00	308.00	308.00	
	12"	Pc	572.00	572.00	572.00	
	14"	Pc	682.00	682.00	682.00	
	18"	Pc	1083.50	1083.50	1083.50	
	24"	Pc	1496.00	1496.00	1496.00	
	36"	Pc	5280.00	5280.00	5280.00	
	48"	Pc	9350.00	9350.00	9350.00	
t	Plumb Bob Line	Pc	88.00	88.00	88.00	
u	Rachet Die Set					
	1/2"-1"	Pc	4180.00	4180.00	4180.00	
	1 1/4" -2"	Pc	7810.00	7810.00	7810.00	
	2 1/2"-3"	Pc	17050.00	17050.00	17050.00	
v	Round File 10"	Pc	357.50	357.50	357.50	
w	Screw Driver 12"	Pc	198.00	198.00	198.00	
x	Shovel 1.5 Kg	Pc	357.50	357.50	357.50	
y	Slide wrench					
	10"	Pc	352.00	352.00	352.00	
	12"	Pc	473.00	473.00	473.00	
	15"	Pc	1380.50	1380.50	1380.50	
z	Spade	Pc	429.00	429.00	429.00	
A	Spare Die Teeth					
	15 mm	Pc	572.00	572.00	572.00	
	20 mm	Pc	572.00	572.00	572.00	
	25 mm	Pc	572.00	572.00	572.00	
	32 mm	Pc	907.50	907.50	907.50	
	40 mm	Pc	1551.00	1551.00	1551.00	
	50 mm	Pc	1567.50	1567.50	1567.50	
	65 mm	Pc	1815.00	1815.00	1815.00	
	80 mm	Pc	2035.00	2035.00	2035.00	
B	Telflon Cover					
	5'x5'	Pc	302.50	302.50	302.50	
	7'x7'	Pc	412.50	412.50	412.50	
C	Telflon Cloth	m	3327.50	3327.50	3327.50	
D	Telflon Tape 10 mm roll	Roll	16.50	16.50	16.50	
E	Thermochrome Crayon					
	Indian	Pc	742.50	742.50	742.50	
	Germany	Pc	1485.00	1485.00	1485.00	
F	Tool Box (14"x8"x22")	Pc	2040.50	2040.50	2040.50	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
35	Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.,)					
	800 lts for 4 persons	nos	63750.00	63750.00	63750.00	
	1200 lts for 6 people	nos	79050.00	79050.00	79050.00	
	1600 lts for 10 persons	nos	95200.00	95200.00	95200.00	
37	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					
1	Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150.00	150.00	150.00	
2	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs, flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0 to 3.5 bar	Nos	30.00	30.00	30.00	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660.00	660.00	660.00	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps. The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200.00	1200.00	1200.00	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps. The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200.00	1200.00	1200.00	
	gear rotors 5004	No.	3100.00	3100.00	3100.00	
	Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390.00	390.00	390.00	
	Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA	No.	480.00	480.00	480.00	
	Providing and fixing of HDPE service saddle of varying size		850.00	850.00	850.00	
4	VALVES & ACCESSORIES					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/७८	२०७८/७९	
	Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800.00	1800.00	1800.00	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100.00	2100.00	2100.00	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500.00	7500.00	7500.00	
	6"Round box.	No.	1250.00	1250.00	1250.00	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500.00	13500.00	13500.00	
	Key threads into top of QCV to provide water access 33DK	No.	9750.00	9750.00	9750.00	

नोट : माथि उल्लेखित दररेटमा नपरेका सामानहरू काठमाडौं जिल्लाले निर्धारण गरेको स्वीकृत दररेटलाई आधार मानी हुवानी दिनु पर्ने भए सो समेत जोडी नम्म अनुसार दर निर्धारण गरी कार्यान्वयन गर्ने निर्णय गरियो ।

Deep Boaring Rate

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Skilled Labour	Md	१५००.००	१५००.००	१५००.००
२	Unskilled Labour	Md	१०००.००	१०००.००	१०००.००
३	Setting of Drilling Equipment & Camp	Set	२४५००.००	२४५००.००	२४५००.००
४	Drilling of pilot hole by 8/6" Dia drilling bit				
	a) Soft Formation	Rm	३४३७.३८	३४३७.३८	३४३७.३८
	b) Medium Formation	Rm	४८७०.९९	४८७०.९९	४८७०.९९
	c) Hard Formation	Rm	६६४९.९८	६६४९.९८	६६४९.९८
५	Casing Pipe Soltted pipe & fitting				
	a) Supply & delivery of 8" Dia MS pipe with casing shoe	Rm	३५००.००	३५००.००	३५००.००
	b) Supply & delivery of 6" Dia MS pipe with casing shoe	Rm	२५००.००	२५००.००	२५००.००
	c) Screen making Charge (Perforated or soltted)	Rm	१५००.००	१५००.००	१५००.००
	d) 8" flange & cover with nut bolts	No	२००००.००	२००००.००	२००००.००
	e) 8"/6" Reducer	No	१००००.००	१००००.००	१००००.००
६	Pump Test				
	a) Time Drawdoen Test	Hrs	११४०८.३३	११४०८.३३	११४०८.३३
	b)Recover Test	Hrs	४८३७.५०	४८३७.५०	४८३७.५०
७	Electro-Mechanical & Pipe Fittings				
	a) Pump,Pannel Board,Submersible Cable & Accessories As per Discharge,location of pump house & Heads of Required Pump	Set	३०००००.००	३०००००.००	३०००००.००
	b) GI Pipe Fitting & Valves upto Ground Level As per Discharge & head of Pump	Set	१२५०००.००	१२५०००.००	१२५०००.००
	c) Pump Instalation & Testing of other Fitting	Set	३००००.००	३००००.००	३००००.००

PE 100 PRICE LIST										
S.N	OUTSIDE DIA.		PN 6		PN 10		PN 12.5		PN 16	
	MM(Including Thickness)	Inches	AVG	PRICE	AVG	PRICE	AVG	PRICE	AVG	PRICE
1	20	1/2"	-	-	-	-	-	-	0.135	37.130
2	25	1/4"	-	-	-	-	0.174	47.850	0.209	57.480
3	32	1"	-	-	0.236	64.900	0.276	75.900	0.340	93.500
4	40	1 1/4"	-	-	0.362	99.550	0.437	120.180	0.526	144.650
5	50	1 1/2"	0.367	100.930	0.558	153.450	0.676	185.900	0.812	223.300
6	63	2"	0.572	157.300	0.887	243.930	1.053	289.580	1.277	351.180
7	75	2 1/2"	0.820	225.500	1.255	345.130	1.489	409.480	1.810	497.750
8	90	3"	1.155	317.630	1.797	494.180	2.157	593.180	2.605	716.380
9	110	4"	1.697	466.680	2.658	730.950	3.195	878.630	3.862	1062.050
10	125	4 1/2"	2.200	605.000	3.424	941.600	4.113	1131.080	4.990	1372.250
11	140	5"	2.776	760.650	4.285	1178.380	5.162	1419.550	6.245	1717.380
12	150	6"	3.600	990.000	5.591	1537.530	6.734	1851.850	8.180	2249.630
13	180	7"	4.544	1249.600	7.094	1950.850	8.514	2341.350	103.150	2836.630
14	200	8"	5.596	1538.900	8.747	2405.430	10.501	2887.780	12.739	3503.230